



INDEX SEMINUM
QUAE
HORTUS BOTANICUS CONIMBRIGENSIS
PRO MUTUA COMMUTATIONE OFFERT

ANNO 1988



INSTITUTO BOTÂNICO
DA UNIVERSIDADE DE COIMBRA

PORTUGAL



To the memory of
Prof. Dr. AURÉLIO QUINTANILHA
1892 – 1987

Professor of Botany of the University of Coimbra (1919-1935). As an opponent to the portuguese dictatorial regimen, he was removed from this place by the Government (May 13, 1935). "Chargé de Recherches de la Caisse Nationale de la Recherche Scientifique de France" (1938-1941), Investigator without remuneration at "Estação Agronómica Nacional" (1941-1943) and Director of the Cotton Research Center in Mozambique (1943-1962). An eminent teacher, cytologist, geneticist and agronomist, he was also a great animator of scientific research in Portugal and the author of many valuable works on Cytology, Genetics of Fungi and Cotton improvement. Until 1962 he made remarkable contributions to the raising of the economic level of the ex-Portuguese Colonies of Angola and Mozambique on account of the development given to the Cotton culture. From Mozambique he sent important collections of plants for the Herbarium and living plants for the Garden of the Botanical Institute.

INDEX SEMINUM

QUAE

HORTUS BOTANICUS CONIMBRIGENSIS

PRO MUTUA COMMUTATIONE OFFERT

(Anno 1987 collectorum)

*— Semina e plantis spontaneis in loco natali lecta.

**— Semina germinationis brevis tempore proprio mituntur.

PTERIDOPHYTA

ADIANTACEAE

- 1 * *Adiantum capillus-veneris* L.
2 — *hispidulum* Swartz

ANEMIACEAE

- 3 *Anemia phyllitidis* (L.) Swartz

ASPIDIACEAE

- 4 *Dryopteris atrata* (Wall.) R. C. Ching
5 — *parasitica* (L.) O. Kuntze
6 * — *pseudo-mas* (Wollaston) Holub et Pouzar
7 *Phanerophlebia falcata* (L. fil.) Copel.
8 — *fortunei* (Sm.) Copel.
9 * *Polystichum setiferum* (Forsk.) Woytar

ASPLENIACEAE

- 10 * *Asplenium billotii* F. W. Schultz
11 — *bulbiferum* G. Forster
12 — *nidus* L.
13 * — *onopteris* L.
14 * — *ruta-muraria* L.
15 * — *trichomanes* L.
16 — *viviparum* (L. fil.) C. Presl
var. *viviparum*
17 * *Ceterach officinarum* DC.
18 * *Phyllitis scolopendrium* (L.) New man

ATHYRIACEAE

- 19 * *Athyrium filix-femina* (L.) Roth
20 * *Cystopteris fragilis* (L.) Bernh.
21 *Diplazium proliferum* (Lam.) Kaulfuss

BLECHNACEAE

- 23 *Blechnum brasiliense* Desv.
24 — *polypodioides* (Swartz) Kuhn
25 * — *spicant* (L.) Roth
26 *Doodia aspera* R. Br.
27 — *caudata* (Cav.) R. Br.
28 — *dives* G. Kunze
29 — *media* R. Br.
30 *Woodwardia radicans* (L.) Sm.
31 — *virginica* (L.) Sm.

CRYPTOGRAMMACEAE

- 32 *Onychium japonicum* (Thunb.) G. Kunze

DAVALLIACEAE

- 33 * *Davallia canariensis* (L.) Sm.

DENNSTAEDTIACEAE

- 34 *Dennstaedtia adiantoides* (H.B. Willd.) T. Moore
35 *Microlepia hirta* (Kaulfuss) C. Presl
36 — *platyphylla* (D. Don) Sm.

DICKSONIACEAE

- 37 *Cibotium glaucum* (Sm.) Hooker et Arnott
37-a *Dicksonia antartica* Labill.
38 — *sellowiana* (C. Presl) Hooker

EQUISETACEAE

- 39 * *Equisetum arvense* L.
 40 * — *ramosissimum* Desf.
 41 * — *telmateia* Ehrh.

HEMIONITIDACEAE

- 42 * *Anogramma leptophylla* (L.) Link
 43 *Coniogramme japonica* (Thunb.)
 Diels

HYMENOPHYLLACEAE

- 44 *Trichomanes speciosum* Willd.

HYPOLEPIDACEAE

- 45 * *Pteridium aquilinum* (L.) Kuhn

LYGODIACEAE

- 46 *Lygodium scandens* (L.) Swartz

MARATTIACEAE

- 46-a *Marattia fraxinea* Smith

MARSILEACEAE

- 47 * *Pilularia globulifera* L.

NEPHROLEPIDACEAE

- 48 *Nephrolepis exaltata* (L.) Schott

OPHIOGLOSSACEAE

- 49 * *Ophioglossum lusitanicum* L.

OSMUNDACEAE

- 50 * *Osmunda regalis* L.

POLYPODIACEAE

- 51 *Microsorium punctatum* (L.) Copel.
 52 *Phlebodium aureum* (L.) Sm.
 53 *Platyterium bifurcatum* (Cav.) C. Chr.
 54 * *Polypodium australe* Fée
 55 *Pyrrosia lingua* (Thunb.) Farwell

PTERIDIACEAE

- 56 *Pteris cretica* L. var. *cretica*
 57 — — var. *albolineata* Hooker
 58 — — var. *wilsonii* Hort.
 59 — *longifolia* L.
 60 — *palustris* Poir.

SELAGINELLACEAE

- 61 * *Selaginella denticulata* (L.) Link

SINOPTERIDACEAE

- 62 * *Cheilanthes hispanica* Mett.
 63 * — *pteridioides* (Richard)
 C. Chr.
 65 *Pellaea rotundifolia* (G. Forster) Hooker
 66 — *viridis* (Forsk.) Prantl

GYMNOSPERMAE

CUPRESSACEAE

- 68 *Callitris rhomboidea* R. Br. ex
 A. et L. C. Rich.
 69 *Chamaecyparis lawsoniana* (A. Mur-
 ray) Parl.
 70 *Cupressus lusitanica* Miller var.
lusitanica
 71 — — var. *pendula*
 Hort.
 72 — *macrocarpa* Hartweg var.
macrocarpa

- 74 *Cupressus sempervirens* L. var. *sem-*
pervirens
 75 — — var. *horizontalis* (Miller) Voss
 76 * *Juniperus communis* L.
 77 — *phoenicea* L.
 78 *Tetraclinis articulata* (Vahl) Masten
 79 *Thuja orientalis* L.

GINKGOACEAE

- 80-a *Ginkgo biloba* L.

PINACEAE

- 81 ** *Araucaria bidwillii* Hooker
82 * *Pinus pinaster* Aiton
83 * — *pinex* L.
84 — *sylvestris* L.

TAXODIACEAE

- 85 *Cryptomeria japonica* (L. fil.) D.
Don
86 *Sequoia sempervirens* (Lamb.) Endl.

ANGIOSPERMAE

D I C O T Y L E D O N E S

ACANTHACEAE

- 87 * *Acanthus mollis* L.
88 *Beloperone guttata* Brandegee
89 *Chamaeranthemum gaudichaudii*
Nees
90 *Crossandra nilotica* Oliver
92 *Mackaya bella* Harv.

ACERACEAE

- | | | |
|-----|------|---|
| 95 | Acer | campestre L. |
| 97 | — | japonicum Thunb. var. mi-
crophyllum Hort. |
| 98 | — | monspessulanum L. |
| 99 | — | negundo L. |
| 100 | — | palmatum Thunb. var. dis-
sectum Maxim. |
| 101 | — | — var. roseo-margina-
tum Schwerin |
| 102 | — | platanoides L. |
| 103 | — | pseudoplatanus L. |
| 104 | — | — var. purpu-
rascens Pax |

AIZOACEAE

- | | | |
|-------|---|-----------|
| 105 | <i>Aptenia cordifolia</i> (L. fil.) | Schwantes |
| 106 | * <i>Carpobrotus edulis</i> (L.) L. Bolus | |
| 107-a | <i>Dorotheanthus gramineus</i> | |
| 108 | <i>Lampranthus conspicuus</i> (Haw.) | N. E. Br. |
| 110 | — <i>roseus</i> (Willd.) | Schwant. |
| 111 | — <i>violaceus</i> (DC.) | Schwant. |
| 112 | <i>Mesembryanthemum crystallinum</i> L. | |
| 113 | * — <i>nodiflorum</i> L. | |
| 113-a | <i>Tetragonia echinata</i> Ait. | |

114 * *Tetragonia tetragonoides* (Pallas)
O. Kuntze

114-a *Trianthema portulacastrum* L.

AMARANTHACEAE

- 115 *Achyranthes aspera* L.
115-a *Alternanthera sessilis* (L.) R. Br.
116 — *spinosa* (Hornem.) Roem.
et Schult.
117 * *Amaranthus albus* L.
118 * — *blitoides* S. Watson var.
scleropoides
Thell.
119 — *caudatus* L.
120 — *cruentus* L.
121 * — *deflexus* L.
122 * — *gracizans* L.
123 * — *hybridus* L.
123-a* — *lividus* L.
124 — *paniculatus* L.
125 — *retroflexus* L.
128 *Celosia argentea* L. var. *cristata* (L.)
O. Kuntze
129 — *plumosa* Hort.
130 *Froelichia floridana* Moq.
131 *Gomphrena albiflora* Moq.
133 — *globosa* L.

ANACARDIACEAE

- 135 *Cotinus coggyria* Scop.
136 * *Pistacia lentiscus* L.
137 — *terebinthus* L.
138 * *Rhus coriaria* L.
139 — *typhina* L. fa. *typhina*
140 *Schinus dependens* Ortega
141 — *molle* L.
142 — *terebinthifolia* Raddi
142-a *Acokanthera spectabilis* Hook. f.
APOCYNACEAE

APOCYNACEAE

- 143 *Amsonia illustris* B. E. Woodson

- 144 *Amsonia tabernaemontana* Walter
145 *Catharanthus roseus* (L.) G. Don
146 — — var. *albus*
G. Don
147 *Mandevilla laxa* (Ruiz et Pavon)
Woodson

- 148 Nerium oleander L.
149 — — var. album Lod-
149-a Thevetia peruviana Merrilldiges
150 * Vinca difformis Pourret

AQUIFOLIACEAE

- 151 * *Ilex aquifolium* L.

ARALIACEAE

- 152 *Aralia cachemirica* Decne.
154 *Hedera helix* L. ssp. *canariensis*
(Willd.) Coutinho
155 *Pseudopanax crassifolius* (Sol.
ex A. Cunn.)
C. Koch

ARISTOLOCHIACEAE

- 156 Aristolochia fimbriata Cham.
158 — sempervirens L.

ASCLEPIADACEAE

- 159 *Araujia sericifera* Brot.
160 *Asclepias curassavica* L.
161 — *syriaca* L.
162 *Cynanchum medium* R. Br.
163 *Gomphocarpus fruticosus* (L.) Aiton fil.

BALSAMINACEAE

- 164 *Impatiens balsamina* L.
165 — *scabrida* DC.
166 — *walleriana* Hooker fil.

BASELLACEAE

- 166-a Basella rubra L.
167 Boussingaultia gracilis Miers fa.
pseu-do-baselloi
des Hauman

BEGONIACEAE

- 168 Begonia evansiana Andrews
169 — humilis Dryand. var. por-
teriana (Fisch.)
DC. fil.
170 — semperflorens Link et
Otto

BERBERIDACEAE

- 171 *Berberis thunbergii* DC.
172 — *vulgaris* L.

BETULACEAE

- 173 *Alnus cordata* (Loisel.) Loisel.
174 — *crispa* (Aiton) Pursh ssp. *sinuata* (Regel) Hulten
175 * — *glutinosa* (L.) Gaertner
176 *Betula pendula* Roth

BIGNONIACEAE

- 177 *Campsis radicans* (L.) Seem.
178 *Catalpa bignonoides* Walter
179 — *ovata* G. Don
180 *Doxantha unguis-cati* (L.) Rehder
181 *Jacaranda acutifolia* Humb. et Bonpl.
182 *Phitecoctenium muricatum* Moc. ex DC.
183 *Tecoma stans* (L.) Juss. ex H. B. K.

BORAGINACEAE

- 185 *Anchusa arvensis* (L.) Bieb.
186 * — *azurea* Miller
187 * — *officinalis* L.
188 * — *undulata* L.
189 * *Borago officinalis* L.
190 * *Buglossoides arvensis* (L.) I. M.
 Johnston
192 * *Cerinthe major* L.
193 *Cordia serrata* Juss. ex Poiret
194 *Cynoglossum amabile* Stapf et Drum-
194-a * — *clandestinum* Desf. mond
195 * — *creticum* Miller
196 * — *germanicum* Jacq.
197 * *Echium lusitanicum* L.
198 * — *pininana* Webb et Berth.
199 * — *plantagineum* L.
200 * — *rosulatum* Lange
201 * — *tuberculatum* Hoffmanns. et
 Link
202 *Heliotropium amplexicaule* Vahl
203 * — *europaeum* L.
204 * — *indicum* L.
205 * — *peruvianum* L.
205-a *Lithospermum officinale* L.
208 * *Myosotis arvensis* (L.) Hill
209 * — *debilis* Pomel
210 * — *discolor* Pers.
211 * — *ramosissima* Rochel
212 * — *welwitschii* Boiss. et Reu-
 tze

- 213 * *Neatostema apulum* (L.) I. M. Johnston
 214 *Nonea lutea* (Desr.) DC.
 215 — *vesicaria* (L.) Reichenb.
 216 * *Omphalodes kuzinskyanae* Willk.
 217 — *linifolia* (L.) Moench
 218 * — *nitida* Hoffmanns. et Link
 219 * *Pentaglottis sempervirens* (L.) Tausch. ex L. H. Bailey

BUXACEAE

- 221 *Sarcococca hookeriana* Baillon

CACTACEAE

- 222 *Mammillaria compressa* DC.
 223 * *Opuntia ficus-indica* (L.) Miller
 224 — *streptacantha* Lem.

CALLITRICHACEAE

- 225 * *Callitriche brutia* Petagna
 227 * — *stagnalis* Scop.
 228 * — *truncata* Guss.

CALYCANTHACEAE

- 229 *Calycanthus laevigatus* Willd.
 230 *Chimonanthus praecox* (L.) Link

CAMPANULACEAE

- 232 * *Campanula erinus* L.
 233 * — *herminii* Hoffmanns. et Link
 234 * — *lusitanica* L.
 235 — *medium* L.
 236 * — *primulifolia* Brot.
 237 — *rapunculoides* L.
 238 * — *rapunculus* L.
 239 * *Jasione montana* L.
 239-a* *Laurentia gasparrinii* (Tineo) Strobl
 239-b *Legousia falcata* (Ten.) Fritsch.
 240 * — *hybrida* (L.) Delarbre
 241 *Lobelia erinus* L.
 243 — *laxiflora* H. B. et K.
 244 — *syphilitica* L.
 245 * — *urens* L. var. *brevibracteata* Perez-Lara
 245-a *Platycodon grandiflorum* DC.
 246 *Symphyandra hofmannii* Pant.
 247 * *Trachelium caeruleum* L.
 247-a* *Wahlenbergia hederacea* (L.) Reichenb.

CANNABACEAE

- 248 *Cannabis sativa* L.
 249 * *Humulus lupulus* L.

CAPRIFOLIACEAE

- 255 *Kolkwitzia amabilis* Graebner
 257 *Lonicera deflexicalyx* Batal.
 258 * — *etrusca* G. Santi
 259 * — *implexa* Aiton
 260 — *japonica* Thunb. var. *aureo-reticulata* Nichols.
 261 — *maackii* Maxim.
 262 * — *periclymenum* L.
 263 — *translucens* Carrière
 264 * *Sambucus ebulus* L.
 265 * — *nigra* L.
 266 *Symphoricarpos albus* (L.) S.F. Blake var. *laevigatus* (Fernald) S. F. Blake
 269 *Viburnum odoratissimum* Ker-Gawl.
 270 — *rhytidophyllum* Hemsley
 271 * — *tinus* L.
 271-a — *tomentosum* Thunb.

CARICACEAE

- 271-b *Carica quercifolia* Solms

CARYOPHYLLACEAE

- 272 * *Agrostemma githago* L.
 273 * *Arenaria aggregata* (L.) Loisel.
 274 * — *conimbricensis* Brot.
 275 * — *leptoclados* (Reichenb.) Guss.
 276 * — *montana* L.
 277 * *Cerastium fontanum* Baumg. ssp. *triviale* (Link) Jalas
 278 * — *glomeratum* Thuill.
 279 * — *gracile* Dufour
 280 * — *pumilum* Curtis
 281 * *Corrigiola litoralis* L.
 282 * — *telephiifolia* Pourret
 283 * *Cucubalus baccifer* L.
 284 *Dianthus armeria* L.
 285 — *barbatus* L.
 286 — *chinensis* L.
 287 * — *cintranus* Boiss. et Reuter
 288 — *giganteus* D'Urv.
 289 * — *lusitanus* Brot.
 290 *Gypsophila altissima* L.
 291 — *elegans* Bieb.
 292 * *Herniaria ciliolata* Melderis
 293 * — *glabra* L. var. *subciliata* Bab.
 293-a* — *hirsuta* L.

- 294 * *Illecebrum verticillatum* L.
 296 *Lychnis coronaria* (L.) Desr.
 297 * — *flos-cuculi* L.
 298 * *Minuartia recurva* (All.) Schinz
 et Thell. ssp.
 recurva
 299 * *Moehringia pentandra* Gay
 299-a * — *trinervia* (L.) Clairv.
 300 * *Moenchia erecta* (L.) P. Gaert-
 ner, B. Meyer et
 Scherb.
 301 * *Myosoton aquaticum* (L.) Moench
 302 * *Ortega hispanica* L.
 303 * *Paronychia argentea* Lam.
 304 — *brasiliensis* DC.
 305 * — *cymosa* (L.) DC.
 306 * — *echinulata* Chater
 307 — *fastigiata* (Rafin.)
 Fernald
 308 * — *polygonifolia* (Vill.)
 DC.
 309 * *Petrorhagia nanteuilii* (Burnat)
 P. W. Ball et
 Heywood
 310 * *Polycarpon tetraphyllum* (L.) L.
 311 * *Sagina apetala* Ard.
 312 * — *procumbens* L.
 313 * — *subulata* (Swartz) C. Presl
 314 * *Saponaria officinalis* L. var. *glaberrima* Ser.
 315 * *Scleranthus annuus* L.
 315-a — *perennis* L.
 316 * *Silene alba* (Miller) E. H. L.
 Krause
 317 — *armeria* L.
 318 * — *bergiana* Lindman
 319 — *colorata* Poir.
 319' — *conica* L.
 319-a — *dichotoma* Ehrh.
 320 — *disticha* Willd.
 321 — *echinata* Otth
 322 * — *elegans* Link ex Brot.
 323 * — *fusca* Link
 324 * — *gallica* L.
 325 * — *inaperta* L.
 327 * — *laeta* (Aiton) Godron
 328 * — *littorea* Brot.
 329 * — *macrorrhiza* Gay et Durieu
 ex Lacaita
 330 * — *micropetala* Lag.
 331 * — *nicaeensis* All.
 332 — *noctiflora* L.
 333 * — *nocturna* L. var. *pauciflora* Otth
 334 * — *patula* Desf.
 335 * — *portensis* L.
 336 * — *scabriflora* Brot.
 337 — *secundiflora* Otth
 337-a — *tunetana* Murb.
 338 * — *vulgaris* (Moench) Garcke
 339 * *Spergula arvensis* L.
 340 * — *pentandra* L. ssp. *morisonii* (Boreau) Coutinho
 341 * *Spergularia bocconii* (Scheele) Ascherson et Graebner
 342 * — *capillacea* (Kindb. et Lange) Willk.
 343 * — *marina* (L.) Griseb.
 344 * — *media* (L.) C. Presl
 345 * — *purpurea* (Pers.) G. Don fil.
 346 * *Stellaria alsine* Grimm
 347 * — *graminea* L.
 348 * — *holostea* L.
 349 * — *media* (L.) Vill. ssp. *media*
 350 *Vaccaria pyramidata* Medicus
 351 * *Velezia rigida* L.

CASUARINACEAE

352 *Casuarina equisetifolia* L.
 353 — *glauca* Sieber
 354 — *littoralis* Salisb.

CELASTRACEAE

354-a *Celastrus angulata* Maxim.
 355 *Euonymus grandiflorus* Wall.
 356 — *japonicus* L. fil.

CHENOPODIACEAE

357 * *Arthrocnemum fruticosum* (L.) Moq.
 358 * — *perenne* (Miller) Moss
 359 * *Atriplex hastata* L.
 360 — *hortensis* L.
 362 * *Beta vulgaris* L.
 363 * *Chenopodium album* L. var. *lanceolatum* (Muehl.) Ascherson
 364 * — *ambrosioides* L.
 365 * — *botryodes* L.
 366 * — *botrys* L.
 366-a — *ficifolium* Sm.
 367 — *giganteum* D. Don
 368 * — *murale* L.
 370 * — *polyspermum* L.
 371 — *quinoa* Willd.
 372 — *urbicum* L.
 373 * — *vulvaria* L.
 374 * *Halimione portulacoides* (L.) Aellen
 375 *Kochia scoparia* (L.) Schrader
 fa. *tricophylla*
 Schinz et Thell.
 376 * *Salsola kali* L.

- 377 * *Salsola soda* L.
377-a *Spinacia oleracea* L.
378 * *Suaeda maritima* (L.) Dumort.
380 * — *splendens* (Pourret) Gren.
et Godron
381 * — *vera* J. F. Gmelin

CISTACEAE

- 382 * *Cistus albidus* L.
383 * — — x *crispus* (Del.)
Grosser
384 * — *crispus* L.
385 — *incanus* L.
386 * — *ladanifer* L.
387 * — *monspeliensis* L.
388 * — *populifolius* L.
389 * — *psilosepalus* Sweet
390 * — *salvifolius* L.
391 * *Fumana ericoides* (Cav.) Gand.
392 * — *procumbens* (Dunal) Gren.
et Godron
393 * — *thymifolia* (L.) Spach ex
Webb
394 * *Halimium commutatum* Pau
395 * — *halimifolium* (L.)
Willk.
396 * — *lasianthum* (Lam.) Spach
397 * — *ocymoides* (Lam.) Willk.
398 * — *umbellatum* (L.) Spach
399 * *Helianthemum ledifolium* (L.) Mil-
ler
400 * — *nummularium* (L.)
Miller
401 * *Tuberaria guttata* (L.) Fourr.
402 * — *lignosa* (Sweet) Samp.

CLEOMACEAE

- 402-a *Cleome simplicifolia* Hook. fil.
et Thoms
402-b — *spinosa* L.
402-c* — *violacea* L.
402-d *Isomeris arborea* Nutt.
402-e *Polanisia trachysperma* (Greene)
Torr. et
Asa Gray

CLETHRACEAE

- 403 *Clethra alnifolia* L.

CNEORACEAE

- 404
- Cneorum tricoccum*
- L.

COMPOSITAE

- 405 * *Achillea* *ageratum* L.
406 * — *millefolium* L.
407 * — *ptarmica* L. ssp. *ptarmica*
408 * *Aetheorhiza* *bulbosa* (L.) Cass.
410 *Ambrosia* *artemisifolia* L.
411 *Ammobium* *alatum* R. Br.
413 * *Anacyclus* *radiatus* Loisel.
414 * *Andryala* *integrifolia* L.
414-a* — *laxiflora* DC.
415 *Anthemis* *altissima* L.
416 * — *arvensis* L.
417 * — *cotula* L.
417-a — *dubia* Steven
418 — *dumetorum* D. Sosn.
418-a — *tinctoria* L.
419 * — *triumfetti* (L.) DC.
420 *Arctium* *lappa* L.
421 * — *minus* (Hill) Bernh.
422 * *Arctotheca* *calendula* (L.) Levyns
423 * *Arnica* *montana* L. ssp. *atlantica* A.
de Bolós
424 * *Arnoseris* *minima* (L.) Schweigger et
Koerte
425 * *Artemisia* *campestris* L.
426 *Aster* *rotundifolius* Thunb.
427 * — *squamatus* (Sprengel) Hieron.
428 * — *tripolium* L. var. *longicaulis*
(Duf.) Rouy
429 * *Atractylis* *cancellata* L.
430 * — *gummifera* L.
431 * *Bellis* *perennis* L.
432 * — *sylvestris* Cyr.
433 *Berkheya* *radula* (Harv.) Burt-Davy
434 * *Bidens* *aurea* (Aiton) Sherff
435 * — *frondosa* L.
436 — *pilosa* L.
436-b *Boltonia* *asteroides* L. 'Hérit.
437 * *Calendula* *arvensis* L.
438 — *officinalis* L.
439 * — *suffruticosa* Vahl ssp. *al-*
garbiensis
(Boiss.) Nyman
440 *Callistephus* *chinensis* (L.) Nees
441 * *Carduncellus* *caeruleus* (L.) C. Presl
442 * *Carduus* *broteri* Welw. ex Coutinho
443 * — *carpetanus* Boiss. et Reuter
444 * — *tenuiflorus* Curtis
445 * *Carlina* *corymbosa* L.
446 * — *racemosa* L.
447 *Carpesium* *abrotanoides* L.
448 — *cernuum* L.
449 * *Carthamus* *lanatus* L.
451 *Cassinia* *longifolia* R. Br.

- 545-a * *Hieracium castellanum* Boiss. et Reuter
 546 * — *dumosum* Jordan
 547 — *pilosella* L.
 549 * *Hispidella hispanica* Barnades ex Lam.
 550 * *Hypochaeris glabra* L.
 551 * — *radicata* L.
 552 * *Inula conyzia* DC.
 553 * — *crithmoides* L.
 554 — *helenium* L.
 556 * *Lactuca saligna* L.
 557 — *sativa* L.
 558 * — *serriola* L.
 559 * — *viminea* (L.) J. et C. Presl
 560 * — *virosa* L.
 561 * *Lapsana communis* L.
 561-a *Lasiospermum radiatum* Trevir.
 563 * *Leontodon rothii* Ball
 564 * — *taraxacoides* (Vill.) MÉRAT
 565 * — *tuberosus* L.
 566 * *Lepidophorum repandum* (L.) DC.
 568 *Leucanthemum lacustre* (Brot.) Samp.
 569 * — *sylvaticum* (Hofmanns. et Link) Nyman
 571 * *Logfia gallica* (L.) Cosson et Germ.
 572 * — *minima* (Sm.) Dumort.
 573 *Lonas annua* (L.) Vines et Druce
 574 * *Mantisalca salmantica* (L.) Briq. et Cavillier
 575 *Matricaria nigellaefolia* DC.
 576 — *perforata* MÉRAT
 577 — *trichophylla* (Boiss.) Boiss.
 579 *Melampodium perfoliatum* H. B. et K.
 580 * *Notobasis syriaca* (L.) Cass.
 581 * *Onopordum acanthium* L.
 582 *Osteospermum ecklonis* (DC.) Norlindh
 583 * *Otanthus maritimus* (L.) Hofmanns. et Link
 584 *Othake texanum* (DC.) Bush
 585 *Othonna capensis* Bailey
 586 *Otospermum glabrum* (Lag.) Willk.
 587 * *Pallenis spinosa* (L.) Cass.
 588 *Phagnalon calycinum* (Cav.) DC. ssp. *spathularum* (Lindb.) Maire
 589 * *Phagnalon rupestre* (Desf.) DC.
 590 * — *saxatile* (L.) Cass.
 591 * *Phalacrocarpum oppositifolium* (Brot.) Willk.
 592 * *Picnemon acarna* (L.) Cass.
 593 * *Picris echioides* L.
 594 * — *hieracioides* L.
 595 * — *spinifera* Franco
 596 *Polymnia uvedalia* L.
 597 * *Pulicaria dysenterica* (L.) Bernh.
 598 * — *odora* (L.) Reichenb.
 599 * — *paludosa* Link
 600 * *Reichardia gaditana* (Willk.) Coutinho
 601 * — *intermedia* (Schultz Bip.) Coutinho
 602 * *Rhagadiolus stellatus* (L.) Gaertner
 603 *Rudbeckia fulgida* Aiton var. *speciosa* (Wenderoth) Perdue
 604 *Sanvitalia procumbens* Lam.
 605 *Schkuhria senecioides* Nees
 606 *Scolymus grandiflorus* Desf.
 607 * — *hispanicus* L.
 608 * — *maculatus* L.
 609 * *Scorzonera humilis* L.
 610 * — *laciniata* L.
 612 *Senecio bicolor* (Willd.) Tod. ssp. *cineraria* (DC.) Chater
 614 * — *doronicum* (L.) L.
 616 * — *gallicus* Chaix var. *difficilis* DC.
 617 * — *jacobaea* L.
 618 * — *lividus* L.
 619 — *longifolius* L.
 620 * — *mikanoides* Otto ex Walpers
 621 * — *pyrenaicus* L.
 622 * — *sylvaticus* L.
 623 * — *vulgaris* L.
 623-a* *Serratula baetica* Boiss. ex DC.
 624 * — *secae* Willk.
 624-a *Siegesbeckia orientalis* L.
 625 *Silphium perfoliatum* L.
 627 * *Silybum marianum* (L.) Gaertner
 632 *Solidago rugosa* Aiton
 634 * — *virgaurea* L.
 635 * *Soliva pterosperma* (Juss.) Less.
 636 * *Sonchus asper* (L.) Hill ssp. *glaucescens* (Jordan) Ball
 637 * — *maritimus* L.
 638 * — *oleraceus* L.
 639 *Spilanthus acmella* (L.) Murray
 640 — *oleracea* L.
 641 * *Stachelina dubia* L.
 642 *Stevia lanceolata* Lag.
 643 *Tagetes erecta* L.
 644 — *lucida* Cav.

- 645 *Tagetes minuta* L.
 647 * *Tanacetum corymbosum* (L.)
 Schultz Bip.
 648 — *macrophyllum* (Waldst.
 et Kit.)
 Schultz Bip.
 649 — *parthenium* (L.)
 Schultz Bip.
 650 — *vulgare* L.
 651 * *Taraxacum officinale* Weber
 652 *Tithonia rotundifolia* (Miller)
 Blake
 653 * *Tolpis barbata* (L.) Gaertner
 654 * — *umbellata* Bertol.
 655 * *Tragopogon hybridus* L.
 655-a — *porrifolius* L.
 656 *Urospermum dalechampii* (L.)
 Scop. ex
 F.W. Schmidt
 657 * — *picroides* (L.) Scop.
 ex F.W. Schmidt
 658 *Ursinia speciosa* DC.
 658-a *Verbesina alata* L.
 660 — *encelioides* (Cav.)
 Bentham et
 Hooker fil.
 ex Asa Gray
 661 * *Xanthium brasiliicum* Veloso
 662 * — *canadense* Miller
 663 * — *spinosa* L.
 664 *Xeranthemum cylindraceum* Sibth.
 et Sm.
 665 *Zinnia elegans* Jacq.
 666 — *peruviana* (L.) L.

CONVOLVULACEAE

- 667 * *Calystegia sepium* (L.) R. Br.
 668 * — *soldanella* (L.) R.
 Br.
 669 * *Convolvulus althaeoides* L.
 670 * — *arvensis* L.
 671 * — *meonanthus* Hoffman-
 ns. et Link
 672 * — *tricolor* L.
 673 * *Cuscuta australis* R. Br.
 674 * — *epithymum* (L.) L.
 675 *Ipomoea alba* L.
 676 — *lobata* (La Llave et
 Lex.) Thell.
 677 — *nil* (L.) Roth fa. *flori*
 bus albis
 678 — *purpurea* Roth

CORIARIACEAE

- 679 *Coriaria nepalensis* Wall.

CORNACEAE

- 680 *Aucuba japonica* Thunb.
 681 *Cornus capitata* Wall.
 682 — *mas* L.
 683 * — *sanguinea* L.

CORYLACEAE

- 684 *Corylus avellana* L.

CRASSULACEAE

- 685 *Aichryson dichotomum* (DC.) Webb et
 Berth.
 686 *Crassula arborescens* (Miller) Willd.
 688 — *portulaca* Lam.
 689 — *var. obliqua* Aiton
 690 — *radicans* D. Dietr.
 692 * — *tillaea* Lester-Garland
 693 *Kalanchoe velutina* Welw.
 694 * *Mucizonia hispida* (Lam.) A. Berger
 695 *Sedum acre* L.
 696 * — *album* L.
 697 * — *arenarium* Brot.
 698 * — *brevifolium* DC.
 699 * — *forsterianum* Sm.
 700 * — *hirsutum* All.
 701 — *hispanicum* L.
 702 * — *rubens* L.
 703 * — *sediforme* (Jacq.) Pau
 704 * — *tenuifolium* (Sibth. et Sm.)
 Strobl
 705 * *Umbilicus rupestris* (Salisb.) Dandy

CRUCIFERAE

- 706 *Aethionema grandiflorum* Boiss. et
 Hohen.
 706-a — *pulchellum* Boiss. et
 Huet
 707 * *Alliaria petiolata* (Bieb.) Cavara
 et Grande
 708 *Alyssoides utriculata* (L.) Medicus
 711 * *Alyssum granatense* Boiss. et Reuter
 712 * *Arabidopsis thaliana* (L.) Heynh.
 713 * *Arabis lusitanica* Boiss.
 714 * — *stenocarpa* Boiss. et Reuter
 715 *Barbarea verna* (Miller) Ascherson
 716 * — *vulgaris* R. Br.
 718 * *Biscutella auriculata* L.
 719 — *didyma* L.

- 721 * — *lyrata* L.
 722 * *Brassica barrelieri* (L.) Janka
 ssp. *barrelieri*

- 723 * *Brassica barrelieri* ssp. *oxyrrhi*
na (Cosson) P.W.
Ball et Heywood
- 723-a — *juncea* (L.) Czern.
- 724 — *napus* L.
- 725 — *oleraceae* L.
- 725-a *Bunias erucago* L.
- 726 * *Cakile maritima* Scop.
- 727 * *Capsella rubella* Reuter
- 728 * *Cardamine flexuosa* With.
- 729 * — *hirsuta* L.
- 729-a * — *parviflora* L.
- 730 *Cheiranthus cheiri* L.
- 732 * *Coronopus didymus* (L.) Sm.
- 733 * — *squamatus* (Forsk.)
Aschersen
- 734 * *Diplotaxis catholica* (L.) DC.
- 735 — *tenuifolia* (L.) DC.
- 736 * *Draba muralis* L.
- 738 *Eruca vesicaria* (L.) Cav. ssp.
sativa (Miller)
Thell.
- 739 *Erysimum cheiranthoides* L.
- 740 * — *grandiflorum* Desf.
- 742 *Fibigia clypeata* (L.) Medicus
- 743 — *eriocarpa* (DC.) Boiss.
- 744 *Heliophila amplexicaule* L. fil.
- 745 * *Hirschfeldia incana* (L.) Lagrè-
ze-Fossat
- 746 *Iberis amara* L.
- 747 * — *linifolia* Loeft. ssp. *wei-*
witschii (Boiss.)
Franco et P. Silva
- 748 * — *procumbens* Lange ssp. *pro-*
cumbens
- 749 — *sempervirens* L.
- 750 *Ionopsidium acaule* (Desf.) Rei-
chenb.
- 751 *Isatis tinctoria* L.
- 752 *Lepidium graminifolium* L.
- 753 * — *heterophyllum* Benth
- 754 * — *latifolium* L.
- 755 — *ruderales* L.
- 756 — *sativum* L.
- 757 *Lobularia maritima* (L.) Desv.
- 758 *Lunaria annua* L.
- 759 *Malcolmia littorea* (L.) R. Br.
- 760 — *maritima* (L.) R. Br.
- 761 * — *ramosissima* (Desf.)
Thell.
- 762 *Matthiola incana* (L.) R. Br.
- 764 * — *sinuata* (L.) R. Br.
- 764-a — *tricuspidata* (L.) R.Br.
- 766 * *Murbeckiella boryi* (Boiss.)
Rothm.
- 767 * — *pinnatifida* (Lam.)
Rothm.
- 769 * *Nasturtium officinale* R. Br.
- 771 * *Raphanus raphanistrum* L.
- 772 — *sativus* L.
- 773 * *Rapistrum rugosum* (L.) All.
- 774 * *Rhynchosinapis cheiranthos* (Vill.)
Dandy
- 775 * — *pseuderucastrum* (Brot.)
Franco
- 776 * *Rorippa amphibia* (L.) Besser
- 777 * — *pyrenaica* (Lam.) Reichenb.
- 778 * — *sylvestris* (L.) Besser
- 779 * *Sinapis alba* L.
- 780 * — *arvensis* L.
- 781 *Sisymbrium altissimum* L.
- 782 — *austriacum* Jacq. ssp. *con-*
tortum (Cav.)
Rouy et Fouc.
- 783 * — *officinale* (L.) Scop.
- 784 — *volgense* Bieb. ex E. Fourn.
- 785 *Succowia balearica* (L.) Medicus
- 786 * *Teesdalia coronopifolia* (J. P. Berge-
ret) Thell.
- 787 * — *nudicaulis* (L.) R. Br.
- 787-a * *Teesdaliopsis conferta* (Laz.)
Rothm.
- 788 * *Thlaspi arvense* L.
- 789 * — *perfoliatum* L.

CUCURBITACEAE

- 789-a *Benincasa hispida* (Thunb.) Cogn.
- 790 * *Bryonia oretica* L. ssp. *dioica*
(Jacq.) Tutin
- 791 *Citrullus colocynthis* (L.) Schrader
- 792 — *lanatus* (Thunb.) Mansfeld
- 793 *Cucumis melo* L.
- 794 — *sativus* L.
- 795 *Cucurbita ficifolia* Bouché
- 796 — *pepo* L.
- 798 *Cyclanthera pedata* Schrader
- 799 * *Ecballium elaterium* (L.) A. Richard
- 800 *Lagenaria siceraria* (Molina) Standley
- 801 *Luffa cylindrica* (L.) M. J. Roem.
- 802 *Sicyos angulatus* L.

DIPSACACEAE

- 804 *Cephalaria gigantea* (Ledeb.) Bobrov
- 805 * *Dipsacus comosus* Hoffmanns. et Link
- 806 * — *fullonum* L.
- 807 *Pteroccephalus diandrus* (Lag.) Lag.
- 808 * — *intermedius* (Lag.)
Coutinho
- 809 * *Scabiosa atropurpurea* L.
- 810 — *cretica* L.
- 811 * — *stellata* L.
- 811-a * — *triandra* L.
- 812 * *Succisa pinnatifida* Lange
- 813 * — *pratensis* Moench
- 814 * *Succisella carvalhoana* (Mariz) Baksay

- 815 *Succisella inflexa* (Kluk) G.
Beck
816 *Tremastelma palaestinum* (L.)
Janch.

DROSERACEAE

- 817 * *Drosera intermedia* Hayne
818 * — *rotundifolia* L.
819 * *Drosophyllum lusitanicum* (L.)
Link

EBENACEAE

- 820 *Diospyros lotus* L.
821 — *virginiana* L.

ELAEAGNACEAE

- 822 *Elaeagnus multiflora* Thunb.

EMPETRACEAE

- 824 * *Corema album* (L.) D. Don

ERICACEAE

- 825 * *Arbutus unedo* L.
826 * *Calluna vulgaris* (L.) Hull
827 * *Erica arborea* L.
828 * — *australis* L.
829 * — *ciliaris* L.
830 * — *cinerea* L.
831 * — *erigena* R. Ross
832 * — *lusitanica* Rudolphi
833 * — *scoparia* L.
834 * — *tetralix* L.
835 * — *umbellata* L.
836 *Rhododendron micranthum* Turcz.
837 — *ponticum* L.

ESCALLONIACEAE

- 838 *Escallonia montevidensis* (Cham.)
et Schlecht.
DC.

EUPHORBIACEAE

- 838-a *Acalypha rhomboidea* Ray
839 *Dalechampia roezliana* Mueller
Arg.
840 *Euphorbia altissima* Boiss.
841 * — *amygdaloides* L.
844 * — *chamaesyce* L.
845 * — *characias* L.
846 — *dentata* Michx.

- 847 * *Euphorbia dulcis* L.
848 — *epithymoides* L.
849 * — *exigua* L.
849-a * — *falcata* L.
850 * — *helioscopia* L.
851 — *lathyris* L.
852 — *marginata* Pursh
853 * — *mutans* Lag.
854 * — *paralias* L.
855 * — *peplis* L.
856 * — *peplus* L.
857 * — *pterococca* Brot.
858 * — *pubescens* Vahl
859 * — *segetalis* L.
860 * — *uliginosa* Welw. ex Boiss.
862 *Manihot palmata* Muell. Arg.
863 * *Mercurialis annua* L.
865 *Ricinus communis* L.

FAGACEAE

- 867 *Fagus sylvatica* L.
868 ** *Quercus coccifera* L.
869 ** — *faginea* Lam. (Q. *lusitanica*
auct. non Lam.)
870 ** — *ilex* L.
871 ** — *lusitanica* Lam. (Q. *fruticosa*
Brot.)
872 ** — *suber* L.

FRANKENIACEAE

- 874 * *Frankenia laevis* L.

GENTIANACEAE

- 875 * *Blackstonia perfoliata* (L.) Hudson
ssp. *perfoliata*
876 * — — ssp. *imperfoliata* (L. fil.)
877 * *Centaurium erythraea* Rafin. ssp.
majus (Hoffmanns.
et Link)
Melderis
878 * — *maritimum* (L.) Fritsch
879 * — *spicatum* (L.) Fritsch
880 * — *tenuiflorum* (Hoffmanns.
et Link)
Fritsch
880-a* *Cicendia filiformis* (L.) Delarbe
881 * *Exaculum pusillum* (Lam.) Caruel
881-a* *Gentiana lutea* L.
882 * — *pneumonanthe* L.

GERANIACEAE

- 883 * *Erodium botrys* (Cav.) Bertol.
884 * — *cicutarium* (L.) L'Hér.
885 * — *malacoides* (L.) L'Hér.

- 966 *Ocimum canum* Sims
 967 — *carinosum* Link et Otto ex
 Bentham
 967-a *Origanum majorana* L.
 968 * — *virens* Hoffmanns. et
 Link
 969 — *vulgare* L.
 971 *Perilla frutescens* (L.) Britton
 var. *crispa*
 (Thunb.) Decne
 972 *Phlomis alpina* Pallas
 973 — *fruticosa* L.
 973-a * — *lychnitis* L.
 975 *Physostegia virginiana* (L.) Ben
 tham
 976 *Plectranthus fruticosus* L'Hér.
 977 — *hereroensis* Engler
 978 * *Prunella grandiflora* (L.) Schol
 ler ssp. *pyrenaica*
 (Gren. et Godron)
 A. et O. Bolós
 979 * — *laciniata* x *vulgaris*
 Stapf
 980 * — *vulgaris* L.
 981 * *Rosmarinus officinalis* L.
 983 *Salvia canariensis* L.
 983-a — *coccinea* Juss. ex Murr.
 984 — *glutinosa* L.
 985 — *guaranitica* St.-Hill. ex
 Bentham
 986 — *hispanica* L.
 987 — *officinalis* L.
 988 — *sclarea* L.
 989 * — *sclareoides* Brot.
 990 — *splendens* Sellow ex Roe-
 mer et Schultes
 991 — *tiliaefolia* Vahl
 992 * — *verbenaca* L.
 993 — *verticillata* L.
 993-a* — *viridis* L.
 994 * *Satureja calamintha* (L.) Scheele
 995 — *hortensis* L.
 996 *Scutellaria albida* L.
 997 * — *galericulata* L.
 998 * — *minor* Hudson
 999 *Sideritis montana* L.
 1001 * *Stachys arvensis* (L.) L.
 1002 * — *germanica* L.
 1003 * — *ocymastrum* (L.) Briq.
 1004 * — *officinalis* (L.) Trevi-
 san
 1004-a* — *palustris* L.
 1005 *Teucrium arduini* L.
 1006 — *flavum* L.
 1007 * — *polium* L.
 1008 * — *salviastrum* Schreber
 1008-b* — *scordium* L. ssp. *scordioides*
 (Schreber)
 Maire et Petitmensin
 1009 * *Teucrium scorodonia* L.
 1010 * *Thymus caespititius* Brot.
 1011 * — *capitatus* (L.) Hoffmanns.
 et Link
 1012 * — *mastichina* L.
 1013 * — *zygis* L. ssp. *sylvestris* (Hof-
 fmanns. et Link) Coutinho
 LAURACEAE
 1014 ** *Apollonias barbuja* (Cav.) Bornm.
 1015 ** *Cinnamomum camphora* (L.) Nees et
 Eberm.
 1016 ** *Laurus nobilis* L.
 1017 ** *Persea indica* (L.) Sprengel
 LEGUMINOSAE
 1018 *Acacia baileyana* F. Mueller
 1019 — *cultriformis* A. Cunn.
 1020 * — *dealbata* Link
 1021 — *decurrens* (J. Donn) Willd.
 1022 — *farnesiana* (L.) Willd.
 1023 — *horrida* (L.) Willd.
 1024 — *longifolia* (Andrews) Willd.
 1025 — *melanoxylon* R. Br.
 1025-a — *pycnantha* Benth.
 1026 — *saligna* (Labill.) Wendl.
 1027 — *verticillata* (L'Hér.) Willd.
 1028 * *Adenocarpus complicatus* (L.) Gay
 ssp. *complicatus*
 1029 * — *hispanicus* (Lam.) DC.
 1030 *Albizzia distachya* (Vent.) Mac-
 bride
 1031 — *julibrissin* Durazz.
 1032 *Amorpha fruticosa* L.
 1032-a *Anagyris foetida* L.
 1033 *Anthyllis barba-jovis* L.
 1034 * — *gerardi* L.
 1035 * — *lotoides* L.
 1037 * — *vulneraria* L. ssp. *maura*
 (G. Beck) Lindb.
 1038 *Arachis hypogaea* L.
 1039 *Astragalus boeoticus* L.
 1040 * — *cymbicarpos* Brot.
 1041 — *falcatus* Lam.
 1042 * — *glauca* L.
 1043 * — *hamosus* L.
 1044 * — *lusitanicus* Lam.
 1045 *Baptisia australis* (L.) R. Br.
 1046 * *Biserrula pelecinus* L.
 1047 *Camptosema rubicundum* Hooker et
 Arnott
 1049 *Ceratonia siliqua* L.
 1050 *Cercis siliquastrum* L.
 1051 * *Chamaespartium tridentatum* (L.)
 P. Gibbs
 1052 *Cicer arietinum* L.
 1052-a *Colutea arborescens* L.

- 1052-b *Coronilla cretica* L.
1053 * — *repanda* (Poiret) Guss.
1054 * — *scorpioides* (L.) Koch
1055 * — *valentina* L. ssp. *glauca* (L.) Batt.
1056 *Crotalaria incana* L.
1058 * *Cytisus grandiflorus* (Brot.) DC.
1059 * — *multiflorus* (L'Hér.) Sweet
1060 * — *purgans* (L.) Boiss.
1061 * — *striatus* (Hill) Rothm.
1062 *Dalea alopecuroides* Willd.
1063 *Desmodium spicatum* Rehder
1064 — *tiliaefolium* G. Don
1065 *Dolichos jacquinii* DC.
1066 *Dorycnium pentaphyllum* Scop. ssp. *germanicum* (Gremli) Gams
1067 * — *rectum* (L.) Ser.
1067-a* *Echinospartum lusitanicum* (L.) Rothm.
1068 *Erythrina crista-galli* L.
1068-a — *senegalensis* DC.
1069 *Galega officinalis* L.
1070 * *Genista berberidea* Lange
1070-a* — *cinerea* (Vill.) DC.
1071 * — *falcata* Brot.
1072 * — *florida* L.
1074 * — *tournefortii* Spach
1075 * — *triacanthos* Brot.
1076 *Gleditsia triacanthos* L.
1078 *Hedysarum coronarium* L.
1079 *Hippocrepis unisiliquosa* L.
1081 *Lablab niger* Medicus
1082 *Laburnum anagyroides* Medicus
1083 * *Lathyrus amphicarpos* L.
1084 * — *angulatus* L.
1085 * — *annuus* L.
1086 * — *aphaca* L.
1087 * — *cicera* L.
1088 * — *clymenum* L.
1089 * — *hirsutus* L.
1090 — *niger* (L.) Bernh. ssp. *niger*
1091 — *nissolia* L.
1092 * — *ochrus* (L.) DC.
1093 — *odoratus* L.
1094 — *sativus* L.
1095 * — *sphaericus* Retz.
1096 * — *sylvestris* L.
1097 — *tingitanus* L.
1098 *Leucaena leucocephala* (Lam.) De Wit
1099 * *Lotus angustissimus* L.
1100 *Lotus conimbricensis* Brot.
1101 * — *corniculatus* L.
1102 * — *creticus* L.
1103 — *ornithopodioides* L.
1104 * — *parviflorus* Desf.
1105 * — *subbiflorus* Lag. ssp. *subbiflorus*
1106 * — — ssp. *castellanus* (Boiss. et Reuter) P. W. Ball
1107 * — *uliginosus* Schkuhr
1108 *Lupinus albus* L.
1109 * — *angustifolius* L.
1110 * — *luteus* L.
1112 * — *rothmaleri* Link
1114 *Lygos sphaerocarpa* (L.) Heywood
1116 *Medicago arabica* (L.) Hudson
1117 — *arborea* L.
1118 — *disciformis* DC.
1118-a — *intertexta* (L.) Miller
1119 * — *littoralis* Rhode ex Loisel.
1120 * — *lupulina* L.
1121 * — *marina* L.
1122 * — *minima* (L.) Bartal.
1123 — *murex* Willd.
1124 * — *orbicularis* (L.) Bartal.
1125 * — *polymorpha* L.
1126 — *rigidula* (L.) All.
1127 — *rugosa* Desr.
1128 — *sativa* L. ssp. *sativa*
1129 — *scutellata* (L.) Miller
1130 — *truncatula* Gaertner
1131 *Melilotus alba* Medicus
1132 * — *indica* (L.) All.
1133 * — *italica* (L.) Lam.
1134 * — *messanensis* (L.) All.
1135 — *neapolitana* Ten.
1135-a — *officinalis* (L.) Pallas
1136 * — *segetalis* (Brot.) Ser.
1137 *Mimosa acanthocarpa* (Willd.) Benth
1138 — *pudica* L.
1139 *Nissolia fruticosa* Jacq.
1140 *Onobrychis arenaria* (Kit.) DC.
1141 — *viciaefolia* Scop.
1142 *Ononis hispida* Desf. ssp. *arborescens* (Desf.) Sirg.
1143 * — *mitissima* L.
1144 * — *natrix* L. ssp. *ramosissima* (Desf.) Batt.
1145 * — *pubescens* L.
1146 * — *pusilla* L.
1147 * — *reclinata* L.
1149 * — *subspicata* Lag.
1150 * — *viscosa* L. ssp. *breviflora* (DC.) Nyman
1151 * *Ornithopus compressus* L.

- 1152 * *Ornithopus perpusillus* L.
 1153 * — *pinnatus* (Miller) Druce
 1154 * — *sativus* Brot.
 1155 *Parkinsonia aculeata* L.
 1156 *Phaseolus vulgaris* L.
 1157 *Pisum sativum* L. ssp. *elatus* (Bieb.) Asch. et Graeb.
 1159 * *Psoralea bituminosa* L.
 1160 — *macrostachya* DC.
 1161 *Pueraria lobata* (Willd.) Ohwi
 1162 *Rhynchosia caribaea* (Jacq.) DC.
 1162-a — *phaseoloides* DC.
 1163 *Robinia pseudacacia* L.
 1164 *Schotia latifolia* Jacq.
 1165 * *Scorpiurus muricatus* L.
 1166 * — *vermiculatus* L.
 1167 *Securigera securidaca* (L.) De-gen et Dorfler
 1168 *Sophora japonica* L.
 1169 — *viciaefolia* Hance
 1170 * *Spartium junceum* L.
 1171 * *Stauracanthus genistoides* (Brot.) Samp.
 1173 *Teline monspessulana* (L.) C. Koch
 1174 *Tetragonolobus palestinus* Boiss.
 1175 — *purpureus* Moench
 1176 — *requienii* (Mauri) ex Sanguineti Sanguineti
 1177 *Tipuana tipu* (Benth) O. Kuntze
 1178 *Trifolium alexandrinum* L.
 1179 * — *angustifolium* L.
 1180 * — *arvense* L.
 1181 * — *bocconeii* Savi
 1182 * — *campestre* Schreber
 1183 * — *cernuum* Brot.
 1185 — *clypeatum* L.
 1186 — *dasyurum* C. Presl
 1187 — *diffusum* Ehrh.
 1188 * — *dubium* Sibth.
 1189 * — *fragiferum* L.
 1190 * — *glomeratum* L.
 1191 — *hirtum* All.
 1192 — *hybridum* L.
 1192-a* — *incarnatum* L.
 1193 * — *isthmocarpum* Brot.
 1194 * — *lappaceum* L.
 1195 * — *ligusticum* Balbis ex Loisel.
 1196 — *micelianum* Savi
 1197 — *miegeanum* Maire
 1198 * *Trifolium nigrescens* Viv.
 1199 * — *ochroleucon* Hudson
 1200 * — *physodes* Steven ex Bieb.
 1201 * — *pratense* L.
 1202 * — *repens* L.
 1203 * — *resupinatum* L.
 1204 — *rubens* L.
 1205 * — *scabrum* L.
 1206 * — *squamosum* L.
 1207 — *squarrosum* L.
 1208 * — *stellatum* L.
 1209 * — *striatum* L. var. *brevi-* dens Lange
 1210 * — — var. *spinescens* Lange
 1212 * — *subterraneum* L.
 1213 * — *suffocatum* L.
 1214 * — *tomentosum* L.
 1215 — *vesiculosum* Savi
 1216 *Trigonella caerulea* (L.) Ser.
 1217 — *calliceras* Fisch.
 1218 — *corniculata* (L.) L.
 1219 — *cretica* (L.) Boiss.
 1220 — *foenum-graecum* L.
 1221 — *monspeliaca* L.
 1222 — *polycerata* L.
 1223 * *Ulex europaeus* L.
 1224 * — *micranthus* Lange
 1225 * — *minor* Roth
 1226 * — *parviflorus* Pourret ssp. *par-* viiflorus
 1227 * *Vicia benghalensis* L.
 1228 * — *bithynica* (L.) L.
 1229 * — *disperma* DC.
 1230 — *ervilia* (L.) Willd.
 1231 — *faba* L.
 1232 * — *hirsuta* (L.) S. F. Gray
 1233 * — *lutea* L. var. *hirta* DC. Loisel.
 1234 * — — var. *laevigata* (Sm.) Boiss.
 1235 — *narbonensis* L. var. *serrati-* folia (Jacq.) Arcangeli
 1236 * — *pubescens* (DC.) Link
 1237 * — *sativa* L.
 1238 * — ssp. *nigra* (L.) Ehrh.
 1239 * — *tenuifolia* Roth
 1240 * — *tenuissima* (Bieb.) Schinz et Thell.
 1241 — *villosa* Roth
 1242 — — ssp. *varia* (Host) Corb.
 1243 *Wisteria sinensis* (Sims) Sweet
 LENTIBULARIACEAE
 1244 * *Pinguicula lusitanica* L.

- LINACEAE**
- 1245 * *Linum* bienne Miller
 1246 — *grandiflorum* Desf.
 1247 * — *setaceum* Brot.
 1248 * — *strictum* L.
 1249 * — *trigynum* L.
 1250 — *usitatissimum* L.
 1251 * *Radiola* linoides Roth
- LOASACEAE**
- 1252 *Blumenbachia* hieronymii Urban
- LOGANIACEAE**
- 1253 *Chilianthus* oleraceus Burch.
- LYTHRACEAE**
- 1254 * *Ammannia* coccinea Rottb.
 1255 — *senegalensis* Lam.
 1256 *Cuphea* ignea DC. fil.
 1257 — *lanceolata* Aiton
 1258 — *micropetala* H. B. et K.
 1259 *Heimia* myrtifolia Cham. et Schlecht.
 1260 — *salicifolia* (H.B. et K.) Link
 1261 *Lagerstroemia* indica L.
 1262 * *Lythrum* junceum Banks et Solan der
 1263 * — *portula* (L.) D. A. Webb
 1264 * — *salicaria* L.
- MAGNOLIACEAE**
- 1265 ** *Magnolia* grandiflora L.
 1266 ** — *soulangeana* Soul. var. lennei Rehd.
- MALVACEAE**
- 1267 *Abutilon* grandifolium (Willd.) Sweet
 1268 — *theophrasti* Medicus
 1269 *Alcea* rosea L.
 1271 * *Althaea* officinalis L.
 1272 *Anoda* wrightii Asa Gray
 1272-a *Callirhoe* involucrata A. Gray
 1273 *Hibiscus* pedunculatus L. fil.
 1274 * — *roseus* Thore ex Loisel.
 1275 — *syriacus* L.
 1276 — *trionum* L.
 1277 *Kitaibelia* vitifolia Willd.
- 1278 *Lagunaria* patersonii G. Don
 1279 *Lavatera* arborea L.
 1280 * — *cretica* L.
 1281 * — *olbia* L.
 1282 * — *trimestris* L.
 1284 * *Malva* hispanica Cav.
 1285 — *nicaeensis* All.
 1286 — *sylvestris* L. var. *sylvestris*
 1287 * — *tournefortiana* L.
 1288 — *verticillata* L.
 1288' *Malvastrum* capense Garcke
 1288-a — *coromandelianum* (L.) Garcke
 1290 *Pavonia* hastata Cav.
 1292 — *spinifex* (L.) Cav.
 1293 *Sida* rhombifolia L.
 1294 *Sphaeralcea* umbellata (Cav.) G. Don
- MARTYNIACEAE**
- 1295 *Ibicella* lutea (Lindl.) Van Eseltine
- MELASTOMATACEAE**
- 1296 *Calvoa* orientalis Taub.
 1297 *Clidemia* hirta (L.) D. Don
- MELIACEAE**
- 1298 *Melia* azedarach L.
- MENISPERMACEAE**
- 1299 *Cocculus* carolinus (L.) DC.
 1300 — *laurifolius* DC.
- MORACEAE**
- 1301 *Dorstenia* contrajerva L.
 1302 *Maclura* pomifera (Rafin.) C. K. Schneider
 1303 *Morus* alba L.
 1304 — *nigra* L.
- MYOPORACEAE**
- 1305 *Myoporum* tenuifolium G. Forster
- MYRICACEAE**
- 1306 *Myrica* caroliniensis Miller
 1307 — *cerifera* L.
 1308 * — *faya* Aiton
 1309 * — *gale* L.

MYRSINACEAE

- 1310 *Ardisia crenata* Sims
1310-a — *humilis* Vahl

MYRTACEAE

- 1311 *Callistemon phoeniceus* Lindl.
1312 — *rigidus* R. Br.
1313 *Eucalyptus acacioides* A. Cunn.
1315 — *citriodora* Hooker
1316 — *cornuta* Labill.
1318 — *dealbata* A. Cunn.
ex Schauer
1320 — *globulus* Labill.
1321 — *gomphocephalus* DC.
1322 — *maculata* Hooker
1323 — *obliqua* L'Hér.
1327 — *viminialis* Labill.
1328 *Feijoa sellowiana* Berg.
1329 *Kunzea pedunculata* F. Mueller
1330 *Melaleuca genistifolia* Smith
1331 — *huegellii* Endl.
1332 — *nesophila* F. Mueller
1333 * *Myrtus communis* L.
1335 *Psidium guajava* L.
1336 — *littorale* Raddi var.
littorale
1336-a — — var. *lucidum*
Hort.
1337 *Tristania conferta* R. Br.

NYCTAGINACEAE

- 1338 *Mirabilis jalapa* L.

NYMPHAEACEAE

- 1340 * *Nuphar lutea* (L.) Sibth. et Sm.
1341 *Victoria amazonica* (Poeppig)
Sowerby

OCHNACEAE

- 1342 *Ochna multiflora* DC.

OLEACEAE

- 1343 *Fraxinus americana* L.
1344 * — *angustifolia* Vahl
1345 * *Jasminum fruticans* L.
1346 *Ligustrum ibota* Sieb. ex Sieb.
et Zucc.
1347 — *japonicum* Thunb.
1348 — *sinense* Lour.
1349 — *strobilophyllum* Hemsl.
1350 — *vulgare* L.
1351 *Olea chrysophylla* Lam.

- 1352 * *Phillyrea angustifolia* L.
1353 * — *latifolia* L.
1354 *Syringa vulgaris* L.

ONAGRACEAE

- 1355 *Boisduvallia densiflora* (Lindl.)
S. Watson
1356 *Circaea cordata* Royle
1357 * — *lutetiana* L.
1358 *Clarkia elegans* Douglas
1359 — *pulchella* Pursh
1360 *Epilobium hirsutum* L.
1361 * — *lanceolatum* Sebastiani
et Mauri
1362 * — *parviflorum* Schreber
1363 — *roseum* Schreber
1364 * — *tetragonum* L.
1364-a *Fuchsia coccinea* Soland.
1365 — *hybrida* Voss
1367 *Gaura biennis* L.
1368 — *parviflora* Douglas
1369 *Godetia purpurea* (Curtis) G. Don
1369-a *Lopezia coronata* Andr.
1370 * *Ludwigia palustris* (L.) Elliott
1371 * *Oenothera erythrosepala* Borbás
1372 — *grandiflora* L'Hér.
1373 — *indecora* Cambess.
1374 * — *rosea* L'Hér. ex Aiton
1375 * — *stricta* Ledeb. ex Link
1376 — *tetraptera* Cav.

OROBANCHACEAE

- 1377 * *Orobanche hederæ* Duby

OXALIDACEAE

- 1378 *Oxalis articulata* Savigny
1379 * — *corniculata* L.
1380 * — *corymbosa* DC.
1382 — *hirta* L. var. *rubella* (Juss.)
R. Knuth
1383 * — *pes-caprae* L.
1384 * — *purpurea* L.

PAPAVERACEAE

- 1385 *Argemone mexicana* L.
1386 * *Chelidonium majus* L.
1387 * *Corydalis claviculata* (L.) DC.
1388 * *Fumaria bastardii* Boreau
1389 * — *capreolata* L.
1390 * — *marialis* Sonder ex Koch
1392 * — *parviflora* Lam.
1393 *Glaucium corniculatum* (L.) Rudolph
1394 * — *flavum* Crantz

- 1397 * *Papaver argemone* L.
 1398 *atlanticum* (Ball)
 Cosson

- 1399 * — *dubium* L.
 1400 * — *hybridum* L.
 1401 * — *rhoeas* L.
 1402 — *somniferum* L.
 1403 * *Platycapnos spicata* (L.)
 Bernh.

PASSIFLORACEAE

- 1404 *Passiflora bryonioides* H. B.
 et K.
 1405 — *caerulea* L.
 1406 — *capsularis* L.
 1407 — *edulis* Sims
 1408 — *suberosa* L.

PHYTOLACCACEAE

- 1409 * *Phytolacca americana* L.
 1410 — *dioica* L.
 1410-a — *heteropetala* H.
 Walter
 1411 *Rivina humilis* L.

PIPERACEAE

- 1411-a *Peperomia maculosa* (L.) Hook.

PITTOSPORACEAE

- 1412 *Pittosporum crassifolium* Put-
 lerlick
 1413 — *heterophyllum*
 Franch.
 1414 — *tobira* (Thunb.)
 Aiton fil.
 1415 — *undulatum* Vent.
 1416 *Sollya fusiformis* (Labill.)
 Briq.

PLANTAGINACEAE

- 1417 * *Plantago afra* L.
 1418 — *arenaria* Waldst. et
 Kit.
 1419 * — *bellardii* All.
 1420 * — *coronopus* L.
 1421 — *crassifolia* Forskal
 1422 * — *lagopus* L. var. *lusi-*
tanica (L.)
 Ball
 1423 * — *lanceolata* L.
 1424 * — *major* L.
 1425 — *sempervirens* Crantz
 1426 * — *serraria* L.
 1427 * — *subulata* L.

PLATANACEAE

- 1428 *Platanus hybrida* Brot.

PLUMBAGINACEAE

- 1429 * *Armeria alliacea* (Cav.) Hoffmanns.
 et Link

- 1429-a * — *duriaei* Boiss.
 1430 * — *welwitschii* Boiss.
 1431 * *Limonium binervosum* (G. E. Sm.)
 Salmon
 ssp. *binervosum*
 1432 — *latifolium* (Sm.) O. Kuntze
 1433 — *sinuatum* (L.) Miller
 1434 * — *vulgare* Miller

POLEMONIACEAE

- 1434-a *Cobaea scandens* Cav.
 1435 *Collomia grandiflora* Douglas ex
 Lindley
 1436 *Gilia laciniata* Ruiz et Pavon
 1437 — *tricolor* Benth
 1437-a *Navarretia squarrosa* (Eschsch.)
 Hook. et Arn.
 1438 *Phlox drummondii* Hooker
 1438-a — *paniculata* L.
 1439 *Polemonium mexicanum* (Cerv.) ex
 Lag.

POLYGALACEAE

- 1440 * *Polygala monspeliaca* L.
 1441 * — *vulgaris* L.

POLYGONACEAE

- 1442 *Bilderdykia baldschuanica* (Regel)
 D. A. Webb
 1443 * — *convolvulus* (L.) Du-
 mort.
 1444 * — *dumetorum* (L.) Dumort.
 1445 * *Emex spinosa* (L.) Camp.
 1446 * *Polygonum aviculare* L.
 1447 * — *capitatum* D. Don
 1448 * — *equisetiforme* Sibth. et
 Sm.
 1449 * — *hydropiper* L.
 1450 * — *maritimum* L.
 1451 — *orientale* L.
 1452 * — *persicaria* L.
 1453 * — *salicifolium* Brouss. ex
 Willd.
 1455 * *Rumex acetosa* L.
 1456 * — *angiocarpus* Murb.
 1457 * — *bucephalophorus* L.
 1458 * — *conglomeratus* Murray

- 1459 * *Rumex crispus* L.
 1460 * — *intermedius* DC.
 1460-a* — *obtusifolius* L.
 1461 — *patientia* L.
 1462 * — *pulcher* L.
 1463 * — *scutatus* L.

PORTULACACEAE

- 1464 *Anacampseros rufescens* (Haw.) Sweet
 1465 *Calandrinia pilosiuscula* Lindley
 1466 * *Montia fontana* L. ssp. *amporitan* Sennen
 1467 — *perfoliata* (Donn ex Willd.) Howell.
 1468 *Portulaca grandiflora* Hooker
 1469 — *marginata* H. B. et K.
 1470 * — *oleracea* L.
 1472 *Portulacaria afra* Jacq.
 1473 *Talinum paniculatum* (Jacq.) Gaertn.

PRIMULACEAE

- 1474 * *Anagallis arvensis* L.
 1475 * — *monelli* L. var. *linifolia* (L.) Lange
 1477 * *Asterolinon linum-stellatum* (L.) Duby
 1478 *Cyclamen persicum* Miller
 1479 * *Lysimachia ephemerum* L.
 1481 * — *vulgaris* L.
 1482 *Primula malacoides* Franch.
 1483 — *obconica* Hance
 1484 * — *vulgaris* Hudson
 1485 * *Samolus valerandi* L.

PROTEACEAE

- 1486 *Hakea salicifolia* (Vent.) B.L. Burt
 1487 — *sericea* Schrader

PUNICACEAE

- 1488 *Punica granatum* L.

RANUNCULACEAE

- 1489 *Adonis aestivalis* L.
 1490 *Anemone coronaria* L.
 1491 — *cylindrica* Gray
 1492 * — *palmata* L.
 1493 * — *trifolia* L.
 1494 — *virginiana* L.

1494-a *Aquilegia atrata* Koch

- 1495 — *canadensis* L.
 1496 — *chrysantha* A. Gray
 1496-a* — *dichroa* Freyn
 1497 — *formosa* Fisch. var. *hybrida* Hort.
 1498 — *fragrans* Benth
 1499 — *longissima* Asa Gray
 1500 * — *vulgaris* L.
 1501 * *Clematis campaniflora* Brot.
 1503 — *recta* L.
 1504 * — *vitalba* L.
 1505 *Consolida ajacis* (L.) Schur
 1506 * *Delphinium halteratum* Sibth. et Sm.
 1507 * — *pentagynum* Lam.
 1507-a — *requienii* DC.
 1508 * — *staphisagria* L.
 1509 * *Helleborus foetidus* L.
 1510 *Nigella arvensis* L.
 1511 — *ciliaris* DC.
 1512 * — *damascena* L.
 1513 — *hispanica* L.
 1514 — *orientalis* L.
 1515 — *sativa* L.
 1516 * *Paeonia broteroi* Boiss. et Reuter
 1517 * *Ranunculus arvensis* L.
 1518 — *asiaticus* L.
 1519 — *brutius* Ten.
 1520 * — *bulbosus* L. ssp. *adscendens* (Brot.) Neves
 1521 * — *bullatus* L.
 1522 * — *bupleuroides* Brot.
 1523 * — *ficaria* L.
 1524 * — *flammula* L.
 1525 * — *gregarius* Brot.
 1526 * — *hederaceus* L.
 1527 * — *muricatus* L.
 1528 * — *ophioglossifolius* Vill.
 1529 * — *parviflorus* L.
 1530 * — *peltatus* Schrank ssp. *pseudo-fluitans* (Syme) Franco
 1531 * — *repens* L.
 1532 * — *trilobus* Desf.
 1533 * *Thalictrum flavum* L. ssp. *glaucom* (Desf.) Batt.
 1534 — *minus* L.

RESEDACEAE

- 1535 *Reseda alba* L.

- 1537 * *Reseda luteola* L.
1538 * — *media* Lag.
1539 — *virgata* Boiss. et Reuter
1540 * *Sesamoides canescens* (L.) O. Kuntze
ssp. *canescens*

RHAMNACEAE

- 1541 * *Frangula alnus* Miller
1542 *Hovenia dulcis* Thunb.
1543 *Paliurus spina-christii* Miller
1544 *Pomaderris apetala* Labill.
1545 * *Rhamnus alaternus* L.
1546 — *catharticus* L.
1547 *Ziziphus jujuba* Miller

ROSACEAE

- 1548 * Agrimonia eupatoria L.
1549 * Aphanes arvensis L.

- 1551 Cotoneaster horizontalis Decne
1552 — lactea W. W. Sm.
1553 Crataegus crus-galli L.
1554 * — monogyna Jacq.
1555 Cydonia japonica (Thunb.) Pers.
1556 Duchesnea indica (Andrews)
Focke

- 1557 * *Filipendula vulgaris* Moench
1558 * *Fragaria vesca* L.
1559 * *Geum sylvaticum* Pourret
1560 * — *urbanum* L.
1561 *Margyricarpus setosus* Ruiz et Pavon

- 1562 *Physocarpus capitatus* (Pursh)
 O. Kuntze

- 1563 *Potentilla argentea* L.
1564 * — *erecta* (L.) Rauschel
1565 — *recta* L.
1566 *Prunus laurocerasus* L.
1567 — *lusitanica* L.
1569 * — *spinosa* L.
1570 *Pyracantha angustifolia*

- (Franch.)
C. K. Schnei
der

- 1571 — crenulata (Roxb.)
Roem.

- 1572 * *Pyrus communis* L.
1573 *Rhaphiolepis umbellata* (Thunb.)

- | | | | |
|------|---|---|---|
| 1574 | — | — | Makino
fa. ovata
(Briot)
Schneider |
|------|---|---|---|

- 1575 Rhodotypos scandens (Thunb.) Makino
1576 * Rosa canina L.
1577 * — sempervirens L.
1578 Rubus idaeus L.
1579 * Sanguisorba hybrida (L.) Nordborg
1580 * — minor Scop. ssp. magnoli
nolii (Spach)

- 1581 Sarcopoterium spinosum (L.) Spach
1582 Sorbaria sorbifolia (L.) A. Braun
1583 Spiraea japonica L. fil.

RUBIACEAE

- 1584 * *Asperula arvensis* L.
1585 *Coprosma robusta* Raoul
1586 * *Crucianella angustifolia* L.
1587 — *latifolia* L.
1588 * — *maritima* L.
1590 * *Cruciata laevipes* Opiz
1591 * *Gallium album* Miller
1592 * — *aparine* L.
1593 * — *divaricatum* Pourret ex Lam.

- 1594 * — murale (L.) All.
1595 * — palustre L.
1596 * — parisiense L.
1597 * — rotundifolium L.
1597-a* — saxatile L.
1598 * — tricornutum Dandy
1599 * — verrucosum Hudson
1600 Phyllis nobla L.
1601 * Rubia peregrina L.
1602 — tinctorum L.
1603 * Sherardia arvensis L.
1604 Spermacoe tenuior L.
1604-a Valantia hispida L.
1605 * — muralis L.

RUTACEAE

- 1606 Citrus myrtifolia Rafin.
1607 Coleonema pulchrum Hooker
1608 Phellodendron lavallei Dode
1609 Poncirus trifoliata (L.) Rafin.
1610 * Ruta chalepensis L.
1611 * — montana (L.) L.
1612 Zanthoxylum armatum DC.
1613 — simulans Hance

SANTALACEAE

- 1615 * *Osyris alba* L.
1615-a* *Thesium divaricatum* Jan ex Mert.
et Koch

SAPINDACEAE

- 1616 *Cardiospermum grandiflorum*
Swartz
fa. *hirsutum*
(Willd.) Radlk.
1617 — *halicacabum* L.
1618 *Koelreuteria paniculata* Laxm.

SAURURACEAE

- 1618-b *Saururus cernuus* L.

SAXIFRAGACEAE

- 1619 *Astilbe japonica* (Merr. et
Decne.) Asa
Gray
1622 * *Saxifraga continentalis* Engler
et Irmischer)
D.A. Webb
1623 * — *granulata* L.
1624 * — *spathularia* Brot.
1625 — *stolonifera* Meerb.
1625-a *Tellima grandiflora* (Pursh)
Douglas ex
Lindley

SCROPHULARIACEAE

- 1626 *Alonsoa incisifolia* Ruiz et Pa
von
1627 * *Anarrhinum bellidifolium* (L.)
Willd.
1628 * *Antirrhinum hispanicum* Chav.
1629 * — *majus* L. ssp. *cir*
rhigerum (Welw.
ex Ficalho)
Franco
1630 * — — ssp. *linkianum*
(Boiss. et
Reuter)
Rothm.
1631 * — *meonanthum* Hof-
fmanns.
et Link
1632 * *Bartsia aspera* (Brot.) Lange
1633 * *Bellardia trixago* (L.) All.
1634 *Calceolaria scabiosaefolia*
Roem. et
Schult.
1635 * *Cymbalaria muralis* P.Gaertner,
B. Meyer et
Scherb.
1636 *Digitalis ferruginea* L.

- 1637 *Digitalis lanata* Ehrh.
1638 — *lutea* L.
1639 * — *purpurea* L.
1640 * — *thapsi* L.
1643 * *Gratiola officinalis* L.
1644 *Halleria lucida* L.
1645 *Hebe parviflora* (Vahl) Ckn. et Al-
lan
1646 — *speciosa* (R.Cunn. ex A. Cunn.)
Anderson
1646-a *Hebenstretia integrifolia* L.
1647 * *Kickxia cirrhosa* (L.) Fritsch.
1647-a* — *elatine* (L.) Dumort.
1648 * — *spuria* (L.) Dumort.
1649 * *Linaria amethystea* (Lam.) Hoffmanns.
et Link
1650 * — — ssp. *multipunctata*
(Brot.) Chater
et D. A. Webb
1651 * — *caesia* (Pers.) DC. ex Chav.
1652 * — *diffusa* Hoffmanns. et Link
1653 * — *incarnata* (Vent.) Sprengel
1654 — *maroccana* Hooker fil.
1655 * — *saxatilis* (L.) Chaz.
1656 * — *spartea* (L.) Willd.
1657 * — *supina* (L.) Chaz.
1658 * — *triornithophora* (L.) Cav.
1659 * *Lindernia dubia* (L.) Pennell
1660 *Maurandya erubescens* (D. Don) Asa
Gray
1661 *Mimulus luteus* (L.) var. *cupreus*
Hooker
1662 * *Misopates calycinum* Rothm.
1663 * — *orontium* (L.) Rafin.
var. *parviflorum*
DC. fil.
1664 *Nemesia melissifolia* Benth
1665 * *Odontites tenuifolia* (Pers.) G.
Don fil.
1666 * *Parentucellia latifolia* (L.) Ca-
ruel
1667 * — *viscosa* (L.) Caruel
1668 *Paulownia tomentosa* (Thunb.) Steu
del
1669 * *Pedicularis sylvatica* L. ssp. *lu*-
sitanica
(Hoffmanns.
et Link) Cou
tinho
1671 *Penstemon gloxinoides* Hort.
1672 *Phygellus capensis* E. Mey ex Ben-
tham
1672-a* *Rhinanthus minor* L.
1673 * *Scrophularia auriculata* L. var.
glabra
Coutinho
1674 * — — var. *pubescens* Caruel

1675	*	<i>Scrophularia canina</i> L. var. baetica Boiss.	1713	<i>Lycium afrum</i> L.
1676	*	— var. pinna-tifida Boiss.	1714	<i>Lycopersicon esculentum</i> Miller var. cerasiforme (Dunal) Alef.
1677	*	— grandiflora DC.	1715	— var. piriforme (Dunal) Alef.
1677-a*	—	herminii Hoffmanns. et Link	1716	— pimpinellifolium Miller
1678	—	— nodosa L.	1717	<i>Nicandra physalodes</i> (L.) Gaertner
1679	*	— sambucifolia L.	1718	<i>Nicotiana glauca</i> R. C. Graham
1679-a*	—	— schousboei Lange	1720	— rustica L.
1680	*	<i>Sibthorpia europaea</i> L.	1720-a	— sanderae Hort. ex W. Watson
1681		<i>Tetranema mexicanum</i> Benth	1721	— tabacum L.
1682		<i>Verbascum blattaria</i> L.	1722	<i>Petunia hybrida</i> Vilm.
1683	—	— gnaphalodes Bieb.	1723	— parviflora Juss.
1684	*	— levanticum I.K. Ferguson	1724	* <i>Physalis ixocarpa</i> Brot. ex Hornem.
1685	*	— litigiosum Samp.	1725	— lancifolia Nees
1686	—	— phlomoides L.	1726	— peruviana L.
1687	*	— pulverulentum Vill.	1727	— pruinosa L.
1688	*	— sinuatum L.	1729	<i>Schizanthus pinnatus</i> Ruiz et Pavon
1689	*	— thapsus L.	1730	* <i>Solanum dulcamara</i> L.
1690	*	— virgatum Stokes	1731	— laciniatum Aiton
1691	*	<i>Veronica acinifolia</i> L.	1732	* — luteum Miller ssp. alatum (Moench) Dostal
1692	*	— anagallis-aquatica L. ssp. transiens Rouy	1732-a	— mauritianum Scop.
1693	*	— arvensis L.	1733	* — nigrum L.
1694	*	— hederifolia L.	1734	— rantonnetii Carrière ex Lescuyer
1696	*	— micrantha Hoffmanns. et Link	1735	— sodomium L.
1697	*	— officinalis L.	1736	* — sublobatum Willd. ex Roemer et Schultes
1698	*	— peregrina L.	1737	— variabile Martius
1699	*	— persica Poir.	1738	<i>Vestia lycioides</i> Willd.
1700	*	— polita Fries	1739	<i>Withania somnifera</i> (L.) Dunal
1701	*	— scutellata L.		

STERCULIACEAE

			1740	<i>Brachychiton populneum</i> R. Br.
			1741	<i>Firmiana simplex</i> (L.) W.F. Wight
1702	*	<i>Ailanthus altissima</i> (Miller) Swingle	1742	<i>Hermannia denudata</i> L. fil.

SOLANACEAE

1702-a		<i>Atropa bella-dona</i> L.	1743	<i>Styrax officinalis</i> L.
1703		<i>Browallia viscosa</i> H. B. et K.		
1704		<i>Brunfelsia latifolia</i> Benth		
1705		<i>Capsicum annuum</i> L. var. grossum (L.) Sendtner		
1706		<i>Cyphomandra betacea</i> (Cav.) Sendtner		

STYRACACEAE

TAMARICACEAE

1744	*	<i>Tamarix africana</i> Poir.
1745	—	— tetrandra Pallas ex Bieb.

THELIGONACEAE

1746	*	<i>Theligonum cynocrambe</i> L.
------	---	---------------------------------

THYMELAEACEAE

1711	*	<i>Hyoscyamus albus</i> L. ssp. major (Miller) Coutinho	1747	* <i>Daphne gnidium</i> L.
1712		<i>Iochroma coccinea</i> Scheid.	1748	* <i>Thymelaea passerina</i> (L.) Cosson et Germ.

TILIACEAE

- 1749 *Corchoropsis tomentosa* (Thunb.)
Makino
1751 *Sparmannia palmata* E. Mey.
1752 *Tilia europaea* L.
1753 — *platyphyllos* Scop.
1754 — *tomentosa* Moench
1755 *Triumfetta japonica* Makino

TROPAEOLACEAE

- 1756 *Tropaeolum majus* L.

ULMACEAE

- 1757 *Celtis australis* L.
1758 — *sinensis* Pers.
1759 *Ulmus campestris* L.
1760 — *pumilla* L.

UMBELLIFERAE

- 1761 *Aethusa cynapium* L.
1762 * *Ammi majus* L.
1763 * — *visnaga* (L.) Lam.
1764 * *Ammoides pusilla* (Brot.)
Breistr.
1765 * *Angelica angelicastrum* (Hof-
fmanns. et
Link) Coutinho
1766 * — *sylvestris* L.
1767 * *Anthriscus caucalis* Bieb.
1767-a *Apium graveolens* Cham.
1768 * — *inundatum* (L.) Reichenb.
fil.
1770 * — *nodiflorum* (L.) Lag.
1771 * *Berula erecta* (Hudson) Coville
1772 * *Bifora testiculata* (L.) Roth
1773 * *Bupleurum gerardi* All.
1774 * — *lancifolium* Hornem.
1775 * — *rigidum* L. ssp. *pani*
culatum (Brot.)
H. Wollf
1776 — *rotundifolium* L.
1777 * — *tenuissimum* L.
1778 * *Cachrys trifida* Miller
1779 * *Carum verticillatum* (L.) Koch
1780 * *Chaerophyllum temulentum* L.
1781 * *Conium maculatum* L.
1782 * *Conopodium capillifolium* (Guss.)
Boiss.
1783 * — *majus* (Gouan) Loret
1784 *Coriandrum sativum* L.
1785 * *Crithmum maritimum* L.
1786 *Cryptotaeria canadensis* (L.) DC.
1787 * *Daucus carota* L.
1788 * — *crinitus* Desf.
1789 * *Daucus durieua* Lange

- 1790 * — *muricatus* (L.) L.
1791 * *Elaeoselinum gummiferum* (Desf.)
Tutin
1792 *Eryngium agavifolium* Griseb.
1794 * — *campestre* L.
1795 * — *corniculatum* Lam.
1796 * — *dilatatum* Lam.
1797 * — *maritimum* L.
1798 * — *pandanifolium* Cham. et
Schlecht.
1800 * — *tenue* Lam.
1801 *Falcaria vulgaris* Bernh.
1802 * *Ferula communis* L.
1803 * *Ferulago capillifolia* (Link) Fran-
co
1804 * *Foeniculum vulgare* Miller
1805 — *var. dulce* DC.
1806 * *Heracleum sphondylium* L.
1806-a *Heteromorpha trifolia* (Wendl.)
Eckl. & Zeyh.
1807 * *Hyarocotyle bonariensis* Commerson
ex Lam.
1808 * — *vulgaris* L.
1809 *Kundmannia sicula* (L.) DC.
1810 *Lagoecia cuminoidea* L.
1811 * *Lilaeopsis attenuata* (Hooker et
Arnot) Fer-
nald
1812 * *Oenanthe crocata* L.
1813 * — *fistulosa* L.
1814 — *globulosa* L.
1815 * — *lachenalii* C. C. Gmelin
1816 * — *pimpinelloidea* L.
1817 *Orlaya kochii* Heywood
1818 *Pestisnaca sativa* L. ssp. *sativa*
1819 *Petroselinum crispum* (Miller)
A.W. Hill var.
latifolium
Airy Shaw
1820 * — *segetum* (L.) Koch
1821 *Peucedanum cervaria* (L.) Lapeyr.
1822 * — *lancifolium* Lange
1823 * *Physospermum cornubiense* (L.) DC.
1824 *Pimpinella saxifraga* L.
1825 * — *villosa* Schousboe
1826 * *Pseudorlaya pumila* (L.) Grande
1827 * *Ridolfia segetum* Moris
1828 * *Sanicula europaea* L.
1829 *Scandix balansae* Reuter ex Boiss.
1830 * — *pecten-veneris* L.
1831 * *Selinum carvifolia* (L.) L.
1832 * *Seseli tortuosum* L.
1833 * *Smyrniolum olusatrum* L.
1834 * — *perfoliatum* L.
1835 * *Thapsia villosa* L.
1836 * *Tordylium maximum* L.
1837 * *Torilis arvensis* (Hudson) Link
1838 * — *nodosa* (L.) Gaertner

VERBENACEAE

- | | | | |
|------------|--|--------|----------------------------------|
| URTICACEAE | | 1861 | Clerodendrum trichotomum Thunb. |
| | | 1862 | Duranta repens L. |
| | | 1863 | Lantana camara L. |
| 1839 | Boehmeria cylindrica (L.) Swartz | 1863-a | Lippia chamaedrifolia Steud. |
| | | 1863-b | — nodiflora Michx. |
| 1840 | Debregeasia longifolia (Burm.) Wedell. | 1864 | Petrea arborea H. B. K. |
| | | 1864-a | Verbena canadensis (L.) Brit-ton |
| 1840-a | Forsskalea angustifolia Retz. | | |
| 1841 | * Parietaria punctata Willd. | 1866 | * — officinalis L. |
| 1842 | Pilea microphylla (L.) Liebm. | 1867 | — rigida Sprengel |
| 1843 | — pubescens Liebm. | 1868 | — urticifolia L. |
| 1844 | * Urtica dioica L. | 1869 | Vitex agnus-castus L. |
| 1845 | * — dubia Forskal | 1870 | — negundo L. |
| 1846 | * — pilulifera L. | | |
| 1847 | * — urens L. | | |

VIOLACEAE

- | | | | |
|---------------|---|------|-------------------------|
| VALERIANACEAE | | 1871 | * Viola arvensis Murray |
| 1848 | * Centranthus calcitrapae (L.) Dufresne | 1872 | * — lactea Sm. |
| | | 1874 | * — odorata L. |
| 1849 | — macrosiphon Boiss. | 1875 | * — palustris L. |
| 1850 | * — ruber (L.) DC. | 1876 | * — riviniana Reichenb. |
| 1851 | * — — var. albiflora Guss. | 1877 | — x wittrockiana Gams |

VITACEAE

- | | | | |
|--------|-----------------------------------|------|--|
| 1852 | * Fedia cornucopiae (L.) Gaertner | | |
| 1853 | — sulcata Pomel | | |
| 1854 | Valeriana officinalis L. | | |
| 1855 | * Valerianella carinata Loisel. | 1878 | Ampelopsis japonica (Thunb.) Ma-kino |
| 1856 | — coronata (L.) DC. | | |
| 1857 | * — discoidea (L.) Loisel. | 1879 | Parthenocissus quinquefolia (L.) Plancton |
| | | | |
| 1858 | * — microcarpa Loisel. | 1880 | — tricuspidata (Siebold et Zucc.) Plancton |
| 1859 | — pumila (L.) DC. | | |
| 1859-a | — vesicaria (L.) Moench | 1881 | Vitis vinifera L. |

ZYGOPHYLLACEAE

- 1882 * Tribulus terrestris L.

MONOCOTYLEDONES

AGAVACEAE

- | | | | |
|------|------------------------------------|------|------------------------------|
| | | 1888 | * Sagittaria sagittifolia L. |
| 1883 | * Agave americana L. | | |
| 1884 | Cordyline australis Hooker fil. | 1889 | Amaryllis bella-donna L. |
| 1885 | Phormium tenax J. R. et G. Forster | 1890 | Clivia nobilis Lindl. |
| | | 1891 | Hypoxis rooperi T. Moore |
| | | 1892 | — villosa L. |
| | | 1893 | * Leucojum autumnale L. |

AMARYLLIDACEAE

ALISMATACEAE

- | | | | |
|------|--------------------------------------|------|----------------------------|
| 1886 | * Alisma plantago-aquatica L. | | |
| 1887 | * Baldellia ranunculoides (L.) Parl. | 1894 | * Narcissus bulbocodium L. |
| | | 1895 | * — calcicola Mendonça |

- 1896 * *Narcissus cyclamineus* DC.
 1897 — *tazetta* L.
 1898 * — *triandrus* L. var. *cernuus* (Salisb.) Bak.
 1899 * — — var. *concolor* (Haw.) Bak.
 1900 * *Pancratium maritimum* L.

ARACEAE

- 1902 * *Arisarum vulgare* Targ.-Tozz.
 1903 * *Arum italicum* Miller
 1904 *Remusatia vivipara* (Loddiges) Schott

BROMELIACEAE

- 1904-a *Dyckia brevifolia* Baker
 1905 — *rariflora* Schultes fil.
 1907 *Lindmania penduliflora* (C. H. Wright) Stapf
 1908 *Pitcairnia mirabilis* Mez

- 1936 * *Cyperus capitatus* Vandelli
 1937 * — *difformis* L.
 1938 * — *eragrostis* Lam.
 1939 * — *flavescens* L.
 1940 * — *fuscus* L.
 1941 * — *longus* L. ssp. *badius* (Desf.) Murb.
 1943 * — *serotinus* Rottb.
 1944 * *Eleocharis flavescens* (Poir.) Urban
 1945 * — *multicaulis* (Sm.) Desv.
 1945-a* *Fimbristylis bisumbellata* (For-sk.) Bubani
 1946 * *Fuirena pubescens* (Poir.) Kunth
 1947 * *Kyllinga monocephala* Rottb.
 1948 * *Rhynchospora rugosa* (Vahl) S. Gale
 1949 * *Schoenus nigricans* L.
 1950 * *Scirpus cernuus* Vahl
 1951 * — *fluitans* L.
 1952 * — *holoschoenus* L.
 1953 * — *juncoides* Roxb.
 1954 * — *lacustris* L. ssp. *lacustris*
 1955 * — *maritimus* L. ssp. *maritimus*
 1956 * — *mucronatus* L.
 1957 * — *pungens* Vahl
 1958 * — *setaceus* L.

DIOSCOREACEAE

- 1959 * *Tamus communis* L.

GRAMINEAE

CYPERACEAE

- 1912 * *Carex arenaria* L.
 1913 * — *binervis* Sm.
 1914 * — *depressa* Link
 1915 * — *distachya* Desf.
 1916 * — *divisa* Hudson
 1917 * — *divulsa* Stokes
 1918 * — *duriei* Steudel
 1919 * — *echinata* Murray
 1920 * — *elata* All. ssp. *elata*
 1921 * — *extensa* Good.
 1922 * — *flacca* Schreber
 1923 * — *flava* L.
 1924 * — *hispida* Willd.
 1925 * — *paniculata* L.
 1926 * — *pendula* Hudson
 1927 * — *pilulifera* L.
 1928 * — *pseudocyperus* L.
 1929 * — *punctata* Gaudin
 1930 * — *remota* L.
 1931 * — *riparia* Curtis
 1932 * — *serotina* Mérat
 1934 * — *vilpina* L.
 1935 * *Cladium mariscus* (L.) Pohl

- 1960 * *Aegilops geniculata* Roth
 1961 * — *triuncialis* L.
 1962 * *Agrostis castellana* Boiss. et Reuter
 1963 * — *curtisii* Kerguelen
 1964 * — *delicatula* Pourret ex Lapeyr.
 1965 * — *juressii* Link
 1966 * — *pourretii* Willd.
 1967 * — *tenerrima* Trin.
 1968 * *Aira caryophylla* L.
 1969 * — *praecox* L.
 1970 * *Aiopsis tenella* (Cav.) Aschers. et Graebner
 1971 * *Alopecurus geniculatus* L.
 1972 * — *myosuroides* Hudson
 1973 * *Ammophila arenaria* (L.) Link
 1974 * *Andropogon scoparius* Michx
 1975 * *Anthoxanthum amarum* Brot.
 1976 * — *aristatum* Boiss.
 1977 * *Arrhenatherum elatius* (L.) Beauv. ex J. et C. Presl
 1978 * *Arthraxon ciliaris* Beauv. var. *submuticus* Regel

- 2065 * *Mibora minima* (L.) Desv.
 2066 * *Micropyrum patens* (Brot.) Rothm. ex Pilger
 2067 * — *tenellum* (L.) Link
 2069 *Miscanthus sinensis* N. J. Anderson
 2070 * *Molineriella laevis* (Brot.) Rouy
 2071 * *Molinia caerulea* (L.) Moench
 2072 * *Nardus stricta* L.
 2073 *Oryza sativa* L.
 2074 *Panicum capillare* L.
 2076 — *prionitis* Nees
 2077 * — *repens* L.
 2078 * *Parapholis incurva* (L.) C. E. Hubbard
 2079 * — *strigosa* (Dumort.) C. E. Hubbard
 2080 * *Paspalum dilatatum* Poirét
 2081 * — *paspalodes* (Michx.) Scribner
 2082 * — *urvillei* Steudel
 2082-a * — *vaginatum* Swartz
 2083 *Pennisetum villosum* R. Br. ex Fresen.
 2084 * *Periballia involucreta* (Cav.) Janka
 2085 * *Phalaris aquatica* L.
 2086 * — *arundinacea* L.
 2087 * — *brachystachys* Link
 2088 * — *caerulescens* Desf.
 2089 — *canariensis* L.
 2090 * — *minor* Retz.
 2091 * — *paradoxa* L.
 2092 * *Phleum pratense* L.
 2093 * *Phragmites australis* (Cav.) Trin. ex Steudel
 2094 * *Piptatherum miliaceum* (L.) Cosson
 2095 * *Poa annua* L.
 2096 * — *bulbosa* L.
 2097 * — *pratensis* L.
 2098 * — *trivialis* L.
 2099 * *Polypogon maritimus* Willd.
 2100 * — *monspeliensis* (L.) Desf.
 2101 * — *viridis* (Gouan) Breistr.
 2102 * *Pseudarrhenatherum longifolium* (Thore) Rouy
 2103 * *Pucinellia maritima* (Hudson) Parl.
 2104 *Secale montanum* Guss.
 2106 * *Setaria geniculata* (Lam.) Beauv.
 2107 — *italica* (L.) Beauv.
 2108 * *Setaria pumila* (Poirét) Schultes
 2109 * — *verticillata* (L.) Beauv.
 2110 * — *viridis* (L.) Beauv.
 2111 *Sorghum bicolor* (L.) Moench var. *var. arduinii* (Koernicke) Snowden
 2112 — *dochna* (Fors.) Snowden var. *var. technicum* (Koernicke) Snowden
 2113 — *halepense* (L.) Pers.
 2114 * *Spartina maritima* (Curtis) Fernald
 2115 * *Sporobolus indicus* (L.) R. Br.
 2116 * *Stipa capensis* Thunb.
 2117 * — *gigantea* Link
 2118 — *papposa* Nees
 2119 — *setigera* J. Presl
 2120 *Taeniantherum caput-medusae* (L.) Nevski
 2121 *Tripsacum dactyloides* L.
 2121-a * *Trisetum hispidum* Lange
 2122 * — *ovatum* (Cav.) Pers.
 2123 * — *panicum* (Lam.) Pers.
 2124 *Uniola latifolia* Michx.
 2125 * *Vulpia alopecurus* (Schousboe) Dumort.
 2126 — *bromoides* (L.) S. F. Gray
 2128 — *geniculata* (L.) Link
 2129 — *muralis* (Kunth) Nees
 2130 — *myuros* (L.) C. C. Gmelin
- ### IRIDACEAE
- 2132 *Chasmanthe aethiopica* (L.) N. E. Br.
 2133 * *Gladiolus illyricus* Koch
 2134 * — *italicus* Miller
 2135 * *Gynandris sisyrinchium* (L.) Parl.
 2136 *Iris cretensis* Janka
 2137 * — *foetidissima* L.
 2138 * — *lusitanica* Ker-Cawler
 2138-a * — *lutescens* Lam. subsp. *subsp. biflora* (Brot.) D. A. Webb & Chater
 2139 * — *planifolia* (Miller) Fiori et Paol.
 2140 * — *pseudacorus* L.
 2142 *Lapeyrousia cruenta* (Lindley) Baker
 2143 * *Romulea bulbocodium* (L.) Sebastia ni et Mauri
 2144 *Sisyrinchium striatum* Sm.
 2145 *Sparaxis tricolor* (Curtis) Ker-Gawler
 2146 *Watsonia bulbilifera* Mathews
- ### JUNCACEAE
- 2147 * *Juncus acutus* L.
 2148 * — *articulatus* L.
 2149 * — *bufonius* L.

- | | | | | | | |
|------|---|--------|--|------|---|--|
| 2151 | * | — | capitatus Weigel | 2188 | — | falcatus L. |
| 2153 | * | Juncus | conglomeratus L. | 2190 | — | plumosus Baker |
| 2154 | * | — | effusus L. | 2191 | | Asparagus sprengeri Regel |
| 2155 | * | — | foliosus Desf. | 2193 | * | Asphodelus aestivus Brot. |
| 2156 | * | — | imbricatus Laharpe var.
chamissonis
(Kunth)
Buchenau | 2194 | * | — |
| | | | | 2195 | * | fistulosus L. |
| | | | | 2197 | * | ramosus L. |
| | | | | 2197 | | Belevallia romana (L.) Reichenb. |
| | | | | 2198 | | Bowiea volubilis Harvey |
| 2157 | * | — | inflexus L. | 2199 | | Bulbine semibarbata (R. Br.) Haw. |
| 2158 | * | — | maritimus Lam. | 2200 | | Chlorophytum comosum (Thunb.)
Jacques |
| 2159 | * | — | pygmaeus L.C.M. Richard | | | |
| 2160 | * | — | squarrosus L. | 2201 | * | Colchicum lusitanicum Brot. |
| 2161 | * | — | tenageia L. fil. | 2203 | | Eustrephus latifolius R. Br. |
| 2162 | * | — | valvatus Link | 2204 | * | Fritillaria lusitanica Wikstrom |
| 2163 | * | Luzula | campestris (L.) DC. | 2205 | * | Hyacinthoides hispanica (Miller)
Rothm. |
| 2164 | — | — | elegans Lowe | | | |
| 2165 | * | — | forsteri (Sm.) DC. | 2206 | — | non-scripta (L.)
Chouard ex
Rothm. |
| 2166 | * | — | lactea Link ex E. H. F.
Meyer | | | |
| 2167 | * | — | multiflora (Retz.) Lej.
ssp. multiflora | 2207 | * | Lilium martagon L. |
| | | | | 2208 | — | regale E. H. Wilson |
| 2168 | * | — | sylvatica (Hudson) Gau-
din ssp. henrique-
sii (Degen)
P. Silva | 2209 | * | Merendera pyrenaica (Pourret) P.
Fourn. |
| | | | | 2210 | * | Muscari comosum (L.) Miller |
| | | | | 2211 | * | — |
| | | | | | | neglectum Guss. ex Ten. |

JUNCAGINACEAE

- | | | | | |
|------|---|--------------------------------|------|-----------------------------|
| 2169 | * | Triglochin bulbosa L. ssp. bar | 2213 | Ophiopogon jaburan Lodd. |
| | | relieri (Loi- | 2214 | — japonicus (L. fil.) |
| | | sel.) Rouy | | Ker-Gawler |
| 2170 | * | — maritima L. | 2215 | Ornithogalum caudatum Aiton |
| 2171 | * | — striata Ruiz et Pa- | 2216 | * — concinnum (Salisb.) |
| | | von | | Coutinho |

LILIACEAE

- | | | | |
|--------|--|---------|---|
| 2173 | Agapanthus praecox Willd. ssp. praecox | 2219 | * — umbellatum L. |
| 2174 | — — ssp. orientalis (F.M. Leighton) | 2220 | * — unifolium (L.) Ker-Gawler |
| | F.M. Leighton | 2220-a* | Paradisea lusitanica (Coutinho) Samp. |
| 2175 | * Allium ampeloprasum L. | 2221 | * Polygonatum odoratum (Miller) Druce var. odoratum |
| 2176 | * — baeticum Boiss. | 2222 | Rohdea japonica Roth ex Kunth |
| 2177 | * — cepa L. | 2223 | Ruscus aculeatus L. |
| 2178 | * — neapolitanum Cyr. | 2224 | * Scilla autumnalis L. |
| | | 2225 | * — monophyllos Link |
| 2180 | * — paniculatum L. | 2226 | — peruviana L. |
| 2181 | * — roseum L. | 2227 | * — ramburei Boiss. |
| 2182 | — sativum L. | 2228 | * Simethis planifolia (L.) Gren. |
| 2182-a | * — scorzonrifolia Desf. ex DC. var. xericensis (Perez Lara) | 2229 | * Smilax aspera L. |
| | R. Fernandes | 2229-a | Tulipa sylvestris L. ssp. australis (Link) Pamp. |
| 2183 | * — sphaerocephalon L. | 2230 | * Urginea maritima (L.) Baker |
| 2184 | * — triquetrum L. | | |
| 2185 | * — vineale L. | | |
| 2186 | Aloe arborescens Miller | | |
| 2187 | * Asparagus aphyllus L. | | |
| 2187-a | — asparagoides (L.) Druce | | |
| | | | PALMAE |
| | | 2231 | ** Archontophoenix cunninghamiana (H. Wendl.) Wendl. et Druce |

PALMAE

- 2231 ** *Archontophoenix cunninghamiana* (H.
Wendl.) Wendl.
et Druce

2232 ** *Arecastrum romanzoffianum*

(Cham.)

Becc.

SPARGANIACEAE

2233 ** *Butia capitata* (Mart.) Becc.var. *capitata*2241 * *Sparganium emersum* Rehmman2242 * — *erectum* L.2234 ** — *eriospatha* (Mart.) Becc.2235 ** *Cnamaerops humilis* L. var. *humilis*

TACCACEAE

2236 ** — — var. *arborescens* Pers.2243 *Tacca chantrieri* André2237 ** *Jubaea chilensis* (Mollina)

Baillon

THYPHACEAE

2238 ** *Livistona australis* (R. Br.)

C.F.P. Mart.

2244 * *Typha angustifolia* L.2239 ** *Phoenix canariensis* Hort. ex

Chabaud

2245 * — *latifolia* L.

ZINGIBERACEAE

PONTEDERIACEAE

2240 *Pontederia cordata* L.2247 *Globba bulbifera* Roxb.Localização

c. 200km NE de Lisboa

Lat.: 40° 12'

Long.: 8° 25'

Alt.: 25-110m

Clima

Meso-Mediterraneo a sub-humid

Temp. Med.: 9.2° - 22.4°

Humd. Med.: 68 - 84%

Insol. Med.: 25 - 66%

Prof. Dr. J. MONTEZUMA-DE-CARVALHO

Horti Director

Doutora M. TERESA ALMEIDA

Horti Botanicus

JAIME VENTURA FORTE

MANUEL CARDOSO ALVES

SILVIO CARDOSO ALVES

Collectores

DELECTUM SEMINUM DESIDERATORUM

ANTE d. 31 MAJUS 1988 ROGAMUS

fotografia, montagem, impressão
e acabamentos executados na
secção de textos da faculdade
de ciências e tecnologia da
universidade de coimbra