

INDEX SEMINUM ET SPORARUM

QUAE

HORTUS BOTANICUS CONIMBRIGENSIS
PRO MUTUA COMMUTATIONE OFFERT

Anno 1997



Hortus Botanicus

DEPARTAMENTO DE BOTÂNICA
Faculdade de Ciências e Tecnologia
UNIVERSIDADE DE COIMBRA
PORTUGAL

Index Seminum Information

(pay attention: the code number may not be in numerical order)

Geographical position

Lat.: 40° 12' 25" N
Long.: 8° 25' 30" W
Alt.: 25-110 m
above sea level

Cultivated taxa:
about 3500

Main collections:

Gymnospermae
Myrtaceae
Leguminosae
Aceraceae

Staff:

HEAD OF DEPARTMENT
José Firmino Mesquita

CURATORS

Jorge Paiva
Ana Cristina Tavares

COLLECTORS

Manuel Cardoso Alves
Jaime Ventura Forte
Arménio Matos (Assistant)

Address:

JARDIM BOTÂNICO DA
UNIVERSIDADE DE COIMBRA
Arcos do Jardim
3049 Coimbra Codex PORTUGAL
Tel.: 351 39 22897
Fax: 351 39 20780

ISSN 0870-869

SOME REPORTS ABOUT THE BOTANICAL GARDEN OF COIMBRA

● Founded between 1772-1774 by order of the Marquês de Pombal.

● Climatic indications*

*1995 Data	Monthly Media		Absolute Values	
	Highest	Lowest	Maximum	Minimum
Temperature (°C)	30,9 (Aug)	7,4 (Jan)	40,3 (24 Jul)	0,6 (27 Feb)
Relative humidity (%)	88 (Feb)	64 (Apr)	99 (23-25 Dec, 24 Jan, 5 Mar)	18 (25, 26 Aug)
Monthly accumulated precipitation (mm)	—	—	888,4 (Dec)	138,9 (Jan)
Total insolation (sun hours/day)	9,7 (Aug)	2,7 (Dec)	—	—


● The BOTANICAL GARDEN is a unit of the UNIVERSITY OF COIMBRA, Faculty of Sciences and Technology — DEPARTMENT OF BOTANY. It is an establishment for education and research.

The BOTANICAL GARDEN OF COIMBRA covers an area of about 13 ha and it is divided in two parts:


1. The highest part of the garden has a more elaborated conception in the style of the European gardens of the 18th century. There are different terraces where one can see the Order Beds, the greenhouses and a beautiful central Fountain;

2. The «Arboretum», in the lowest part of the garden, where a dense vegetation with exotic trees predominates, includes a valley with a Monocotyledonae collection, an excellent collection of *Eucalyptus* (about 51 species) and a splendid forest of bamboos.

Portugal



Geographical position of Portugal in the World Map



- AAI - Alto Alentejo
- Ag - Algarve
- BA - Beira Alta
- BAI - Baixo Alentejo
- BB - Beira Baixa
- BL - Beira Litoral
- DL - Douro Litoral
- E - Estremadura
- Mi - Minho
- R - Ribatejo
- TM - Trás-os-Montes
(Alto Douro)

Portuguese map with province codes (Castroviejo et al., 1986)

INDEX SEMINUM ET SPORARUM

QUAE
HORTUS BOTANICUS CONIMBRIGENSIS
PRO MUTUA COMMUTATIONE OFFERT

(Anno 1994, 1995, 1996 collectorum)

*— Semina e plantis spontaneis in loco natali lecta.

**— Semina germinationis brevis tempore proprio mituntur.

PTERIDOPHYTA

ADIANTACEAE

- 1 * *Adiantum capillus-veneris* L. 94
- 2 — *hispidulum* Sw. 94
- 3 * *Cheilanthes acrostica* (Balb.) Tod. 96
- 4 * — *hispanica* Mett. 96
- 5 * — *maderensis* Lowe 94
- 5/1 * — *tenaei* Tod. 96
- 6 *Onychium japonicum* (Thunb.) Kunze 94
- 7 *Pellaea rotundifolia* (G. Forst.) Hook. 94
- 8 — *viridis* (Forssk.) Prantl var. *viridis* 94

ASPLENIACEAE

- 9 * *Asplenium adiantum-nigrum* L. subsp. *adiantum-nigrum* 94
- 10 — *aethiopicum* (barm.f.) B & D. ssp. *braithwaitii* Ormonde 96
- 11 — *bulbiferum* G. Forst. 94
- 12 — *hemionites* L. 94
- 13 — *nidus* L. var. *nidus* 94
- 14 — *billotii* F. W. Schultz 94
- 15 * — *onopteris* L. 94
- 16 * — *ruta-muraria* L. subsp. *ruta-muraria* 96
- 17 * — *septentrionale* (L.) Hoffm. subsp. *septentrionale* 94
- 18 * — *trichomanes* L. subsp. *quadrivalens* D. E. Mey. 94
- 19 — *viviparum* (L. f.) C. Presl var. *viviparum* 94
- 20 * *Ceterach officinarum* Willd. subsp. *officinarum* 94
- 21 * *Phyllitis scolopendrium* (L.) Newman subsp. *scolopendrium* 94

BLECHNACEAE

- 22 *Blechnum brasiliense* Desv. 94
- 23 — *fragile* (Lieben.) C. V. Morton & Lellinger 94
- 24 * — *spicant* (L.) Roth var. *spicant* 94
- 25 *Doodia aspera* R. Br. 94
- 26 — *caudata* (Cav.) R. Br. 94
- 27 — *dives* Kunze 94
- 28 — *media* R. Br. 94

- 29 Woodwardia radicans (L.) Sm. 94
30 — virginica (L.) Sm. 94

DAVALLIACEAE

- 31 * Davallia canariensis (L.) Sm. 94

DICKSONIACEAE

- 32 Cibotium glaucum (Sm.) Hook. & Arn. 94
34 Dicksonia antarctica Labill. 94
35 — sellowiana (C. Presl) Hook. 94

DRYOPTERIDACEAE

- 36 * Dryopteris affinis (Lowe) Fraser-Jenk. subsp. affinis 94
37 — atrata (Wall.) Ching 94
38 * — dilatata (Hoffm.) A. Gray 94
39 * — expansa (C. Presl) Fraser-Jenk. & Jermy 94
40 Cyrtomium falcatum (L. f.) Copel. 94
41 — fortunei J. Sm. 94
42 * Polystichum setiferum (Forssk.) Woy. 94

EQUISETACEAE

- 43 * Equisetum arvense L. 94
44 * — palustre L. 94
45 * — ramosissimum Desf. 94
46 * — telmateia Ehrh. 94

HEMIONITIDACEAE

- 47 * Anogramma leptophylla (L.) Link 94
48 * Cosentinia vellea (Aiton) Tod. 96

HYPOLEPIDACEAE

- 49 Dennstaedtia adiantoides (H.B. Willd.) T. Moore 94
50 Microlepia hirta (Kaulf.) C. Presl 94
51 — platyphylla (D. Don) Sm. 94
52 * Pteridium aquilinum (L.) Kuhn 96

OLEANDRACEAE

- 53 Nephrolepis exaltata (L.) Schott 94

OSMUNDACEAE

- 55 * Osmunda regalis L. 94

POLYPODIACEAE

- 56 Microsorium punctatum (L.) Copel. 94
57 Phlebodium aureum (L.) Sm. 94
58 Platycerium bifurcatum (Cav.) C. Chr. 94

- 59 Polypodium azoricum (Vasc.) R. Fern. 94
 60 * — cambricum L. subsp. cambricum 94
 61 * — interjectum Shivas 94
 62 Pyrrosia lingua (Thunb.) Farw. 96

PTERIDACEAE

- 63 Pteris cretica L. var. cretica 94
 64 — — var. albolineata Hook. 94
 65 — — var. wilsonii Hort. 94
 66 — incompleta Cav. 94
 67 — longifolia L. 94

SELAGINELLACEAE

- 68 * Selaginella denticulata (L.) Spring 94

SCHIZAEACEAE

- 69 Anemia phyllitidis (L.) Sw. 94
 70 Lygodium scandens (L.) Sw. 94

THELYPTERIDACEAE

- 71 Christella parasitica (L.) Lév. 94

WOODSIACEAE

- 72 * Athyrium filix-faemina (L.) Roth 94
 73 * Cystopteris fragilis (L.) Bernh. 94

GYMNOSPERMAE

ARAUCARIACEAE

- 74 ** Araucaria bidwilli Hook. 96

CUPRESSACEAE

- 75 Callitris rhomboidea R. Br. 94
 76 Chamaecyparis lawsoniana (A. Murray) Parl. 94
 77 Cupressus arizonica Greene 94
 78 — lusitanica Mill. var. lusitanica 94
 79 — — var. pendula Hort. 94
 80 — macrocarpa Hartw. var. macrocarpa 94
 81 — sempervirens var. sempervirens 94
 81/1 * Juniperus phoenicea L. 96
 82 Platycladus orientalis (L.) Franco 94
 83 Tetraclinis articulata (Vahl) Mast. 96

PINACEAE

- 84 * *Pinus pinaster* Aiton 96
 85 * — *pinia* L. 94

TAXODIACEAE

- 87 *Cryptomeria japonica* (L. f.) D. Don 94
 88 *Sequoia sempervirens* (Lamb.) Endl. 94

ANGIOSPERMAE

DICOTYLEDONES

ACANTHACEAE

- 89 * *Acanthus mollis* L. 94
 91 *Mackaya bella* Harv. 94

ACERACEAE

- 92 *Acer campestre* L. 94
 92/1 — *dasycarpum* Ehrh. 96
 93 — *japonicum* Thunb. var. *microphyllum* Hort. 96
 93/1 — *monspessulanum* L. 95
 94 — *negundo* L. 94
 96 — *palmatum* Thunb. fa. *roseo-marginatum* (C. Koch) Schwer. 96
 97 — *platanoides* L. 94
 98 — *pseudoplatanus* L. 94
 99 — — *forma purpureum* (Loud.) Rehd. 94

ACTINIDIACEAE

- 100 *Actinidia chinensis* Planch. 94

AIZOACEAE

- 101 *Aptenia cordifolia* (L. f.) N. E. Br. 94
 102 * *Carpobrotus edulis* (L.) N. E. Br. 94
 103 * *Mesembryanthemum nodiflorum* L. 94
 104 * *Tetragonia tetragonoides* (Pall.) Kuntze 94

AMARANTHACEAE

- 105 * *Amaranthus albus* L. 94
 106 * — *blitoides* S. Watson var. *scleropoides* Thell. 94
 107 * — *blitum* L. var. *oleraceus* (L.) Hook. f. 94

- 108 * — deflexus L. 94
 109 * — graecizans L. 94
 110 * — hybridus L. 94
 111 * — powellii S. Watson 94
 112 Celosia argentea L. var. cristata (L.) Kuntze 94
 113 Gomphrena albiflora Moq. 94
 114 — globosa L. 94

ANACARDIACEAE

- 115 Cotinus coggygia Scop. 94
 116 * Pistacia lentiscus L. 94
 117 * — terebinthus L. 94
 118 Schinus dependens Ortega 94
 119 — molle L. var. areira (L.) DC. 94
 120 — terebinthifolius Raddi 94

APOCYNACEAE

- 121 Acokanthera oblongifolia (Hochst.) Codd 94
 122 Amsonia illustris Woodson 94
 123 Catharanthus roseus (L.) G. Don var. roseus 94
 124 — — var. albus G. Don 94
 125 Mandevilla laxa (Ruiz & Pav.) Woodson 94
 126 Nerium oleander L. var. album Lodd. 94
 127 — — var. oleander 94
 128 Thevetia peruviana Merr. 94
 129 * Vinca difformis Pourr. subsp. difformis 94

AQUIFOLIACEAE

- 130 * Ilex aquifolium L. 94

ARALIACEAE

- 131 Fatsia japonica (Thunb.) Decne. & Planch. 94
 132 Hedera helix L. subsp. canariensis (Willd.) Cout. 94
 133 Pseudopanax crassifolius (Sol. ex A. Cunn.) C. Koch 94

ARISTOLOCHIACEAE

- 134 Aristolochia fimbriata Cham. 94
 135 * — paucinervis Pomel 96
 136 — sempervirens L. 96

ASCLEPIADACEAE

- 137 Araujia sericifera Brot. 94
 138 Asclepias curassavica L. 94
 139 — syriaca L. 94
 140 Gomphocarpus fruticosus (L.) W.T. Aiton 94
 141 * Vincetoxicum nigrum (L.) Moench 94

BALSAMINACEAE

- 142 Impatiens balsamina L. 94

- 143 — *walleriana* Hook.f. 94

BASELLACEAE

- 144 *Boussingaultia gracilis* Miers var. *pseudo-baselloides* (Hauman) Bailey 94

BERBERIDACEAE

- 145 *Berberis thunbergii* DC. 94
 146 — *vulgaris* L. 94
 146/1 *Mahonia japonica* Thunb. 95

BETULACEAE

- 147 *Alnus cordata* (Loisel.) Duby 94
 148 — *sinuata* (Regel) Ryd. 94
 149 *Betula alba* L. 94
 150 — *pendula* Roth 94

BIGNONIACEAE

- 151 *Campsis radicans* (L.) Seem. 94
 152 *Catalpa bignonioides* Walter 94
 153 — *ovata* G. Don 94
 154 *Doxantha unguis-cati* (L.) Rehder 94
 155 *Jacaranda acutifolia* Humb. & Bonpl. 94
 156 *Pithecoctenium muricatum* Moç. ex DC. 94

BORAGINACEAE

- 157 * *Anchusa azurea* Mill. 94
 158 * — *undulata* L. 96
 159 * *Borago officinalis* L. 96
 160 * *Buglossoides arvensis* (L.) I. M. Johnst. 94
 161 * *Cerinth gymnantra* Gasp. var. *gymnantra* 94
 162 * — *major* L. 96
 163 *Cordia serrata* Juss. ex Poir. 94
 164 * *Cynoglossum clandestinum* Desf. 94
 165 * — *creticum* Mill. 94
 166 * *Echium lusitanicum* L. subsp. *lusitanicum* 96
 167 * — *plantagineum* L. 94
 168 * — *rosulatum* Lange 94
 169 * — *tuberculatum* Hoffmanns. & Link 94
 170 *Heliotropium amplexicaule* Vahl 94
 171 * — *europaeum* L. 94
 172 — *peruvianum* L. 94
 173 *Lithospermum officinale* L. 94
 174 * *Myosotis arvensis* (L.) Hill subsp. *arvensis* 94
 175 * — *discolor* Pers. 94
 177 * — *stolonifera* (DC.) Leresche & Levier 94
 178 * — *welwitschii* Boiss. & Reut. 94
 179 * *Neatostema apulum* (L.) I. M. Johnst. 94
 180 *Nonea lutea* (Desr.) DC. 94
 181 *Omphalodes linifolia* (L.) Moench 94
 183 * *Pentaglottis sempervirens* (L.) Tausch ex L. H. Bailey 94

BUXACEAE

- 184 *Sarcococca hookeriana* Baill. 94

CACTACEAE

- 185 * *Opuntia maxima* Mill. 94

CALLITRICHACEAE

- 186 * *Callitriche brutia* Petagna 94
 187 * — *truncata* Guss. 94

CALYCANTHACEAE

- 188 *Calycanthus laevigatus* Willd. 94

CAMPANULACEAE

- 189 * *Campanula erinus* L. 94
 191 * — *lusitanica* L. 96
 192 * — *primulifolia* Brot. 94
 193 * — *rapunculus* L. 94
 193/1 * — *transtagana* R. Fernandes 96
 194 * *Jasione crispa* (Pourr.) Samp. subsp. *mariana* (Willk.) Rivas Mart. 94
 195 * — *montana* L. subsp. *montana* 94
 196 * *Legousia hybrida* (L.) Delarbre 94
 197 *Lobelia laxiflora* Kunth 94
 198 — *urens* L. 94
 199 * *Trachelium caeruleum* L. subsp. *caeruleum* 94
 200 * *Wahlenbergia hederacea* (L.) Rchb. 94

CANNABACEAE

- 201 * *Humulus lupulus* L. 94

CAPPARACEAE

- 202 * *Cleome violacea* L. 94
 203 *Isomeris arborea* Nutt. 94

CAPRIFOLIACEAE

- 204 *Kolkwitzia amabilis* Graebn. 94
 205 * *Lonicera etrusca* Santi 94
 206 * — *implexa* Aiton 94
 207 — *japonica* Thunb. var. *aureo-reticulata* (T. Moore) Nichols 94
 208 — *maackii* (Rupr.) Maxim. 94
 209 * — *periclymenum* L. subsp. *periclymenum* 94
 210 — *tatarica* L. 94
 211 — *translucens* Carrière 94
 212 * *Sambucus ebulus* L. 94
 213 * — *nigra* L. 94
 214 *Viburnum odoratissimum* Ker Gawl. 94

- 215 * — tinus L. subsp. tinus 94

CARICACEAE

- 216 Carica quercifolia Solms 94

CARYOPHYLLACEAE

- 217 * Arenaria conimbricensis Brot. 94
 218 * — leptoclados (Reichb.) Guss. 94
 220 * — querioides Pourr. ex Willk. 94
 221 * — serpyllifolia L. 94
 222 * Cerastium diffusum Pers. 94
 223 * — fontanum Baumg. subsp. vulgare (Hartm.) Greuter & Burdet 94
 224 * — glomeratum Thuill. 94
 225 * Chaetonymchia cymosa (L.) Sweet 94
 226 * Corrigiola litoralis L. subsp. litoralis 94
 227 * — telephiifolia Pourr. 94
 228 * Cucubalus baccifer L. 94
 229 Dianthus barbatus L. subsp. barbatus 94
 230 * — lusitanicus Brot. 94
 231 * Herniaria ciliolata Melderis subsp. robusta Chaudhri 94
 232 * — glabra L. var. subciliata Bab. 94
 233 * — hirsuta L. 94
 233/1 * — scabrida subsp. scabrida Boiss. 96
 234 * Illecebrum verticillatum L. 94
 235 Lychnis coronaria (L.) Desr. 94
 236 * — flos-cuculi L. 94
 237 * Minuartia hybrida ssp. hybrida (Vill.) Schischkin 94
 238 * — recurva (All.) Schinz & Thell. subsp. recurva 94
 239 * Moenchia erecta (L.) P. Gaertn., B. Mey. & Scherb. 94
 240 * Moehringia pentandra Gay 94
 241 * Myosoton aquaticum (L.) Moench 94
 241/1 * Ortega hispanica L. 96
 242 * Paronychia argentea Lam. var. argentea 94
 243 * — echinulata Chater var. echinulata 94
 244 * — polygonifolia (Vill.) DC. var. velucensis Boiss. 94
 245 * Petrorhagia nanteuillii (Burnat) P. W. Ball & Heywood 94
 246 * Polycarpon alsinifolium (Biv.) DC. 94
 247 * — tetraphyllum (L.) L. subsp. tetraphyllum 94
 248 * Sagina apetala Ard. 94
 248/1 * — maritima G. Don 96
 249 * — procumbens L. 94
 250 * — saginoides (L.) Karsten 94
 251 * Saponaria officinalis L. 94
 252 * Scleranthus annuus L. 96
 253 * Silene acutifolia Link ex Rohrb. 94
 254 * — ciliata Pourr. 94
 255 * — disticha Willd. 94
 256 * — foetida Link 94
 257 * — fuscata Link ex Brot. 94
 258 * — gallica L. 94
 259 * — inaperta L. subsp. inaperta 94
 260 * — lacta (Aiton) Godr. 94
 261 * — latifolia Poir. 94
 262 * — littorea Brot. 94

- 263 * — *longicilia* (Brot.) Outh 94
 264 * — *micropetala* Lag. 94
 265 * — *nicaeensis* All. 94
 266 * — *nocturna* L. 94
 267 * — *nutans* L. ssp. *nutans* 94
 268 — *pendula* L. 94
 269 * — *portensis* L. subsp. *portensis* 96
 270 * — *rubella* L. subsp. *rubella* 94
 271 * — *scabriflora* Brot. subsp. *scabriflora* 94
 272 * — *vulgaris* (Moench) Garcke subsp. *vulgaris* 94
 273 * *Spergula arvensis* L. 94
 274 * — *morisonii* Boreau 94
 274/1 * *Spergularia australis* (Samp.) Prain. 96
 275 * — *bocconnei* (Scheele) Graebn. 94
 276 * — *capillacea* (Kindb.) Willk. 94
 277 * — *marina* (L.) Besser 94
 278 * — *media* (L.) C. Presl 94
 279 * — *purpurea* (Pers.) G. Don 94
 280 * *Stellaria alsine* Grimm 94
 281 * — *holostea* L. 94
 282 * — *media* (L.) Vill. 94

CASUARINACEAE

- 283 *Casuarina equisetifolia* L. 94

CELASTRACEAE

- 284 *Euonymus japonicus* L. f. 94

CHENOPODIACEAE

- 284/1 * *Arthrocnemum macrostachyum* (Maric.) Mores 96
 285 * *Atriplex patula* L. 94
 285/1 * — *prostrata* Boucher ex DC. 96
 286 * *Beta maritima* L. 94
 287 * — *vulgaris* L. 94
 288 * *Chenopodium album* L. var. *album* 94
 289 * — *ambrosioides* L. 94
 289/1 * — *botrys* L. 96
 290 * — *murale* L. 94
 291 * — *opulifolium* Schrad. ex Koch & Ziz 94
 292 * — *polyspermum* L. 94
 293 * — *vulvaria* L. 94
 293/1 * *Halimione portulacoides* (L.) Aellen 96
 293/2 * *Salicornia ramosissima* Woods 96
 293/3 * *Salsola kali* L. 96
 293/4 * *Sarcocornia perennis* (Mill.) A. J. Scott. subsp. *alpini* (Lag.) Castrov. 96
 293/5 * — *perennis* (Mill.) A. J. Scott. subsp. *perennis* (Lag.) Castrov. 96
 293/6 * *Suaeda albescens* Lázaro Ibiza 96
 293/7 * — *splendens* (Pourr.) Gaen & Godr. 96

CISTACEAE

- 294 * *Cistus albidus* L. 94

- 295 * — *crispus* L. 94
 296 — *incanus* L. 94
 297 * — *ladanifer* L. subsp. *ladanifer* 94
 297/1 * — *laurifolius* L. 96
 298 * — *monspeliensis* L. 94
 299 * — *populifolius* L. subsp. *populifolius* 94
 300 * — *psilosepalus* Sweet 94
 301 * — *salviifolius* L. 94
 302 * *Fumana* *ericifolia* Wallr. & Godr. 94
 303 * — *thymifolia* (L.) Spach ex Webb 94
 304 * *Halimium* *calycinum* (L.) K. Koch 94
 305 * — *halimifolium* (L.) Willk. subsp. *multiflorum* (Salzm. ex Dunal) Maire 94
 305/1 * — *lasianthum* subsp. *alyssoides* (Lam.) Greuter 96
 306 * — *lasianthum* (Lam.) Spach subsp. *lasianthum* 94
 307 * — *ocymoides* (Lam.) Willk. 94
 308 * — *umbellatum* (L.) Spach subsp. *umbellatum* 94
 308/1 * — — subsp. *viscosum* (Willk.) Bolós & Wogo 96
 309 * *Helianthemum* *ledifolium* (L.) Mill. 94
 310 * — *nummularium* (L.) Mill. 94
 311 * *Xolantha* *guttata* (L.) Raf. 94
 312 * — *tuberaria* (L.) Gallego 94

CNEORACEAE

- 313 *Cneorum* *tricoccum* L. 94

COMBRETACEAE

- 313/1 *Terminalia* *australis* Camb. 95

COMPOSITAE

- 314 * *Achillea* *ageratum* L. 94
 314/1 * — *milaeifolium* L. 96
 315 * *Aetheorhiza* *bulbosa* (L.) Cass. 94
 392 *Ageratina* *adenophora* (Spreng.) R. King & H. Robinson 94
 316 *Ageratum* *houstonianum* Miller 94
 317 * *Anacyclus* *radiatus* Loisel. 94
 318 * *Andryala* *arenaria* (DC.) Boiss. & Reut. 94
 319 * — *integrifolia* L. 94
 319/1 * — *laxiflora* DC. 96
 320 * *Anthemis* *arvensis* L. 94
 321 * — *cotula* L. 94
 322 * *Arctium* *minus* (Hill) Bernh. 94
 323 * *Arctotheca* *calendula* (L.) Levyns 94
 324 * *Arnoseris* *minima* (L.) Schweigg. & Körte 94
 324/1 * *Artemisia* *campestris* L. 96
 325 *Aster* *rotundifolius* Thunb. 94
 326 * — *squamatus* (Spreng.) Hieron. 94
 327 * — *tripolium* L. subsp. *pannonicus* (Jacq.) Soó 94
 328 * *Atractylis* *cancellata* L. 94
 393 *Bartlettina* *sordida* (Less.) R. King & H. Robinson 94
 329 * *Bellis* *perennis* L. 94
 330 * — *sylvestris* Cirillo var. *sylvestris* 94

- 331 Berkheya radula (Harv.) Burt-Davy 94
 332 * Bidens frondosa L. 94
 333 * Calendula arvensis L. 94
 334 — officinalis L. 94
 335 * — suffruticosa Vahl subsp. algarbiensis (Boiss.) Nyman 94
 336 * — — subsp. lusitanica (Boiss.) Ohle 94
 337 Callistephus chinensis (L.) Nees 94
 338 * Carduncellus caeruleus (L.) C.Presl subsp. caeruleus 94
 339 * Carduus carpetanus Boiss. & Reut. 94
 340 * — lusitanicus Rouy 94
 341 * — platypus Lange 94
 342 * — tenuiflorus Curtis 94
 343 * Carlina corymbosa L. 94
 344 * — racemosa L. 94
 345 * Carthamus lanatus L. subsp. lanatus 94
 346 * Catananche caerulea L. 94
 347 * Centaurea africana Lam. 94
 347/1 * — aristata subsp. aristata Hoffmanns. & Link 96
 348 * — calcitrapa L. 94
 348/1 * — coutinhoi Franco 96
 349 * — limbata Hoffmanns. & Link 94
 350 * — melanosticta (Lange) Franco 94
 351 * — melitensis L. 94
 351/1 * — ornata subsp. ornata Willd. 96
 352 * — pullata L. subsp. pullata 94
 353 * — rivularis (Brot.) Cout. 96
 354 * — sempervirens L. 94
 355 * — sphaerocephala L. subsp. lusitanica (Boiss. & Reut.) Nyman 94
 356 * — — subsp. sphaerocephala 94
 357 * — uliginosa Brot. 94
 358 * Chamaemelum fuscatum (Brot.) Vasc. 94
 359 * — mixtum (L.) All. 94
 360 * — nobile (L.) All. 94
 361 * Chondrilla juncea L. 94
 362 * Chrysanthemum coronarium L. 94
 363 — nivellei Braun-Blanq. & Maire 94
 364 * — segetum L. 94
 365 * Cichorium intybus L. 94
 366 Cineraria hybrida Hort. 94
 367 * Cirsium filipendulum Lange 94
 368 * — palustre (L.) Scop. 94
 369 * — vulgare (Savi) Ten. 94
 370 * — welwitschii Coss. 94
 370/1 * Cnicus benedictus L. 96
 371 — scabrum (Poir.) Bonnet & Barratte 94
 372 * Coleostephus myconis (L.) Rchb. f. 94
 373 * Conyza albida Willd. ex Spreng. 94
 374 * — bonariensis (L.) Cronq. 94
 375 * — canadensis (L.) Cronq. 94
 376 Coreopsis grandiflora Hogg. 94
 377 * Cotula australis (Sieber ex Spreng.) Hook. f. 94
 378 * — coronopifolia L. 94
 379 * Crepis capillaris (L.) Wallr. 94
 380 * — foetida L. 94
 381 * — lampsanoides (Gouan) Tausch 94

- 382 — *rubra* L. 94
 383 * — *vesicaria* L. subsp. *haenseleri* (Boiss. ex DC.) P. D. Sell 94
 384 * *Crupina vulgaris* Pers. ex Cass. 94
 385 * *Cynara humilis* L. 95
 386 * *Dittrichia graveolens* (L.) Greuter 94
 387 * — *viscosa* (L.) Greuter 94
 388 * *Echinops strigosa* (Salm-Dyck) Friedrich & G. Rowley 94
 389 * *Eclipta prostrata* (L.) L. 94
 390 * *Erigeron acer* L. 94
 391 * — *karvinskianus* DC. 94
 394 * *Eupatorium cannabinum* L. subsp. *cannabinum* 94
 395 — *viburnoides* DC. 94
 396 * *Evax pygmaea* (L.) Brot. subsp. *pygmaea* 94
 397 * *Filaginella uliginosa* (L.) Opiz subsp. *uliginosa* 94
 398 * *Filago pyramidata* L. 94
 399 *Gaillardia pulchella* Foug. 94
 400 * *Galactites tomentosa* Moench 94
 401 *Galinsoga ciliata* (Raf.) S. F. Blake 94
 402 * — *parviflora* Cav. 94
 403 * *Gamochaeta purpurea* (L.) Cabrera 94
 404 * *Gnaphalium luteo-album* L. 94
 405 *Grindelia camporum* Greene 94
 406 — *robusta* Nutt. 94
 407 — *squarrosa* (Pursh) Dunal 94
 408 * *Gymnostyles stolonifera* (Brot.) Tutin 94
 409 * *Hedypnois cretica* (L.) Dum. Cours. 94
 410 *Helenium autumnale* L. 94
 411 — *mexicanum* Kunth 94
 412 — *puberulum* DC. 94
 412/1 *Helichrysum petiolare* Hilliard & Burt. 96
 413 * — *picardii* Boiss. & Reut. 94
 413/1 * — *stoechas* (L.) Moench 96
 414 *Heliopsis helianthoides* (L.) Sweet subsp. *scabra* (Dunal) Fisch. 94
 414/1 * *Hieracium castellanum* Boiss. et Reuter 95
 415 * — *dumosum* Jord. 96
 416 — *pilosella* L. 94
 417 * — *schmidtii* Tausch 94
 418 * *Hispidella hispanica* Lam. 94
 419 * *Hypochaeris glabra* L. 94
 420 * — *radicata* L. 94
 421 * *Inula conyzia* DC. 94
 422 * — *crithmoides* L. 94
 423 * *Klasea bactica* L. subsp. *lusitanica* (Canto) Canto & Rivas Mart. 94
 424 * *Lactuca saligna* L. 94
 425 * — *serriola* L. 94
 426 * — *viminea* (L.) F. W. Schmidt 94
 427 * — *virosa* L. 94
 428 * *Lapsana communis* L. 94
 429 *Lasiospermum radiatum* Trevir. 94
 430 * *Leontodon hispidus* L. 94
 431 * — *longirostris* (Finch & P. D. Sell) Talavera 94
 432 * — *pyrenaicum* Gouan ssp. *cantabricus* (Widder) Finch & P. D. Sell 94
 433 * — *taraxacoides* (Vill.) Mérat 94
 434 * — *tuberosus* L. 94
 435 * *Lepidophorum repandum* (L.) DC. 94

- 436 * *Leucanthemum sylvaticum* (Hoffmanns. & Link) Nyman 94
 438 * *Logfia gallica* (L.) Coss. & Germ. 94
 439 * — *minima* (Sm.) Dumort. 94
 440 * *Mantisalca salmantica* (L.) Briq. & Cavill. 94
 441 * *Matricaria maritima* L. ssp. *maritima* 94
 441/1 * *Onopordium acanthium* L. 96
 442 * *Otanthus maritimus* (L.) Hoffmanns. & Link 94
 443 * *Pallenis spinosa* (L.) Cass. 94
 444 *Phagnalon calycinum* (Cav.) DC. subsp. *spathularum* (Lindb.) Maire 94
 445 * — *rupestre* (L.) DC. 94
 446 * — *saxatile* (L.) Cass. 94
 447 * *Phalacrocarpum oppositifolium* (Brot.) Willk. 94
 448 * *Picris comosa* (Boiss.) B.D.Jacks. subsp. *lusitanica* (Schlts.) Talavera 94
 449 * — *echioides* L. 94
 450 * — *hieracioides* L. 94
 451 *Polymnia uvedalia* L. 94
 452 * *Pulicaria dysenterica* (L.) Bernh. 94
 452/1 * — *odora* (L.) Rchb. 96
 453 * — *paludosa* Link 94
 454 * *Reichardia gaditana* (Willk.) Samp. 94
 455 * — *intermedia* (Sch. Bip.) Samp. 94
 456 * — *picroides* (L.) Roth 94
 457 * *Rhagadiolus edulis* Gaertn. 94
 458 * — *stellatus* (L.) Gaertn. 94
 459 *Scolymus grandiflorus* Desf. 94
 460 * — *hispanicus* L. 94
 461 * — *maculatus* L. 94
 462 * *Scorzonera humilis* L. 94
 463 * — *laciniata* L. 94
 464 *Senecio bicolor* (Willd.) Tod. subsp. *cineraria* (DC.) Chater 94
 465 * — *doronicum* (L.) L. 94
 466 * — *gallicus* Chaix 94
 467 * — *gallicus* Chaix ssp. *difficilis* DC. 94
 468 * — *jacobaea* L. 94
 469 * — *lividus* L. 94
 470 — *longifolius* L. 94
 471 — *mikanioides* Otto ex Walp. 94
 472 * — *pyrenaicus* L. 94
 473 * — *sylvaticus* L. 94
 474 * — *vulgaris* L. 94
 476 *Silphium perfoliatum* L. 94
 477 * *Silybum marianum* (L.) Gaertn. 94
 478 * *Solidago virgaurea* L. 94
 479 * *Soliva pterosperma* (Juss.) Less. 94
 480 * *Sonchus asper* (L.) Hill subsp. *glaucescens* (Jord.) Ball 94
 481 * — *maritimus* L. subsp. *maritimus* 94
 482 * — *oleraceus* L. 94
 483 * *Stachelina dubia* L. 94
 484 *Stevia lanceolata* Lag. 94
 485 — *paniculata* Lag. 94
 486 *Tagetes lucida* Cav. 94
 487 * *Tanacetum corymbosum* (L.) Sch. Bip. 94
 489 — *parthenium* (L.) Sch. Bip. 94
 490 — *vulgare* L. 94
 491 * *Taraxacum officinale* Weber 94

- 492 * *Tolpis barbata* (L.) Gaertn. 94
 493 * — *umbellata* Bertol. 94
 494 * *Tragopogon hybridus* L. 94
 495 *Urospermum dalechampii* (L.) F. W. Schmidt 94
 496 * — *picroides* (L.) F. W. Schmidt 94
 497 *Xeranthemum cylindraceum* Sibth. & Sm. 94

CONVOLVULACEAE

- 498 * *Calystegia sepium* (L.) R. Br. 94
 499 * — *soldanella* (L.) R. Br. 94
 501 * *Convolvulus arvensis* L. 94
 502 * *Cuscuta australis* R. Br. subsp. *tinei* (Inzenga) Feinbrun 94
 503 * — *epithymum* (L.) L. subsp. *kotschyi* (Des Moul.) Arcang. 94
 504 *Ipomaea lobata* (Cerv.) Thell. 94

CORIARIACEAE

- 505 *Coriaria nepalensis* Wall. 94

CORNACEAE

- 506 *Aucuba japonica* Thunb. 94
 507 *Cornus capitata* Wall. 94
 508 — *mas* L. 94
 509 * — *sanguinea* L. 94

CRASSULACEAE

- 510 *Aichryson dichotomum* (DC.) Webb & Berth. 94
 511 *Crassula tetragona* L. 94
 512 * — *tillaea* Lest.-Garl. 94
 513 *Kalanchoe blossfeldiana* Poellnitz 94
 514 — *velutina* Britten subsp. *velutina* 94
 515 * *Mucizonia hispida* (Lam.) A. Berger 94
 516 *Sedum acre* L. 94
 517 * — *album* L. 94
 518 * — *arenarium* Brot. 94
 519 * — *brevifolium* DC. 94
 520 * — *hirsutum* All. 94
 521 * — *rubens* L. 94
 522 * — *sediforme* (Jacq.) Pau 94
 522/1 — *telephium* subsp. *falaria* (Kock) Kock 96
 522/2 * — *tenuifolium* (Sibth. & Sm.) Strobe 96
 523 * *Umbilicus rupestris* (Salisb.) Dandy 96

CRUCIFERAE

- 524 * *Arabidopsis thaliana* (L.) Heynh. 94
 525 * *Arabis planisiliqua* (Pers.) Rchb. 94
 526 * — *stenocarpa* Boiss. & Reut. 94
 527 *Barbarea verna* (Mill.) Asch. 94
 528 * — *vulgaris* R. Br. 94
 528/1 * *Biscutela auriculata* L. 96
 529 * — *valentina* Heywood subsp. *valentina* var. *valentina* 94

- 530 * Brassica barbelieri (L.) Janka 94
531 * — oxyrrhina Coss. 94
531/1 * Bunias erucago L. 96
532 * Cakile maritima Scop. subsp. integrifolia (Hornem.) Greuter & Burdet 94
533 * Capsella bursa-pastoris (L.) Medik. 94
534 * Cardamine hirsuta L. 94
535 * Coincya monensis (L.) Greuter & Burdet subsp. cheiranthos (Vill.) Aedo, Leadley & Muñoz Garm. var. cheiranthos 94
536 * — — subsp. — var. recurvata (All.) Leadley 94
537 * Coronopus didymus (L.) Sm. 94
538 * — squamatus (Forssk.) Asch. 94
539 * Diplotaxis catholica (L.) DC. 96
541/1 * Erysimum merxmulieri Polatschek 94
541/2 * — lagascae Rivas Goday & Bellot 96
541/3 * — linifolium (Pourr. ex Pers.) J. Gay 96
542 * Hirschfeldia incana (L.) Lagr.-Foss. subsp. incana 94
543 Iberis amara L. 94
545 * — procumbens Lange subsp. microcarpa Franco & P. Silva 94
546 Isatis tinctoria L. 94
547 * Lepidium heterophyllum Benth. 94
548 * — latifolium L. 94
549 * — virginicum L. 94
551 * Malcolmia ramosissima (Desf.) Thell. 94
552 * Mathiola sinuata (L.) R. Br. 94
553 * Murbeckiella boryi (Boiss.) Rothm. 94
554 * — sousae Rothm. 96
555 * Raphanus raphanistrum L. subsp. raphanistrum 94
556 * — sativus L. 94
557 * Rapistrum rugosum (L.) All. subsp. linnaeanum Rouy & Fouc. 94
558 * — — subsp. rugosum 94
559 * Rorippa amphibia (L.) Besser 94
559/1 * — nasturtium-aquaticum (L.) Hayek 96
559/2 * — sylvestris subsp. sylvestris (L.) Besser 96
560 * Sinapis alba L. subsp. alba 94
561 * — arvensis L. 94
562 * Sisymbrella aspera (L.) Spach subsp. aspera 94
562/1 * Sisymbrium altissima L. 96
563 * — officinale (L.) Scop. 94
564 * Teesdalia coronopifolia (J. P. Bergeret) Thell. 94
565 * — nudicaulis (L.) R. Br. 94
567 * Thlaspi perfoliatum L. 94

CUCURBITACEAE

- 568 * *Bryonia dioica* Jacq. 94
569 * *Ecballium elaterium* (L.) A.Rich. subsp. *elaterium* 94

DIPSACACEAE

- | | | | |
|-------|---|---|----|
| 570 | * | <i>Dipsacus comosus</i> Hoffmanns. & Link | 94 |
| 571 | * | — <i>fullonum</i> L. | 94 |
| 571/1 | * | <i>Knautia nevadensis</i> (Winkler) Szabó | 96 |
| 572 | * | <i>Pterocephalus diandrus</i> (Lag.) Lag. | 94 |
| 573 | * | — <i>intermedius</i> (Lag.) Cout. | 94 |
| 574 | * | <i>Scabiosa atropurea</i> L. | 94 |

- 575 — cretica L. 94
 576 * — gramuntica L. var. calcicola R. Fern. 94
 577 * Succisa pratensis Moench 94
 578 Succisella inflexa (Kluk) Beck 94

DROSERACEAE

- 579 * Drosera intermedia Hayne 94
 580 * — rotundifolia L. 94
 581 * Drosophyllum lusitanicum (L.) Link 94

EBENACEAE

- 582 Diospyros lotus L. 94

ELAEOAGNACEAE

- 583 Elaeagnus multiflora Thunb. 94

EMPETRACEAE

- 584 * Corema album (L.) D. Don 94

ERICACEAE

- 585 * Arbutus unedo L. 94
 586 * Erica arborea L. 94
 587 * — australis L. 94
 588 * — ciliaris L. 94
 589 * — cinerea L. 94
 590 * — lusitanica Rudolphi 94
 592 * — umbellata L. 94
 593 Rhododendron micranthum Turcz. 94
 594 — ponticum L. 94

ESCALLONIAEAE

- 595 Escallonia montevidensis (Cham. & Schlecht.) DC. 94

EUPHORBIACEAE

- 595/1 Acalypha rhomboidea Ray 96
 597 * Euphorbia amygdaloides L. subsp. amygdaloides 94
 597/1 * — baetica Bss. 96
 598 — ceratocarpa Ten. 94
 599 * — characias L. subsp. characias 94
 600 * — dulcis L. 94
 601 * — exigua L. 94
 602 * — falcata L. subsp. falcata 94
 603 * — hirsuta L. 94
 604 * — maculata L. 94
 605 * — nutans Lag. 94
 606 * — paralias L. 94
 607 * — peplis L. 94
 608 * — peplus L. var. peplus 94

- 609 * — prostrata Aiton 94
 610 * — pterococca Brot. 94
 611 * — segetalis L. var. segetalis 96
 613 Manihot palmata Müll. Arg. 94
 614 * Mercurialis annua L. subsp. annua 94

FAGACEAE

- 615 Fagus sylvatica L. 94
 616 ** Quercus coccifera L. 96
 617 ** — faginea Lam. subsp. broteroi (Cout.) A. Camus 94
 618 ** — ilex L. subsp. ballota (Desf.) Samp. 94
 619 ** — lusitanica Lam. 94
 620 ** — robur L. 94
 621 ** — suber L. 96

FRANKENIACEAE

- 622 * Frankenia laevis L. 94

GENTIANACEAE

- 623 * Blackstonia perfoliata (L.) Huds. subsp. imperfoliata (L. f.) Franco & Rocha Afonso 94
 624 * — — subsp. perfoliata 94
 625 * Centaurium erythraea Raf. subsp. majus (Hoffmanns. & Link) Melderis 94
 627 * — tenuiflorum (Hoffmanns. & Link) Fritsch subsp. tenuiflorum 94

GERANIACEAE

- 631 * Erodium botrys (Cav.) Bertol. 94
 632 * — cicutarium (L.) L'Hér. subsp. cicutarium 94
 633 * — malacoides (L.) L'Hér. 94
 634 * — moschatum (L.) L'Hér. 94
 636 * Geranium columbinum L. 94
 637 * — dissectum L. 94
 638 * — lucidum L. 94
 639 * — molle L. 94
 640 * — purpureum Vill. 94
 641 * — pyrenaicum Burm. f. 94
 642 * — robertianum L. 94
 643 * — rotundifolium L. 94
 644 Pelargonium zonale (L.) L'Hér. 94

GESNERIACEAE

- 647 Streptocarpus rexii (Hook.) Lindl. 94

GUNNERACEAE

- 648 Gunnera chilensis Lam. 94

GUTTIFERAE

- 649 * Hypericum androsaemum L. 96
 650 — canariense L. 94

- 651 * — elodes L. 94
 652 * — humifusum L. 94
 653 * — liniarifolium Vahl 94
 654 * — perforatum L. 94
 655 * — pulchrum L. 94
 656 * — tomentosum L. 94
 657 * — undulatum Willd. 94

HALORAGACEAE

- 658 Haloragis erecta Eichler. 94

HAMAMELIDACEAE

- 659 Liquidambar styraciflua L. 94

HIPPOCASTANACEAE

- 660 Aesculus californica Nutt. 94
 661 — hippocastanum L. 94

HYDRANGEACEAE

- 662 Deutzia scabra Thunb. 94
 663 Philadelphus coronarius L. 94
 664 — incanus Koehne 94

JUGLANDACEAE

- 665 Juglans nigra L. 94

LABIATAE

- 666 * Ajuga chamaepitys (L.) Schreb. 94
 667 — genevensis L. 96
 668 * — iva (L.) Schreb. var. pseudo-iva (Robill & Cast. ex DC.) Robill & Cast. ex Benth. 94
 669 * — pyramidalis L. subsp. meonantha (Hoffmanns. & Link) R. Fern. 94
 670 — reptans L. 94
 671 Ballota acetabulosa (L.) Benth. 94
 672 * — nigra L. subsp. foetida Hayek 94
 673 * Calamintha bactica Boiss. & Reut. 94
 674 * Cleonia lusitanica (L.) L. 94
 675 * Clinopodium vulgare L. subsp. arundanum (Boiss.) Nyman 94
 676 Coleus hybridus Hort. ex Cobeau 94
 677 * Lamium amplexicaule L. 94
 678 * — maculatum L. 94
 679 * — purpureum L. 94
 680 * Lavandula latifolia Medik. 94
 681 * — stoechas L. subsp. luisieri (Rozeira) Rozeira 94
 682 * — — subsp. sampaiana Rozeira 94
 683 Lepechinia floribunda (Benth.) Epling. 94
 684 * Lycopus europaeus L. 94
 685 * Marrubium vulgare L. 96
 686 * Melissa officinalis L. subsp. altissima (Sibth. & Sm.) Arcang. 94
 687 * Mentha aquatica L. var. broteriana Cout. 94

- 688 * — *pulegium* L. 94
 689 * — *suaveolens* Ehrh. 94
 690 * *Micromeria graeca* (L.) Rchb. subsp. *graeca* 94
 691 * — *juliana* (L.) Rchb. 94
 692 * *Nepeta tuberosa* L. 94
 693 * *Origanum virens* Hoffmanns. & Link 94
 694 *Phlomis alpina* Pall. 94
 696/1 *Plectranthus hereroensis* Engl. 95
 697 *Prunella grandiflora* (L.) Scholler ssp. *pyrenaica* (Guen. & Godron) A. & O. Bolós 96
 698 * — *x intermedia* Link 94
 699 * — *vulgaris* L. 94
 700 * *Rosmarinus officinalis* L. 94
 701 *Salvia canariensis* L. 94
 702 * — *sclareoides* Brot. 94
 703 — *splendens* Sellow ex Roemer & Schult. 94
 704 * — *verbenaca* L. 96
 705 * — *viridis* L. 94
 706 * *Scutellaria galericulata* L. 94
 707 * *Sideritis hirsuta* L. 94
 709 * *Stachys arvensis* (L.) L. 94
 710 * — *germanica* L. subsp. *cordigera* Briq. 94
 711 * — *ocymastrum* (L.) Briq. 94
 712 * — *officinalis* (L.) Trev. 94
 713 * — *palustris* L. 94
 713/1 * — *sylvatica* L. 96
 714 *Teucrium flavum* L. 94
 715 * — *polium* L. 94
 716 * — *salviastrum* Schreb. 94
 717 * — *scordium* L. subsp. *scordioides* (Schreb.) Maire & Petitm. 94
 718 * — *scorodonia* L. subsp. *scorodonia* 94
 719 * *Thymra capitata* (L.) Cav. 94
 720 * *Thymus caespitius* Brot. 94
 721 * — *mastichina* L. subsp. *mastichina* 94
 723 * — *zygis* L. subsp. *sylvestris* (Hoffmanns. & Link) Cout. 94

LAURACEAE

- 724 ** *Apollonias barbuja* (Cav.) Bornm. 94
 725 ** *Cinnamomum camphora* (L.) Nees & Eberm. 94
 726 ** *Laurus nobilis* L. 94
 727 ** *Persea indica* (L.) Spreng. 94

LEGUMINOSAE

- 728 * *Acacia dealbata* Link 94
 729 — *decurrens* Willd. 94
 730 — *farnesiana* (L.) Willd. 94
 731 — *horrida* (L.) Willd. 94
 732 — *longifolia* (Andrews) Willd. 94
 733 — *melanoxylon* R. Br. 94
 734 — *mearnsii* De Wild. 94
 735 — *retinodes* Schldt. 94
 736 — *saligna* (Labill.) Wendl. 94
 737 — *verticillata* (L'Hér.) Willd. 94
 738 * *Adenocarpus complicatus* (L.) Gay subsp. *complicatus* 94

- 740 *Albizzia distachya* (Vent.) J. F. Macbr. 94
 741 — *julibrissin* Durazz. 94
 742 *Amicia zigomeris* DC. 94
 743 *Amorpha fruticosa* L. 94
 744 *Anagyris foetida* L. 94
 745 *Anthyllis barba-jovis* L. 94
 746 * — *gerardii* L. 94
 747 * — *lotoides* L. 96
 748 — *tetraphylla* L. 94
 749 * — *vulneraria* subsp. *lusitanica* (Cullen & P. Silva) Franco 94
 750 * — — subsp. *maura* (Beck.) Maire 94
 752 *Astragalus baeticus* L. 94
 752/1 * — *cymbicarpus* Brot. 96
 753 * — *epiglottis* L. subsp. *asperulus* (Dufour) Nyman 94
 754 — *falcatus* Lam. 94
 755 * — *granatensis* Lage. 94
 756 * — *hamosus* L. 94
 757 * — *lusitanicus* Lam. subsp. *lusitanicus* 94
 758 * *Biserrula pelecinus* L. 96
 758/1 *Camptosema robicundum* Hook. & Arnott 96
 759 *Caragana microphylla* Lam. 94
 760 *Cassia floribunda* Cav. 94
 761 *Ceratonia siliqua* L. 94
 762 *Cercis siliquastrum* L. 94
 763 *Coronilla cretica* L. 94
 764 * — *repanda* (Poir.) Guss. 94
 765 * — *scorpioides* (L.) W. D. J. Koch 94
 766 * — *valentina* L. subsp. *glauca* (L.) Batt. 94
 767 *Crotalaria incana* L. 94
 769 * *Cytisus multiflorus* (L'Hérit. ex Ait.) Sweet. 94
 770 * — *purgans* (L.) Boiss. 94
 770/1 * — *scoparius* (L.) Link 96
 771 * — *striatus* (Hill) Rothm. 94
 772 *Desmodium canadense* DC. 94
 773 — *spicatum* Rehder 94
 774 — *tiliifolium* (D. Don) G. Don 94
 775 *Dolichos jacquini* DC. 94
 776 * *Dorycnium rectum* (L.) Ser. 94
 777 * *Echinopartum lusitanicum* (L.) Rothm. 94
 778 *Erythrina crista-galli* L. 96
 778/1 — *senegalensis* DC. 96
 779 *Galega officinalis* L. 94
 781 * *Genista berberidea* Lange 94
 782 * — *cinerea* (Vill.) DC. subsp. *cinerea* 94
 783 * — *falcata* Brot. 94
 785 * — *tracanthus* Brot. 94
 786 * — *tridentata* L. 94
 787 *Gleditsia monosperma* Walt. 96
 788 — *triacanthos* L. 94
 789 *Hedysarum coronarium* L. 94
 790 * *Hippocrepis multisiliquosa* L. 94
 792 * *Lathyrus amphicarpos* L. 94
 793 * — *angulatus* L. 96
 794 * — *annuus* L. 94
 795 * — *aphaca* L. 94

- 796 * — clymenum L. 94
 797 * — hirsutus L. 94
 798 — odoratus L. 94
 799 * — sylvestris L. 94
 800 — tingitanus L. 94
 801 Leucaena leucocephala (Lam.) de Wit 94
 802 * Lotus angustissimus L. 94
 803 * — creticus L. 94
 804 * — glareosus Boiss. & Reut. 94
 805 * — parviflorus Desf. 96
 806 * — subbiflorus Lag. subsp. castellanus (Boiss. & Reut.) P. W. Ball 94
 807 * — — subsp. subbiflorus 94
 808 * — uliginosus Schkuhr 94
 809 * Lupinus angustifolius L. 94
 809/1 * — hispanicus Boiss. & Reut. 96
 809/2 * — luteus L. 96
 810 Medicago arabica (L.) Huds. 94
 811 — arborea L. 94
 812 * — doliata Carmign. var. muricata (Benth.) Heyn 94
 813 * — littoralis Loisel. var. littoralis 94
 814 * — lupulina L. var. lupulina 94
 815 * — marina L. 94
 816 * — minima (L.) Bartal. var. recta (Desf.) Burnat 94
 817 * — orbicularis (L.) Bartal. var. orbicularis 94
 818 * — polymorpha L. subsp. polymorpha 94
 820 * Melilotus indica (L.) All. 94
 821 * — italica (L.) Lam. 94
 822 * — messanensis (L.) All. 94
 822/1 * — neapolitana ten. 96
 823 * — segetalis (Brot.) Ser. 94
 824 Mimosa acanthocarpa (Willd.) Benth. 94
 827 Onobrychis viciifolia Scop. 94
 828 * Ononis natrix L. subsp. ramosissima (Desf.) Batt. 94
 829 * — pusilla L. 94
 830 * — reclinata L. 94
 831 * — viscosa L. subsp. breviflora (DC.) Nyman var. breviflora 94
 832 * Ornithopus compressus L. 94
 833 * — perpusillus L. 94
 834 * — pinnatus (Mill.) Druce 94
 835 Parkinsonia aculeata L. 94
 836 * Psoralea bituminosa L. 94
 837 Pueraria lobata (Willd.) Ohwi 94
 838 Retama monosperma (L.) Boiss. 94
 839 — sphaerocarpa (L.) Boiss. 94
 840 Rhynchosia caribaea (Jacq.) DC. 94
 841 — phaseloides DC. 94
 842 Robinia pseudacacia L. 94
 843 — viscosa Vent. 94
 844 Schotia latifolia Jacq. 94
 845 * Scorpiurus muricatus L. 94
 846 * — vermiculatus L. 94
 847 Securigera securidaca (L.) Degen & Dorfl. 94
 848 Sophora viciifolia Hance 94
 849 * Spartium junceum L. 94
 850 * Stauracanthus genistoides (Brot.) Samp. subsp. genistoides 94

- 851 *Teline monspessulana* (L.) C.Koch 94
 852 *Tipuana tipu* (Benth.) Kuntze 94
 853 * *Trifolium angustifolium* L. 94
 854 * — *arvense* L. 94
 855 * — *boccanei* Savi 96
 856 * — *campestre* Schreb. 94
 857 * — *cernuum* Brot. 94
 857/1 * — *cherleri* L. 96
 858 * — *dubium* Sibth. 94
 859 * — *glomeratum* L. 94
 860 * — *incarnatum* L. subsp. *incarnatum* 94
 861 * — *isthmocarpum* Brot. subsp. *isthmocarpum* 94
 862 * — *lappaceum* L. 94
 863 * — *nigrescens* Viv. subsp. *nigrescens* 94
 864 * — *physodes* M. Bieb. 94
 865 * — *pratense* L. 94
 865/1 * — *repens* subsp. *repens* L. 96
 866 * — *resupinatum* L. 94
 867 * — *scabrum* L. 94
 868 * — *squamosum* L. 94
 869 * — *stellatum* L. 94
 870 * — *striatum* L. var. *brevidens* Lange 94
 870/1 * — L. subsp. *spinescens* Lange 96
 870/2 * — *strictum* Wk. 96
 871 * — *subterraneum* L. 94
 872 * — *suffocatum* L. 94
 873 * — *tomentosum* L. 94
 873/1 * *Trigonella polyceratia* L. 96
 874 * *Ulex europaeus* L. 94
 875 * — *minor* Roth 94
 876 * — *parviflorus* Pourr. subsp. *parviflorus* 94
 877 * *Vicia bithynica* (L.) L. 94
 878 * — *cracca* L. subsp. *tenuifolia* (Roth) Gaudin 94
 879 * — *disperma* DC. 94
 880 — *fava* L. 94
 881 * — *hirsuta* (L.) Gray 94
 882 * — *laxiflora* Brot. 94
 883 * — *lutea* L. subsp. *lutea* 94
 884 * — *pubescens* (DC.) Link 94
 885 * — *sativa* L. subsp. *nigra* (L.) Ehrh. 94
 886 * — — subsp. *sativa* 94
 887 *Wisteria sinensis* (Sims) Sweet 94

LINACEAE

- 889 * *Linum bienne* Mill. 94
 890 * — *setaceum* Brot. 94
 891 * — *strictum* L. 94
 892 * — *trigynum* L. 94
 893 * *Radiola linoides* Roth 96

LOGANIACEAE

- 894 *Chilianthus oleraceus* Burch. 94

LYTHRACEAE

- 895 * *Ammannia coccinea* Rottb. 94
 896 *Cuphea ignea* DC. fil. 94
 897 *Heimia myrtifolia* Cham. & Schltr. 94
 898 *Lagerstroemia indica* L. 94
 899 * *Lythrum junceum* Banks & Sol. 94
 900 * — *portula* (L.) D. A. Webb 94
 901 * — *salicaria* L. 94

MAGNOLIACEAE

- 902 ** *Magnolia grandiflora* L. 94
 903 ** — *soulangeana* Soul.-Bod var. *lennei* Rehder 96

MALVACEAE

- 903/1 *Abelmoschus esculentus* (L.) Moench 96
 904 *Abutilon grandifolium* (Willd.) Sweet 94
 905 — *indicum* Sweet 94
 907 * *Althaea officinalis* L. 94
 908 *Callirhoe involucrata* A. Gray 94
 909 *Hibiscus syriacus* L. 94
 910 *Lagunaria patersonii* G. Don 94
 911 *Lavatera arborea* L. 94
 912 * — *cretica* L. 94
 913 * — *olbia* L. 94
 914 * — *trimestris* L. 94
 915 * *Malva hispanica* L. 94
 915/1 * — *parviflora* L. 95
 916 * — *sylvestris* L. 96
 917 * — *tournefortiana* L. 94
 918 *Malvaviscus arboreus* Cav. 94
 919 *Pavonia hastata* Cav. 94
 920 — *spinifex* (L.) Cav. 94
 921 *Sida rhombifolia* L. 94

MELASTOMATACEAE

- 922 *Clidemia hirta* (L.) D. Don 94

MELIACEAE

- 923 *Melia azedarach* L. 94

MENISPERMACEAE

- 924 *Cocculus carolinus* (L.) DC. 94
 925 — *laurifolius* DC. 94

MORACEAE

- 926 *Dorstenia contrajerva* L. 94
 927 *Maclura pomifera* (Raf.) C. K. Schneid. 94

- 928 *Morus nigra* L. 94

MYOPORACEAE

- 929 *Myoporum tenuifolium* G. Forst. 94

MYRICACEAE

- 930 *Myrica caroliniensis* Mill. 94
 931 * — *faya* Aiton 94
 932 * — *gale* L. 94

MYRTACEAE

- 935 *Callistemon phoeniceus* Lindl. 94
 936 — *rigidus* R. Br. 94
 937 *Eucalyptus citriodora* Hook. 94
 938 — *cornuta* Labill. 94
 938/1 — *gomphocephala* DC. 94
 939 — *maculata* Hook. 94
 940 — *obliqua* L'Hér. 94
 940/1 — *punctata* DC. 95
 941 — *viminalis* Labill. subsp. *viminalis* 94
 942 *Eugenia uniflora* DC. 94
 943 *Feijoa sellowiana* Berg. 94
 944 *Kunzea pedunculata* F. Muell. 94
 945 *Melaleuca genistifolia* Smith 94
 946 — *huegellii* Endl. 96
 947 * *Myrtus communis* L. 94
 948 *Psidium guajava* L. 94
 949 — *littorale* Raddi var. *littorale* 94
 950 *Tristania conferta* R. Br. 94

NYCTAGINACEAE

- 951 *Mirabilis jalapa* L. 94

OCHNACEAE

- 952 *Ochna multiflora* DC. 94

OLEACEAE

- 953 *Fraxinus americana* L. 94
 954 * — *angustifolia* Vahl subsp. *angustifolia* 94
 955 — *ornus* L. 94
 956 — *pennsylvanica* Marsh. 94
 957 * *Jasminum fruticans* L. 94
 958 *Ligustrum lucidum* Aiton 94
 959 — *vulgare* L. 94
 960 *Olea chrysophylla* Lam. 94
 961 * *Phillyrea angustifolia* L. 94
 962 * — *latifolia* L. 94
 963 *Syringa vulgaris* L. 94

ONAGRACEAE

- 964 * *Circaea lutetiana* L. 94
 965 *Epilobium hirsutum* L. 94
 966 * — *lanceolatum* Sebast. & Mauri 94
 967 * — *parviflorum* Schreb. 94
 968 * — *tetragonum* L. subsp. *tetragonum* 94
 969 * *Ludwigia palustris* (L.) Elliott 94
 970 * *Oenothera erythrosepala* Borbás 94
 971 * — *rosea* L.Hér. ex Aiton 94
 972 * — *stricta* Link 94

OROBANCHACEAE

- 973 * *Orobanche gracilis* Sm. 94
 974 * — *hederae* Duby 94
 975 * — *purpurea* Jacq. 94
 976 * — *sanguinea* C. Presl 94

OXALIDACEAE

- 977 *Oxalis articulata* Savigny 94
 978 * — *corniculata* L. 94
 979 * — *corymbosa* DC. 94
 980 * — *pes-caprae* L. 94

PAEONIACEAE

- 981 * *Paeonia broteri* Boiss. & Reut. 94

PAPAVERACEAE

- 982 * *Ceratocarpus claviculata* (L.) Lidén 96
 983 * *Chelidonium majus* L. 94
 984 *Eschscholzia californica* Cham. 94
 985 * *Fumaria bastardii* Boreau 94
 986 * — *capreolata* L. 94
 987 * — *muralis* Koch 94
 988 * — *parviflora* Lam. 94
 989 * *Glaucium flavum* Crantz 94
 990 * *Papaver dubium* L. 94
 991 * — *hybridum* L. 94
 992 * — *rhoeas* L. 94
 992/1 * *Platycarpus spicata* (L.) Bernh. 96

PASSIFLORACEAE

- 993 *Passiflora edulis* Sims 94
 994 — *x exoniensis* L. H. Bailey 94
 995 — *suberosa* L. 94

PHYTOLACCACEAE

- 996 * *Phytolacca americana* L. 94
 997 — *dioica* L. 94

- 998 * — heteropetala H. Walter 94
 999 Rivina humilis L. 94

PITTOSPORACEAE

- 1000 Pittosporum crassifolium Putt. 94
 1001 — heterophyllum Franch. 94
 1002 — tobira (Thunb.) W. T. Aiton 94
 1003 — undulatum Vent. 94
 1004 Sollya fusiformis (Labill.) Briq. 94

PLANTAGINACEAE

- 1005 * Plantago afra L. 94
 1005/1 — aschersonii Bolle 96
 1006 * — bellardii All. 94
 1007 * — coronopus L. subsp. coronopus 94
 1008 * — lagopus L. subsp. lagopus 94
 1009 * — lanceolata L. 94
 1009/1 — leriopetala Lowe 96
 1010 * — major L. 94
 1011 * — radicata Hoffmanns. & Link subsp. monticola (Samp.) Franco 94
 1012 — sempervirens Crantz 94
 1013 * — serraria L. 94

PLATANACEAE

- 1014 Platanus hispanica Münchh. 94

PLUMBAGINACEAE

- 1015 * Armeria beirana Franco 94
 1016 * — transmontana (Samp.) Lawr. 94
 1017 * — welwitschii Boiss. 94
 1018 * Limonium binervosum (G.E.Sm.) C.E. Salmon subsp. binervosum 94
 1018/1 * — vulgare Mill. 96

POLEMONIACEAE

- 1019 Phlox drummondii Hook. 94
 1020 — paniculata L. 94

POLYGONACEAE

- 1024 * Emex spinosa (L.) Campd. 94
 1025 Fallopia baldschuanica (Regel) Holub 94
 1026 * — convolvulus (L.) A. Löve 94
 1027 * — dumetorum (L.) Holub 94
 1028 * Polygonum aviculare L. 94
 1029 * — capitatum D. Don 94
 1030 * — equisetiforme Sm. 94
 1031 * — hydropiper L. 94
 1032 * — lapathifolium L. 94
 1033 * — maritimum L. 94
 1034 * — persicaria L. 94

- 1035 * — salicifolium Brouss. ex Willd. 94
 1036 * Rumex acetosa L. subsp. acetosa 94
 1037 * — acetosella L. subsp. angiocarpus (Murb.) Murb. 94
 1038 * — bucephalophorus L. subsp. gallicus (Steinh.) Rchb. f. 94
 1039 * — conglomeratus Murray 94
 1040 * — crispus L. 94
 1041 * — induratus Boiss. & Reut. 94
 1042 * — intermedius DC. 94
 1043 * — obtusifolius L. 94
 1043/1 * — papillaris Boiss. & Reuter 96
 1044 * — patientia L. 94
 1045 * — pulcher L. subsp. woodsii (De Not.) Archang. 94
 1046 * — suffruticosus Willk. 94

PORTULACACEAE

- 1047 Anacampseros rufescens (Haw.) Sweet 94
 1048 * Montia fontana L. subsp. amporitana Sennen 94
 1049 Portulaca grandiflora Hook. 94
 1050 * — oleracea L. subsp. granulato (Poelln.) Danin 94
 1051 Portulacaria afra Jacq. 94

PRIMULACEAE

- 1052 * Anagallis arvensis L. 94
 1053 * — monelli L. 94
 1054 * Asterolinon linum-stellatum (L.) Duby 94
 1055 * Lysimachia vulgaris L. 94
 1056 Primula malacoides Franch. 94
 1057 * — vulgaris Huds. 94
 1058 * Samolus valerandi L. 94

PROTEACEAE

- 1059 Grevillea robusta A. Cunn. 94

PUNICACEAE

- 1060 Punica granatum L. 94

RANUNCULACEAE

- 1061 Anemone coronaria L. 94
 1062 — cylindrica Gray 96
 1063 * — palmata L. 94
 1064 — virginiana L. 94
 1065 Aquilegia atrata Koch 94
 1066 — canadensis L. 94
 1067 — formosa Fisch. var. hybrida Hort. 94
 1068 * — vulgaris L. subsp. dichroa (Freynt) P. E. Díaz 94
 1069 * — — subsp. vulgaris 94
 1070 * Clematis campaniflora Brot. 94
 1071 * Delphinium staphisagria L. 94
 1073 * Nigella damascena L. 94
 1073/1 * — gallica Jord. 96

- 1074 * *Ranunculus arvensis* L. 94
 1075 — *asiaticus* L. 94
 1076 * — *bulbosus* L. subsp. *aleae* (Willk.) Rouy & Fouc. var. *adscendens* (Brot.) P. Silva 96
 1077 * — *bullatus* L. 94
 1078 * — *gregarius* Brot. 94
 1079 * — *hederaceus* L. 94
 1080 * — *muricatus* L. 94
 1081 * — *penicillatus* (Dumort.) Bab. 94
 1082 * — *repens* L. 94
 1083 * — *trilobus* Desf. 94
 1084 * *Thalictrum speciosissimum* L. 94

RESEDACEAE

- 1085 * *Reseda gredensis* Cutanda & Willk. 94
 1086 * — *luteola* L. 96
 1086/1 * — *media* Lag. 96
 1087 * *Sesamoides purpurascens* (L.) G. López 94

RHAMNACEAE

- 1088 * *Frangula alnus* Mill. 94
 1089 *Hovenia dulcis* Thunb. 94
 1090 *Paliurus spina-christi* Mill. 94
 1091 *Pomaderris apetala* Labill. 94
 1092 * *Rhamnus alaternus* L. 94
 1093 *Ziziphus jujuba* Mill. 94

ROSACEAE

- 1094 * *Agrimonia eupatoria* L. 94
 1095 * *Aphanes arvensis* L. 94
 1096 *Cotoneaster horizontalis* Decne. 94
 1097 — *lactea* W. W. Sm. 94
 1098 *Crataegus crus-galli* L. 94
 1099 * — *monogyna* Jacq. subsp. *brevispina* (Kunze) Franco 94
 1100 *Duchesnea indica* (Andrews) Focke 94
 1101 * *Fragaria vesca* L. 94
 1102 * *Geum sylvaticum* Pourr. 94
 1103 * — *urbanum* L. 94
 1104 * *Potentilla erecta* (L.) Ræusch. 94
 1105 *Prunus laurocerasus* L. 94
 1106 — *lusitanica* L. 94
 1107 * — *spinosa* L. 94
 1108 *Pyracantha angustifolia* (Franch.) C.K. Schneid. 94
 1109 — *crenulata* (Roxb.) Roem. 94
 1110 *Rhaphiolepis umbellata* (Thunb.) Makino 94
 1111 — *fa. ovata* (Briot) Schneid. 94
 1112 *Rhodotypos kerrioides* Sieb. & Zucc. 94
 1113 * *Rosa canina* L. 94
 1114 * — *sempervirens* L. 94
 1115 *Rubus idaeus* L. 94
 1116 * *Sanguisorba hybrida* (L.) Nordborg 94
 1117 * — *minor* Scop. subsp. *magnolii* (Spach) Briq. 94
 1118 *Sorbaria sorbifolia* (L.) A. Braun 94
 1119 * *Sorbus aucuparia* L. 94

- 1120 *Spiraea japonica* L. f. 94

RUBIACEAE

- 1121 *Coprosma robusta* Raoul 94
 1121/1 * *Crucianella angustifolia* L. 95
 1122 * — *maritima* L. 94
 1123 * *Cruciata laevipes* Opiz 94
 1124 * *Gallium album* Mill. 94
 1125 * — *aparine* L. 94
 1126 * — *broterianum* Boiss. & Reut. 94
 1127 * — *divaricatum* Lam. 94
 1128 * — *murale* (L.) All. 94
 1129 * — *palustre* L. 94
 1130 * — *rotundifolium* L. 94
 1131 * — *saxatile* L. subsp. *saxatile* 94
 1132 * — *saxatile* L. ssp. *vivianum* (Kliphuis) Ehrend. 94
 1133 * — *setaceum* Lam. 94
 1134 * — *tricornutum* Dandy 94
 1135 * — *verrucosum* Huds. 94
 1136 * *Rubia peregrina* L. 94
 1137 — *tinctorum* L. 94
 1138 * *Sherardia arvensis* L. 94
 1139 * *Valantia muralis* L. 94

RUTACEAE

- 1140 *Citrus myrtifolia* Raf. 94
 1141 *Coleonema pulchrum* Hook. 94
 1142 *Poncirus trifoliata* (L.) Raf. 94
 1143 * *Ruta chalepensis* L. 94
 1144 * — *montana* (L.) L. 94
 1145 *Zanthoxylum armatum* DC. 94
 1146 — *simulans* Hance 94

SAPINDACEAE

- 1149 *Cardiospermum grandiflorum* Sw. fa. *hirsutum* (Willd.) Radlk. 94
 1150 *Dodonaea viscosa* Jacq. 94
 1151 *Koeleruteria paniculata* Laxm. 94

SAURURACEAE

- 1152 *Saururus cernuus* L. 94

SAXIFRAGACEAE

- 1153 *Astilbe japonica* (Merr. & Decne.) A. Gray 94
 1154 * *Saxifraga continentalis* (Engl. & Irmsch.) D. A. Webb 94
 1155 * — *granulata* L. 94
 1156 * — *spathularia* Brot. 94
 1157 * — *stellaris* L. 94

SCROPHULARIACEAE

- 1158 * *Anarrhinum bellidifolium* (L.) Willd. 94

- 1158/1 * *Antirrhinum* *gramiticum* Rothm. subsp. *boissieri* (Rothm.) Valdés 96
 1159 * — *majus* L. subsp. *cirrigherum* (Welw. ex Ficalho) Franco 94
 1160 * — — subsp. *linkianum* (Boiss. & Reut.) Rothm. 94
 1161 * — *meonanthum* Hoffmanns. & Link 94
 1162 *Asarina* *erubescens* Miller 94
 1163 * *Bellardia* *trixago* (L.) All. 94
 1164 * *Cymbalaria* *muralis* P. Gaertn., B. Mey. & Scherb. 94
 1165 * *Digitalis* *purpurea* L. subsp. *purpurea* 94
 1165/1 * — *thapsi* L. 96
 1166 * *Gratiola* *officinalis* L. 94
 1167 *Halleria* *lucida* L. 94
 1168 *Hebe* *speciosa* (A. Cunn.) Ckn. & Allan 94
 1169 * *Kickxia* *cirrhuosa* (L.) Fritsch 94
 1170 * — *spuria* (L.) Dumort. subsp. *integrifolia* (Brot.) R. Fern. 94
 1171 * *Linaria* *amethystea* (Lam.) Hoffmanns. & Link 94
 1172 * — *caesia* (Pers.) Chav. 96
 1173 * — *diffusa* 94
 1173/1 * — *elegans* Cav. 94
 1174 * — *incarnata* (Vent.) Spreng. 94
 1175 * — *saxatilis* (L.) Chaz. 94
 1176 * — *spartea* (L.) Willd. var. *spartea* 96
 1177 * — *supina* (L.) Chaz. 94
 1178 * — *triornithophora* (L.) Willd. 94
 1179 * *Lindernia* *dubia* (L.) Pennell 94
 1180 * *Misopates* *calycinum* Rothm. 94
 1181 * — *orontium* (L.) Raf. 94
 1182 * *Odontites* *tenuifolia* (Pers.) G. Don 94
 1183 * *Parentucellia* *latifolia* (L.) Caruel 94
 1184 * — *viscosa* (L.) Caruel 94
 1185 *Paulownia* *tomentosa* (Thunb.) Steud. 94
 1186 * *Pedicularis* *sylvatica* L. subsp. *lusitanica* (Hoffmanns. & Link) Cout. 94
 1187 * *Scrophularia* *auriculata* L. var. *auriculata* 94
 1188 * — — var. *glabrata* Lange 94
 1189 * — *canina* L. subsp. *canina* 94
 1190 * — *frutescens* L. 94
 1191 * — *grandiflora* DC. subsp. *grandiflora* 94
 1192 * — *herminii* Hoffmanns. & Link 94
 1193 * — *sambucifolia* L. subsp. *sambucifolia* 96
 1194 * — *schousboei* Lange subsp. *schousboei* 94
 1195 * — *scorodonia* L. 94
 1196 * *Sibthorpia* *europaea* L. 94
 1197 *Tetranema* *roseum* (M. Martens & Galeotti) Standl. & Steyerl. 94
 1198 *Verbascum* *blattaria* L. 94
 1199 * — *gnaphalodes* Bieb. 94
 1200 * — *levanticum* I. K. Ferguson 94
 1201 * — *litigiosum* Samp. 94
 1202 * — *sinuatum* L. 94
 1203 * — *thapsus* L. subsp. *thapsus* 94
 1204 * — *virgatum* Stokes 94
 1205 * *Veronica* *acinifolia* L. 94
 1206 * — *anagallis-aquatica* L. 94
 1207 * — *arvensis* L. 94
 1208 * — *hederifolia* L. subsp. *triloba* (Opiz) Čelak. 94
 1209 * — *micrantha* Hoffmanns. & Link 94
 1210 * — *officinalis* L. 94

- 1211 * — peregrina L. 94
 1212 * — persica Poir. 94
 1213 * — polita Fr. 94

SIMAROUBACEAE

- 1214 * *Ailanthus altissima* (Mill.) Swingle 94

SOLANACEAE

- 1215 *Brunfelsia latifolia* Benth. 94
 1216 *Cyphomandra betacea* (Cav.) Sendtn. 94
 1217 * *Datura stramonium* L. 94
 1218 * *Hyoscyamus albus* L. 96
 1218/2 * *Nicotiana glauca* Graham 96
 1218/1 *Petunia hybrida* Vilm. 94
 1219 * *Physalis ixocarpa* Brot. ex Hornem. 94
 1220 * *Solanum dulcamara* L. 94
 1221 — *laciniatum* Aiton 94
 1222 — *mauritanum* Scop. 94
 1223 * — *nigrum* L. 94
 1224 — *pseudocapsicum* L. 94
 1225 — *rantonnetii* Carrière ex Lesc. 94
 1226 * — *sublobatum* Roem. & Schult. 94
 1227 * — *villosum* Mill. 94
 1228 *Streptosolen jamesonii* (Benth.) Miers. 94
 1229 *Withania somnifera* (L.) Dunal 94

STERCULIACEAE

- 1229/1 *Brachychiton acerifolius* Cunn. ex F. Muell. 96
 1229/2 — *discolor* F. Muell. 96
 1230 *Firmiana simplex* (L.) W. Wight 94
 1231 *Hermannia denudata* L. f. 94

STYRACACEAE

- 1232 *Styrax officinalis* L. 94

TAMARICACEAE

- 1233 * *Tamarix gallica* L. 94
 1234 — *tetrandra* Bieb. 94

THELIGONACEAE

- 1235 * *Theligonum cynocrambe* L. 94

THYMELAEACEAE

- 1238 * *Thymelaea procumbens* A. & R. Fernandes 94

TILIACEAE

- 1239 *Sparmania ricinicarpa* (Eckl. & Zeyh.) Kuntze 94

- 1240 *Tilia* x *euchlora* C. Koch 94
 1241 — *platyphyllos* Scop. 94
 1242 — *tomentosa* Moench 94
 1243 — x *vulgaris* Hayne 94

TROPAEOLACEAE

- 1244 *Tropaeolum majus* L. 94

ULMACEAE

- 1245 *Celtis australis* L. 94
 1246 — *sinensis* Pers. 94
 1247 *Ulmus minor* Mill. 94

UMBELLIFERAE

- 1248 *Aethusa cynapium* L. 94
 1249 * *Ammi majus* L. 94
 1250 * — *visnaga* (L.) Lam. 94
 1251 * *Ammoides pusilla* (Brot.) Breistr. 94
 1252 * *Angelica angelicastrum* (Hoffmanns. & Link) Cout. 94
 1253 * — *sylvestris* L. 94
 1254 * *Anthriscus caucalis* Bieb. 94
 1255 *Apium graveolens* Cham. 94
 1255/1 * — *nodiflorum* (L.) Lag. 96
 1256 * *Bifora testiculata* (L.) Roth 94
 1257 * *Bupleurum gerardi* All. 94
 1258 * — *lancifolium* Hornem. 94
 1259 * — *rigidum* L. subsp. *paniculatum* (Brot.) H. Wolff 94
 1260 * — *tenuissimum* L. 94
 1261 * *Cachrys trifida* Mill. 94
 1262 * *Carum verticillatum* (L.) Koch 94
 1263 * *Chaerophyllum temulentum* L. 94
 1264 * *Conium maculatum* L. 94
 1265 * *Conopodium capillifolium* (Guss.) Boiss. 94
 1266 * — *majus* (Gouan) Loret subsp. *majus* 94
 1266/1 * *Crithmum maritimum* L. 96
 1267 * *Daucus carota* L. subsp. *maximus* (Desf.) Ball 94
 1268 * — *crinitus* Desf. 94
 1268/1 * — *gingidium* L. 96
 1269 * — *muricatus* (L.) L. 94
 1270 *Eryngium agavifolium* Griseb. 94
 1271 * — *campestre* L. 94
 1272 * — *corniculatum* Lam. 94
 1273 * — *dilatatum* Lam. 94
 1274 * — *maritimum* L. 94
 1275 * — *pandanifolium* Cham. & Schltr. 94
 1276 * — *tenue* Lam. 94
 1277 * *Ferula communis* L. 94
 1277/1 * *Ferulago capillifolia* (Link) Franco 96
 1278 * *Foeniculum vulgare* Mill. subsp. *piperitum* (Ucria) Cout. 94
 1279 * *Heracleum sphondylium* L. subsp. *sphondylium* 94
 1280 *Heteromorpha trifoliata* (H. L. Wendl.) Eckl. & Zeyh. 94
 1281 * *Hydrocotyle bonariensis* Lam. 94

- 1282 *Kundmannia sicula* (L.) DC. 94
 1283 * *Margotia gummifera* (Desf.) Lange 94
 1284 * *Oenanthe crocata* L. 94
 1285 * — *fistulosa* L. 94
 1286 * — *lachenalii* C. C. Gmel. 94
 1287 * — *pimpinelloides* L. 94
 1288 * *Orlaya daucoides* (L.) Greuter 94
 1289 *Pastinaca sativa* L. subsp. *sativa* 94
 1290 *Petroselinum crispum* (Mill.) A.W. Hill var. *latifolium* Airy Shaw 94
 1291 * — *segetum* (L.) Koch 94
 1292 *Peucedanum cervaria* (L.) Lapeyr. 94
 1293 * — *lancifolium* Lange 94
 1294 * *Physospermum cornubiense* (L.) DC. 94
 1295 *Pimpinella saxifraga* L. 94
 1296 * — *villosa* Schousb. 94
 1297 * *Pseudorlaya pumila* (L.) Grande 94
 1298 * *Ridolfia segetum* Moris 94
 1299 * *Sanicula europaea* L. 94
 1300 * *Scandix pecten-veneris* L. 94
 1301 * *Selinum carvifolia* (L.) L. 94
 1302 * *Seseli tortuosum* L. 94
 1303 * *Smyrnium olusatrum* L. 94
 1304 * — *perfoliatum* L. 94
 1305 * *Thapsia villosa* L. 94
 1306 * *Tordylium maximum* L. 94
 1307 * *Torilis arvensis* (Huds.) Link subsp. *neglecta* (Spreng.) Thell. 94
 1308 * — *nodosa* (L.) Gaertn. 94

URTICACEAE

- 1309 *Boehmeria cylindrica* (L.) Swartz 94
 1310 *Debregeasia longifolia* (Burm.) Wedd. 94
 1311 * *Parietaria judaica* L. 94
 1312 * — *lusitanica* L. subsp. *lusitanica* 94
 1313 *Pilea microphylla* (L.) Liebm. 94
 1314 * — *pubescens* Liebm. 94
 1315 *Soleirolia soleirolii* (Req.) Dandy 94
 1316 * *Urtica dioica* L. 94
 1317 * — *membranacea* Poir. 94
 1317/1 * — *pilulifera* L. 96
 1318 * — *urens* L. 94

VALERIANACEAE

- 1319 * *Centranthus calcitrapae* (L.) Dufr. 94
 1320 * — *ruber* (L.) DC. subsp. *ruber* 94
 1321 * *Fedia cornucopiae* (L.) Gaertn. 94
 1322 * *Valerianella carinata* Loisel. 94
 1323 * — *discoidea* (L.) Loisel. 94
 1324 * — *microcarpa* Loisel. 94

VERBENACEAE

- 1325 *Clerodendrum trichotomum* Thunb. 94
 1326 *Duranta repens* L. 94

- 1327 *Lantana camara* L. 94
 1329 *Verbena bonariensis* L. 94
 1330 * — *officinalis* L. 94
 1331 *Vitex agnus-castus* L. 94
 1332 — *negundo* L. 94

VIOLACEAE

- 1333 * *Viola arvensis* Murray 94
 1336 * — *odorata* L. 94
 1338 * — *riviniana* Rchb. 94
 1339 — *x wittrockiana* Gams 94

VITACEAE

- 1340 *Ampelopsis aconitifolia* Bunge var. *glabra* Diels 94
 1341 *Parthenocissus quinquefolia* (L.) Planch. 94
 1342 — *tricuspidata* (Siebold & Zucc.) Planch. 94

ZYGOPHYLLACEAE

- 1343 * *Tribulus terrestris* L. 94

MONOCOTYLEDONES

AGAVACEAE

- 1344 *Cordyline australis* (Forst.) Hook. f. 94
 1345 *Phormium tenax* J. R. & G. Forst. 94

ALISMATACEAE

- 1346 * *Alisma plantago-aquatica* L. 94
 1347 * *Baldellia ranunculoides* (L.) Parl. 94

AMARYLLIDACEAE

- 1348 *Clivia nobilis* Lindl. 94
 1351 * *Leucojum autumnale* L. 96
 1352 * *Narcissus bulbocodium* L. 94
 1353 * — *calicicola* Mendonça 96
 1355 — *tazetta* L. 94
 1356 * *Pancratium maritimum* L. 96

ARACEAE

- 1357 *Aglaonema robelinii* (Linden) L. Gentil 94
 1358 * *Arisarum vulgare* Targ.-Tozz. subsp. *vulgare* 94
 1359 * *Anum italicum* Mill. subsp. *italicum* 94

BROMELIACEAE

- 1360 Dyckia brevifolia Bak. 96
1361 — rariflora Schult. f. 96
1362 Lindmania penduliflora (C. H. Wright) Stapf 94
1363 Pitcairnia mirabilis Mez 94

COMMELINACEAE

- 1364 Palisota barteri Hook. f. 96

CYPERACEAE

- | | | | |
|------|---|--------------|---|
| 1365 | * | Carex | arenaria L. 94 |
| 1366 | * | — | binervis Sm. 94 |
| 1375 | * | — | cuprina A. Kern 94 |
| 1367 | * | — | depressa Link subsp. depressa 94 |
| 1368 | * | — | distachya Desf. 94 |
| 1369 | * | — | divulsa Stokes 94 |
| 1370 | * | — | echinata Murray 94 |
| 1371 | * | — | flacca Schreb. 94 |
| 1372 | * | — | hispida Willd. 94 |
| 1373 | * | — | laevigata Sm. 94 |
| 1374 | * | — | muricata L. 96 |
| 1376 | * | — | leporina L. 94 |
| 1377 | * | — | paniculata L. subsp. lusitanica (Schkuhr) Maire 94 |
| 1378 | * | — | pendula Huds. 94 |
| 1380 | * | — | pilulifera L. subsp. pilulifera 94 |
| 1381 | * | — | pseudocyperus L. 94 |
| 1382 | * | — | remota L. 94 |
| 1383 | * | — | reuterana Boiss. 94 |
| 1384 | * | — | riparia Curtis 94 |
| 1385 | * | — | viridula Frank & Sav. subsp. brachyrrhyncha (Čelak.) B.Schmid var. lepidocarpa (Tausch) B.Schmid 94 |
| 1386 | * | Cladium | mariscus (L.) Pohl 94 |
| 1387 | * | Cyperus | capitatus Vand. 94 |
| 1388 | * | — | difformis L. 94 |
| 1389 | * | — | eragrostis Lam. 94 |
| 1390 | * | — | flavescens L. 94 |
| 1394 | | Mariscus | ligularis Urb. 94 |
| 1395 | * | Rhynchospora | rugosa (Vahl) Gale 94 |
| 1396 | * | Schoenus | nigricans L. 94 |
| 1397 | * | Scirpus | cernuus Vahl 94 |
| 1398 | * | — | holoschoenus L. 94 |
| 1399 | * | — | juncoides Roxb. 94 |
| 1400 | * | — | lacustris L. 94 |
| 1401 | * | — | maritimus L. subsp. maritimus 94 |
| 1402 | * | — | mucronatus L. 94 |
| 1403 | * | — | setaceus L. 94 |

DIOSCOREACEAE

- 1404 *
- Tamus communis*
- L. 94

GRAMINEAE

- 1405 * *Aegilops geniculata* Roth 94
- 1406 * — *triuncialis* L. 94
- 1407 * *Agrostis castellana* Boiss. & Reut. var. *mutica* Hack. 94
- 1408 * — *curtisii* Kerguelen 94
- 1409 * — *pourretii* Willd. 94
- 1410 * — *tenerrima* Trin. 94
- 1411 * — *truncatula* Parl. 94
- 1412 * *Aira caryophyllea* L. subsp. *uniaristata* (Lag. & Rodr.) Maire 94
- 1413 * — *praecox* L. 94
- 1414 * *Aiopsis tenella* (Cav.) Asch. & Graebn. 94
- 1415 * *Alopecurus myosuroides* Huds. 94
- 1416 * *Ammophila arenaria* (L.) Link subsp. *arundinacea* H. Lindb. 94
- 1417 * *Ampelodesmos mauritanica* (Poir.) T. Durand & Schinz 94
- 1418 * *Anthoxanthum amarum* Brot. 94
- 1420 * *Antinoria agrostioides* (DC.) Parl. subsp. *natans* (Hack.) Rivas Mart. 94
- 1421 * *Arrhenatherum elatius* (L.) J. & C. Presl subsp. *bulbosum* (Willd.) Schübl. & M. Martens 94
- 1422 * *Avena barbata* Pott ex Link 94
- 1423 * — *sterilis* L. subsp. *ludoviciana* (Durieu) Gillet & Magne 94
- 1424 * *Avenula albinervis* (Boiss.) Lafnz 94
- 1425 * — *marginata* (Lowe) H. Holub subsp. *sulcata* (Delastre) Franco 94
- 1426 * *Brachypodium distachyon* (L.) P. Beauv. 94
- 1427 * — *phoenicoides* (L.) Roem. & Schult. 94
- 1428 * — *sylvaticum* (Huds.) P. Beauv. 94
- 1429 * *Briza maxima* L. 94
- 1430 * — *media* L. 94
- 1431 * — *minor* L. 94
- 1432 * — *triloba* Nees 94
- 1433 * *Bromus diandrus* Roth 94
- 1434 * — *hordeaceus* L. 94
- 1435 * — *lanceolatus* Roth 94
- 1436 * — *matritensis* L. 94
- 1437 * — *sterilis* L. 94
- 1438 * — *tectorum* L. 94
- 1439 * — *unioloides* Kunth 94
- 1440 * *Corynephorus canescens* (L.) P. Beauv. 94
- 1441 * — *fasciculatus* Boiss. & Reut. 94
- 1442 * *Cutandia maritima* (L.) Barbey 94
- 1443 * *Cynodon dactylon* (L.) Pers. 94
- 1444 * *Cynosurus cristatus* L. 96
- 1445 * — *echinatus* L. 94
- 1446 * — *elegans* Desf. 94
- 1447 * *Dactylis glomerata* L. var. *hispanica* (Roth) Koch 94
- 1448 * *Danthonia decumbens* (L.) DC. 94
- 1448/1 * *Deschampsia caespitosa* (L.) P. Beau subsp. *caespitosa* 96
- 1449 * — *flexuosa* (L.) Trin. 94
- 1450 * *Desmazeria marina* (L.) Druce 94
- 1451 * — *rigida* (L.) Tutin subsp. *rigida* 94
- 1452 * *Digitaria sanguinalis* (L.) Scop. 94
- 1453 * *Echinochloa crus-galli* (L.) P. Beauv. 94
- 1454 * *Ehrharta erecta* Lam. 94
- 1455 * *Elymus caninus* (L.) L. 94
- 1456 * — *fartus* (Viv.) Melderis subsp. *boreali-atlanticus* (Simonet & Guin.)

- Melderis 94
- 1457 * — pungens (Pers.) Melderis subsp. campestris (Godr. & Gren.) Melderis 94
 1458 * — — subsp. pungens 94
 1459 * Eragrostis chloromelas Steud. 94
 1460 * — cilianensis (All.) F. T. Hubb. 94
 1461 * — pilosa (L.) P. Beauv. 94
 1462 * Festuca ampla Hack. subsp. ampla 94
 1463 * — arundinacea Schreb. subsp. atlantigena (St.-Yves) Auquier 94
 1464 * — durandii Clauson 94
 1465 * — durissima (Hack.) Kerguelen 94
 1466 * — elegans Boiss. 94
 1467 * — henriquesii Hack. 94
 1468 * — nigrescens Lam. subsp. microphylla (St.-Yves) Markgr.-Dann. 94
 1469 * — petraea Guthnick ex Seub. 94
 1470 * Gastridium ventricosum (Gouan) Schinz & Thell. 94
 1471 * Gaudinia fragilis (L.) P. Beauv. subsp. fragilis 94
 1472 * Glyceria fluitans (L.) R. Br. 94
 1473 * Hainardia cylindrica (Willd.) Greuter 94
 1474 * Holcus gayanus Boiss. 94
 1475 * — lanatus L. 94
 1476 * — mollis L. subsp. mollis 94
 1477 * Hordeum geniculatum All. 94
 1478 * — murinum L. 94
 1479 * — secalinum Schreb. 94
 1480 * Hyparrhenia hirta (L.) Stapf 94
 1481 * Koeleria caudata (Link) Steud. 94
 1482 * Lagurus ovatus L. 94
 1483 * Lamarckia aurea (L.) Moench 94
 1484 * Leersia oryzoides (L.) Sw. 94
 1485 * Lolium multiflorum Lam. 94
 1486 * — rigidum Gaudin 94
 1487 * — temulentum L. 94
 1488 * Melica magnolii Gren. & Godr. 94
 1489 * — minuta L. 94
 1491 * Micropyrum patens (Brot.) Rothm. ex Pilg. 94
 1492 * — tenellum (L.) Link 94
 1493 * Miscanthus sinensis N.J. Anderson 94
 1494 * Molineriella laevis (Brot.) Rouy 94
 1495 * Molinia caerulea (L.) Moench subsp. caerulea 94
 1496 * Nardus stricta L. 94
 1497 * Panicum prionitis Nees 94
 1498 * — repens L. 94
 1499 * Parapholis incurva (L.) C.E. Hubb. 94
 1500 * — strigosa (Dumort.) C. E. Hubb. 94
 1501 * Paspalum dilatatum Poir. 94
 1502 * — paspalodes (Michx.) Scribn. 94
 1503 * — urvillei Steud. 94
 1504 * — vaginatum Sw. 94
 1505 * Pennisetum villosum Fresen. 94
 1505/1 * Peribalia involucreta (Cav.) Janka 96
 1506 * Phalaris aquatica L. 94
 1507 * — arundinacea L. subsp. arundinacea 94
 1508 * — coerulescens Desf. 94
 1509 * — minor Retz. 94
 1510 * — paradoxa L. 94

- 1511 * *Phleum pratense* L. subsp. *pratense* 94
 1512 * *Phragmites australis* (Cav.) Steud. subsp. *australis* 94
 1513 * *Piptatherum miliaceum* (L.) Coss. 94
 1514 * *Poa annua* L. 94
 1515 * — *bulbosa* L. 94
 1516 * — *pratensis* L. 94
 1517 * — *trivialis* L. 94
 1518 * *Polypogon maritimus* Willd. subsp. *maritimus* 94
 1519 * — *monspeliensis* (L.) Desf. 94
 1520 * — *viridis* (Gouan) Breistr. 94
 1521 * *Pseudarrhenatherum longifolium* (Thore) Rouy 94
 1521/1 * *Psilurus incurvus* (Gouan) Schinz & Thell 96
 1522 * *Pucinellia maritima* (Huds.) Parl. 94
 1523 * *Rostraria cristata* (L.) Tzvelev 94
 1524 * *Secale montanum* Guss. 94
 1525 * *Setaria geniculata* (Lam.) P. Beauv. 94
 1526 * — *pumila* (Poir.) Roem. & Schult. 94
 1527 * — *verticillata* (L.) P. Beauv. 94
 1528 * — *viridis* (L.) P. Beauv. 94
 1529 * *Sorghum halepense* (L.) Pers. 94
 1530 * *Spartina maritima* (Curtis) Fernald 94
 1531 * *Sporobolus indicus* (L.) R. Br. 94
 1532 * *Stipa capensis* Thunb. 94
 1533 * — *gigantea* Link 94
 1534 * — *papposa* Nees 94
 1535 * — *setigera* J. Presl 94
 1535/1 * *Taeniantherum caput-medusae* (L.) Nevski 96
 1536 * *Tripsacum dactyloides* L. 94
 1537 * *Trisetaria hispida* (Lange) Paunero 94
 1538 * — *ovata* (Cav.) Paunero 94
 1539 * — *panicea* (Lam.) Paunero 94
 1540 * *Vulpia alopecurus* (Schousb.) Dumort. 94

IRIDACEAE

- 1541 * *Chasmanthe aethiopica* (L.) N.E.Br. 94
 1542 * *Gladiolus illyricus* Koch 94
 1543 * — *italicus* Mill. 94
 1544 * *Gynandris sisyrinchium* (L.) Parl. 96
 1545 * *Iris cretensis* Janka 94
 1546 * — *foetidissima* L. 94
 1547 * — *lusitanica* Ker-Gawl. 94
 1548 * — *planifolia* (Mill.) Fiori & Paol. 94
 1549 * — *pseudacorus* L. 94
 1550 * — *subbiflora* Brot. 96
 1551 * *Lapeyrousia cruenta* (Lindl.) Baker 94
 1552 * *Romulea bulbocodium* (L.) Sebast. & Mauri 94
 1553 * *Watsonia bulbilifera* Matthews 94

JUNCACEAE

- 1553/1 * *Juncus acutiflorus* Ehrh. 96
 1554 * *Juncus acutus* L. var. *acutus* 94
 1555 * — *bufonius* L. 94
 1556 * — *bulbosus* L. 94

- 1557 * — capitatus Weigel 94
 1558 * — effusus L. var. effusus 94
 1559 * — heterophyllus Duf. 94
 1560 * — imbricatus Laharpe var. chamissonis (Kunth) Buchenau 94
 1561 * — inflexus L. 94
 1562 * — maritimus Lam. 94
 1563 * — squarrosus L. 94
 1564 * — tenageia Ehrh ex L. f. 94
 1565 * — valvatus Link 94
 1566 * Luzula caespitosa Gay 94
 1567 * — campestris (L.) DC. 94
 1568 * — forsteri (Sm.) DC. subsp. forsteri 94
 1569 * — multiflora (Retz.) Lej. subsp. multiflora 94
 1570 * — sylvatica (Huds.) Gaudin subsp. henriquesii (Degen) P. Silva 94

JUNCAGINACEAE

- 1571 * Triglochin barrelieri Loisel. 94
 1572 * — maritima L. 94
 1572/1 * — striata Ruiz & Pav. 96

LILIACEAE

- 1573 Agapanthus praecox Willd. subsp. orientalis (F.M. Leight.) F. M. Leight. 94
 1574 — — subsp. praecox 94
 1575 * Allium ampeloprasum L. 94
 1576 * — baeticum Boiss. 94
 1577 * — ericetorum Thore 94
 1578 * — neapolitanum Cirillo 94
 1579 * — paniculatum L. subsp. paniculatum 96
 1580 * — roseum L. 94
 1581 * — scorzonrifolium Desf. 94
 1582 * — sphaerocephalon L. subsp. sphaerocephalon 96
 1583 * — triquetrum L. 94
 1584 * — vineale L. 94
 1584/1 Aloe saponaria (Ait. f.) Haw. 96
 1585 * Asparagus acutifolius L. 94
 1587 — asparagoides (L.) Druce 94
 1588 — falcatus L. 94
 1589 — plumosus Baker 94
 1590 — sprengeri Regel 94
 1591 Asphodeline liburnica (Scop.) Rchb. 94
 1592 * Asphodelus aestivus Brot. 94
 1593 * — fistulosus L. 94
 1594 * — ramosus L. 94
 1595 Bellevallia dubia (Guss.) Rchb. 94
 1597 Chlorophytum comosum (Thunb.) Jacques 96
 1598 * Colchicum lusitanicum Brot. 96
 1599 * Fritillaria lusitanica Wikstr. 94
 1602 * Hyacinthoides hispanica (Mill.) Rothm. 94
 1603 — non-scripta (L.) Chouard ex Rothm. 94
 1604 Lilium regale E. H. Wilson 94
 1606 * Muscari comosum (L.) Mill. 94
 1607 * — neglectum Ten. 94
 1608 * Nothoscordum inodorum (Ait.) G. Nicholson 94

- 1609 *Ophiopogon jaburan* Lodd. 94
 1610 — *japonicus* (L.) Ker.Gawl. 94
 1611 *Ornithogalum caudatum* Ait. 94
 1612 * — *concinnum* (Salisb.) Cout. 94
 1613 * — *narbonense* L. 94
 1614 * — *pyrenaicum* L. 94
 1615 * — *umbellatum* L. 94
 1616 * *Paradisea lusitanica* (Cout.) Samp. 94
 1617 * *Polygonatum odoratum* (Mill.) Druce var. *odoratum* 96
 1618 *Ruscus aculeatus* L. 94
 1619 * *Scilla autumnalis* L. 96
 1619/1 — *madeirensis* Menezes 96
 1622 * *Simethis planifolia* (L.) Gren. 94
 1624 * *Urginea maritima* (L.) Baker 94

PALMAE

- 1625 ** *Archontophoenix cunninghamiana* (H. Wendl.) Wendl. & Druce 94
 1626 ** *Arecastrum romanzoffianum* (Cham.) Becc. 94
 1627 ** *Butia capitata* (Mart.) Becc. var. *capitata* 94
 1628 ** — *eriospatha* (Mart.) Becc. 94
 1629 *Chamaeropsis humilis* L. var. *arborescens* Pers. 94
 1630 ** — *humilis* L. var. *humilis* 94
 1631 ** *Jubaea chilensis* (Mollina) Baill. 94
 1632 ** *Livistona australis* (R. Br.) C. Mart. 94
 1633 ** *Phoenix canariensis* Hort. ex Chabaud 94
 1634 ** *Trachycarpus fortunei* (Hook.) H. Wendl. 94

PONTEDERIACEAE

- 1635 *Pontederia cordata* L. 94

SPARGANIACEAE

- 1636 * *Sparganium erectum* L. subsp. *erectum* 94

THYPHACEAE

- 1638 * *Typha angustifolia* L. 94
 1639 * — *latifolia* L. 94

INDEX SEMINUM — DESIDERATA 1997

**JARDIM BOTÂNICO DA
UNIVERSIDADE DE COIMBRA**

3049 COIMBRA CODEX
PORTUGAL

Cód. Inst.

Reg° _____ de ____/____/____
N° Pedidos _____ ● Satisfeitos _____
Data ____/____/____ ● Peso _____

(For our private use)

(Please write your full address)

- Please limit your request to 30 taxa.
- Bitte nicht mehr als 30 taxa bestellen.
- S'il vous plaît ne commandez pas plus de 30 taxa.

Numbers:

Please return your request before
the 1st April 1997

Tel.: 351 39 22897
Fax.: 351 39 20780

Jardim Botânico da
Universidade de Coimbra
Arcos do Jardim

3049 COIMBRA
PORTUGAL