


INDEX SEMINUM ET SPORARUM

QUAE

HORTUS BOTANICUS CONIMBRIGENSIS

PRO MUTUA COMMUTATIONE OFFERT

Anno 1999



Hortus Botanicus

DEPARTAMENTO DE BOTÂNICA

Faculdade de Ciências e Tecnologia

UNIVERSIDADE DE COIMBRA

PORTUGAL

Index Seminum Information

(pay attention: the code number may not be in numerical order)

Geographical position

Lat.: 40° 12' 25" N
Long.: 8° 25' 30" W
Alt.: 25-110 m
above sea level

Cultivated taxa:
about 3500

Main collections:

Gymnospermae
Myrtaceae
Leguminosae
Aceraceae

Staff:

HEAD OF DEPARTMENT
José Firmino Mesquita

SCIENTIFIC ADVISOR
Maria Teresa Almeida

NOMENCLATURE REVISER
José Ormonde

CURATOR

Ana Cristina Tavares

COLLECTORS

Manuel Cardoso Alves
Jaime Ventura Forte
Arménio da Costa Matos

Adress:

JARDIM BOTÂNICO DA
UNIVERSIDADE DE COIMBRA
Arcos do Jardim
3049 Coimbra Codex PORTUGAL
Tel.: 039 822897
Fax: 00 351 039 820780
E-mail: jardbot@condor.ci.uc.pt

ISSN 0870-869

SOME REPORTS ABOUT THE BOTANICAL GARDEN OF COIMBRA

● Founded between 1772-1774 by order of the Marquês de Pombal.

● Climatic indications* (from the Geophysical Institute of the University of Coimbra)

*1997 Data	Monthly Media		Absolute Values	
	Highest	Lowest	Maximum	Minimum
Temperature (°C)	21,6 (Jul)	9,9 (Jan)	39 (26 Jul)	- 1,3 (06 Jan)
Relative humidity (%)	89 (Nov)	58 (Mar)	99 (13 Nov)	21(19:27 Mar/ 04 April)
Monthly accumulated precipitation (mm)	—	—	371,7 (Nov)	0,0 (Mar)
Total insolation (sun hours/day)	10,5 (Jul)	2,5 (Dez)	—	—


● The BOTANICAL GARDEN is a unit of the UNIVERSITY OF COIMBRA, Faculty of Sciences and Technology — DEPARTMENT OF BOTANY. It is an establishment for education and research.

The BOTANICAL GARDEN OF COIMBRA covers an area of about 13 ha and it is divided in two parts

1. The highest part of the garden has a more elaborated conception in the style of the European gardens of the 18th century. There are different terraces where one can see the Order Beds, the greenhouses and a beautiful central Fountain;

2. The «Arboretum», in the lowest part of the garden, where a dense vegetation with exotic trees predominates, includes a valley with a Monocotyledonae collection, an excellent collection of *Eucalyptus* (about 50 species) and a splendid plantation of bamboos.


Portugal



Geographical position of Portugal in the World Map



Coimbra



- AAI - Alto Alentejo
- Ag - Algarve
- BA - Beira Alta
- BAI - Baixo Alentejo
- BB - Beira Baixa
- BL - Beira Litoral
- DL - Douro Litoral
- E - Estremadura
- MI - Minho
- R - Ribatejo
- TM - Trás-os-Montes
(Alto Douro)

Portuguese map with province codes (Flora Ibérica, 1986)

INDEX SEMINUM ET SPORARUM

QUAE
HORTUS BOTANICUS CONIMBRIGENSIS
PRO MUTUA COMMUTATIONE OFFERT

(Anno 1994, 1995, 1996, 1997, 1998 collectorum)

*— Semina e plantis spontaneis in loco natali lecta.

**— Semina germinationis brevis tempore proprio mituntur.

PTERIDOPHYTA

ADIANTACEAE

- 1 * Adiantum capillus-veneris L. 98
2 — hispidulum Sw. 98

ASPLENIACEAE

- 9 * Asplenium adiantum-nigrum L. subsp. adiantum-nigrum 98
10 — aethiopicum (Burm.f.) Bech. subsp. braithwaitii Ormonde 98
11 — bulbiferum G. Forst. 98
12 — hemionitis L. 98
13 — nidus L. var. nidus 98
14 * — obovatum Viv. subsp. lanceolatum P. Silva 98
15 * — onopteris L. 98
16 * — ruta-muraria L. subsp. ruta-muraria 98
17 * — septentrionale (L.) Hoffm. subsp. septentrionale 98
18 * — trichomanes L. subsp. quadrivalens D. E. Mey. 94
19 — viviparum (L. f.) C.Presl var. viviparum 98
20 * Ceterach officinarum Willd. subsp. officinarum 98
21 * Phyllitis scolopendrium (L.) Newman subsp. scolopendrium 98

BLECHNACEAE

- 22 Blechnum brasiliense Desv. 98
23 — fragile (Lieben.) C. V. Morton & Lellinger 94
24 * — spicant (L.) Roth var. spicant 98
25 Doodia aspera R. Br. 98
26 — caudata (Cav.) R. Br. 98
27 — dives Kunze 98
28 — media R. Br. 98
29 * Woodwardia radicans (L.) Sm. 98
30 — virginica (L.) Sm. 98

CRYPTOGRAMMACEAE

- 6 Onychium japonicum (Thunb.) Kunze 98

DAVALLIACEAE

- 31 * *Davallia canariensis* (L.) Sm. 98

DENNSTAEDTIACEAE

- 49 *Dennstaedtia adiantoides* (H.B. Willd.) T. Moore 94
50 *Microlepia hirta* (Kaulf.) C. Presl 98
51 — *platyphylla* (D. Don) Sm. 94

DICKSONIACEAE

- 32 *Cibotium glaucum* (Sm.) Hook. & Arn. 98
34 *Dicksonia antarctica* Labill. 98
35 — *sellowiana* (C. Presl) Hook. 98

DRYOPTERIDACEAE

- 40 *Cystomium falcatum* (L. f.) Copel. 98
41 — *fortunei* J. Sm. 98
36 * *Dryopteris affinis* (Lowe) Fraser-Jenk. subsp. *affinis* 98
37 — *atrata* (Wall.) Ching 98
38 * — *dilatata* (Hoffm.) A. Gray 98
39 * — *expansa* (C. Presl) Fraser-Jenkins & Jenny 94
1641 * — *filix-mas* (L.) Schott. 98
42 * *Polystichum setiferum* (Forssk.) Woy. 98

EQUISETACEAE

- 43 * *Equisetum arvense* L. 98
44 * — *palustre* L. 98
45 * — *ramosissimum* Desf. 94
46 * — *telmateia* Ehrh. 94

HEMIONITIDACEAE

- 47 * *Anogramma leptophylla* (L.) Link 98
1642 * *Cosentinia vellea* (Aiton) Tod. 96

HYPOLEPIDACEAE

- 52 * *Pteridium aquilinum* (L.) Kuhn 98

NEPHROLEPIDACEAE

- 53 *Nephrolepis exaltata* (L.) Schott 98

OPHIOGLOSSACEAE

- 1811 * *Ophioglossum lusitanicum* L. 98

OSMUNDACEAE

- 55 * *Osmunda regalis* L. 98

POLYPODIACEAE

- 56 Microsorium punctatum (L.) Copel. 98
 57 Phlebodium aureum (L.) Sm. 98
 58 Platycerium bifurcatum (Cav.) C. Chr. 98
 59 Polypodium azoricum (Vasc.) R. Fern. 98
 60 * — cambricum L. subsp. serrulatum (Sch. ex Arcang.) Pic. Sem. 98
 61 * — interjectum Shivas 98
 62 Pyrrosia lingua (Thunb.) Farw. 98

PTERIDACEAE

- 63 Pteris cretica L. var. cretica 98
 64 — — var. albolineata Hook. 98
 65 — — var. wilsonii Hort. 98
 66 — incompleta Cav. 94
 67 — longifolia L. 98

SCHIZAEACEAE

- 69 Anemia phyllitidis (L.) Sw. 98
 70 Lygodium scandens (L.) Sw. 94

SELAGINELLACEAE

- 68 * Selaginella denticulata (L.) Spring 98

SINOPTERIDACEAE

- 3 * Cheilanthes acrostica (Balb.) Tod. 98
 4 * — hispanica Mett. 98
 5 * — maderensis Lowe 98
 1640 * — tinaci Tod. 97
 7 Pellaea rotundifolia (G. Forst.) Hook. 98
 8 — viridis (Forssk.) Prantl var. viridis 98

THELYPTERIDACEAE

- 71 Christella parasitica (L.) Lév. 98

WOODSIACEAE

- 72 * Athyrium filix-femina (L.) Roth 98
 73 * Cystopteris fragilis (L.) Bernh. 98

GYMNOSPERMAE

CUPRESSACEAE

- 75 Callitris rhomboidea R. Br. 94
 76 Chamaecyparis lawsoniana (A. Murray) Parl. 98

- 77 Cupressus arizonica Greene 98
 78 — lusitanica Mill. var. lusitanica 98
 79 — — var. pendula Hort. 98
 80 — macrocarpa Hartw. var. macrocarpa 98
 81 — sempervirens var. sempervirens 98
 1643 * Juniperus phoenicea L. 96
 82 Platycladus orientalis (L.) Franco 98
 83 Tetraclinis articulata (Vahl) Mast. 98

PINACEAE

- 84 * Pinus pinaster Aiton 98
 85 * — pinea L. 98
 1644 * — sylvestris L. 97

TAXODIACEAE

- 87 Cryptomeria japonica (L. f.) D. Don 98
 88 Sequoia sempervirens (Lamb.) Endl. 98

ANGIOSPERMAE

DICOTYLEDONES

ACANTHACEAE

- 89 * Acanthus mollis L. 98
 1773 Justicia bardegeana Wassh. and L. B. Sm. 98
 1774 Thunbergia coccinea Wallich. 98

ACERACEAE

- 92 Acer campestre L. 98
 1645 — dasycarpum Ehrh. 96
 93 — japonicum Thunb. var. microphyllum Hort. 98
 1646 — monspessulanum L. 95
 94 — negundo L. 94
 96 — palmatum Thunb. f. roseo-marginatum (C. Koch) Schwer. 98
 97 — platanoides L. 94
 98 — pseudoplatanus L. 94
 99 — — f. purpureum (Loud.) Rehd. 98

ACTINIDIACEAE

- 100 Actinidia chinensis Planch. 94

AIZOACEAE

- 102 * Carpobrotus edulis (L.) N. E. Br. 98
 1775 Mesembryanthemum cristallinum L. 98

- 103 * — nodiflorum L. 94
 104 * Tetragonia tetragonoides (Pall.) Kuntze 94

AMARANTHACEAE

- 105 * Amaranthus albus L. 94
 106 * — blitoides S. Watson var. scleropoides Thell. 94
 107 * — blitum L. var. oleraceus (L.) Hook. f. 94
 1647 — cruentus L. 97
 108 * — deflexus L. 94
 109 * — graecizans L. subsp. silvestris (Vill.) Brenan 94
 110 * — hybridus L. 94
 111 * — powellii S. Watson 94
 112 Celosia argentea L. var. cristata (L.) Kuntze 98
 113 Gomphrena albiflora Moq. 94
 114 — globosa L. 98

ANACARDIACEAE

- 115 Cotinus coggygria Scop. 94
 116 * Pistacia lentiscus L. 98
 118 Schinus dependens Ortega 98
 119 — molle L. var. arcira (L.) DC. 98
 120 — terebinthifolius Raddi 98

ANNONACEAE

- 1648 Annona cherimola Mill. 97

APOCYNACEAE

- 121 Acokanthera oblongifolia (Hochst.) Codd 98
 122 Amsonia illustris Woodson 94
 124 Catharanthus roseus (L.) G. Don var. albus G. Don 98
 123 — roseus var. roseus (L.) G. Don 98
 126 Nerium oleander L. var. album Lodd. 94
 127 — — var. oleander 94
 128 Thevetia peruviana Merr. 98
 129 * Vinca difformis Pourr. subsp. difformis 98

AQUIFOLIACEAE

- 130 * Ilex aquifolium L. 98

ARALIACEAE

- 131 Fatsia japonica (Thunb.) Decne. & Planch. 94
 132 Hedera helix L. subsp. canariensis (Willd.) Cout. 98
 133 Pseudopanax crassifolius (Sol. ex A. Cunn.) C. Koch 98

ARISTOLOCHIACEAE

- 134 Aristolochia fimbriata Cham. 98
 136 — sempervirens L. 98

ASCLEPIADACEAE

- 137 * *Araujia sericifera* Brot. 98
 138 *Asclepias curassavica* L. 94
 140 *Gomphocarpus fruticosus* (L.) W.T. Aiton 98
 141 * *Vincetoxicum nigrum* (L.) Moench 98

BALSAMINACEAE

- 142 *Impatiens balsamina* L. 98
 143 — *walleriana* Hook. 94

BASELLACEAE

- 144 *Boussingaultia gracilis* Miers var. *pseudo-baselloides* (Hauman) Bailey 98

BEGONIACEAE

- 1776 *Begonia cucullata* Willd. var. *hookeri* (A. DC.) L.B. Sm. & Schubert 98

BERBERIDACEAE

- 145 *Berberis thunbergii* DC. 94
 146 — *vulgaris* L. 94
 1649 *Mahonia japonica* Thunb. 97

BETULACEAE

- 147 *Alnus cordata* (Loisel.) Duby 94
 1650 * — *glutinosa* (L.) Gaertn. 97
 148 — *sinuata* (Regel) Ryd. 98
 149 *Betula alba* L. 98
 150 — *pendula* Roth 94
 1788 *Corylus avellana* L. 98

BIGNONIACEAE

- 151 *Campsis radicans* (L.) Seem. 94
 152 *Catalpa bignonioides* Walter 98
 153 — *ovata* G. Don 98
 154 *Doxantha unguis-cati* (L.) Rehder 98
 155 *Jacaranda mimosifolia* D. Don 98
 156 *Pithecoctenium muricatum* Moç. ex DC. 98

BORAGINACEAE

- 157 * *Anchusa azurea* Mill. 97
 158 * — *undulata* L. 98
 159 * *Borago officinalis* L. 98
 160 * *Buglossoides arvensis* (L.) I. M. Johnst. subsp. *occidentalis* Franco 94
 161 * *Cerinthe gymnandra* Gasp. var. *gymnandra* 98
 162 * — *major* L. 98
 163 *Cordia serrata* Juss. ex Poir. 94
 1777 *Cynoglossum amabile* Stapf & J. R. Drumm. 98
 164 * — *clandestinum* Desf. 94

- 165 * — creticum Mill. 94
 166 * Echium lusitanicum L. subsp. lusitanicum 98
 167 * — plantagineum L. 98
 168 * — rosulatum Lange 94
 169 * — tuberculatum Hoffmanns. & Link 94
 170 Heliotropium amplexicaule Vahl 94
 171 * — europaeum L. 94
 172 * — peruvianum L. 98
 173 * Lithospermum officinale L. 94
 174 * Myosotis arvensis (L.) Hill subsp. arvensis 98
 175 * — discolor Pers. 94
 177 * — stolonifera (DC.) Leresche & Levier 98
 178 * — welwitschii Boiss. & Reut. 98
 179 * Neotostema apulum (L.) I. M. Johnst. 94
 180 Nonea lutea (Desr.) DC. 94
 181 * Omphalodes linifolia (L.) Moench 98
 182 * — nitida Hoffmanns. & Link 97
 183 * Pentaglottis sempervirens (L.) Tausch ex L. H. Bailey 98

BUXACEAE

- 184 Sarcococca hookeriana Baill. 94

CACTACEAE

- 185 * Opuntia maxima Mill. 94

CALLITRICHACEAE

- 186 * Callitriche brutia Petagna 98
 187 * — truncata Guss. subsp. occidentalis (Rouy) Schotsm. 98

CALYCANTHACEAE

- 188 Calycanthus laevigatus Willd. 98
 1778 Chimonanthus praecox (L.) Link 98

CAMPANULACEAE

- 189 * Campanula erinus L. 98
 190 * — herminii 98
 191 * — lusitanica L. 98
 1779 — rapunculoides L. subsp. rapunculoides 98
 193 * — rapunculus L. 98
 1651 * — transtagana R. Fern. 96
 194 * Jasione crispa (Pourr.) Samp. subsp. mariana (Willk.) Rivas Mart. 97
 195 * — montana L. subsp. montana 94
 197 Lobelia laxiflora HBK. 98
 198 * — urens L. 94
 199 * Trachelium caeruleum L. subsp. caeruleum 98
 200 * Wahlenbergia hederacea (L.) Rchb. 98

CANNABACEAE

- 201 * Humulus lupulus L. 97

CAPPARACEAE

- 1781 Cleome spinosa Jacq. 98
 202 * — violacea L. 94
 203 Isomeris arborea Nutt. 98
 1780 Polanisia trachysperma Torr. & A. Gray 98

CAPRIFOLIACEAE

- 204 Kolkwitzia amabilis Graebn. 98
 205 * Lonicera etrusca Santi 94
 206 * — implexa Aiton 98
 207 — japonica Thunb. var. aureo-reticulata (T. Moore) Nichols 94
 208 — maackii (Rupr.) Maxim. 98
 209 * — periclymenum L. subsp. periclymenum 94
 210 — tatarica L. 94
 211 — translucens Carrière 98
 212 * Sambucus ebulus L. 94
 213 * — nigra L. 98
 214 Viburnum odoratissimum Ker Gawl. 98
 215 * — tinus L. subsp. tinus 98

CARICACEAE

- 216 Carica quercifolia Solms 98

CARYOPHYLLACEAE

- 1652 * Agrostemmagithago L. 97
 217 * Arenaria conimbricensis Brot. subsp. conimbricensis 94
 218 * — leptoclados (Reichenb.) Guss. 98
 219 * — montana L. subsp. montana 97
 220 * — querioides Pourr. ex Willk. 98
 221 * — serpyllifolia L. 94
 222 * Cerastium diffusum Pers. subsp. diffusum 94
 223 * — fontanum Baumg. subsp. vulgare (Hartm.) Greuter & Burdet 98
 224 * — glomeratum Thuill. 98
 1653 * — ramosissimum Boiss. 98
 225 * Chaetonychia cymosa (L.) Sweet 98
 226 * Corrigiola litoralis L. subsp. litoralis 94
 227 * — telephiifolia Pourr. 98
 228 * Cucubalus baccifer L. 94
 229 Dianthus barbatus L. subsp. barbatus 98
 230 * — lusitanicus Brot. 98
 231 * Hemaria ciliolata Melderis subsp. robusta Chaudhri 98
 232 * — glabra L. var. setulosa G. Beck 94
 233 * — hirsuta L. 94
 1654 * — scabrida Boiss. subsp. scabrida 98
 234 * Illecebrum verticillatum L. 94
 235 Lychnis coronaria (L.) Desr. 98
 236 * — flos-cuculi L. subsp. flos-cuculi 94
 237 * Minuartia hybrida (Vill.) Schischkin ssp. hybrida 94
 238 * — recurva (All.) Schinz & Thell. subsp. recurva 98
 240 * Mochringia pentandra Gay 94
 239 * Moenchia erecta (L.) P. Gaertn., B. Mey. & Scherb. 98

- 241 * *Myosoton aquaticum* (L.) Moench 97
 1655 * *Ortegia hispanica* L. 98
 242 * *Paronychia argentea* Lam. var. *argentea* 98
 243 * — *echinulata* Chater var. *echinulata* 98
 244 * — *polygonifolia* (Vill.) DC. var. *velucensis* Boiss. 98
 245 * *Petrorhagia nanteuillii* (Burnat) P. W. Ball & Heywood 94
 246 * *Polycarpon alsinifolium* (Biv.) DC. 98
 247 * — *tetraphyllum* (L.) L. subsp. *tetraphyllum* 98
 248 * *Sagina apetala* Ard. 98
 1656 * — *maritima* G. Don 96
 249 * — *procumbens* L. 98
 250 * — *saginoides* (L.) Karsten 97
 1657 * — *subulata* (Sw.) C. Presl 98
 251 * *Saponaria officinalis* L. 94
 253 * *Silene acutifolia* Link ex Rohrb. 98
 254 * — *ciliata* Pourr. 98
 255 * — *disticha* Willd. 94
 256 * — *foetida* Link subsp. *foetida* 98
 257 * — *fuscata* Link ex Brot. 94
 258 * — *gallica* L. 98
 259 * — *inaperta* L. subsp. *inaperta* 94
 260 * — *laeta* (Aiton) Godr. 94
 261 * — *latifolia* Poir. 98
 262 * — *littorea* Brot. subsp. *littorea* 98
 263 * — *longicilia* (Brot.) Outh 94
 1658 * — *marizzii* Samp. 98
 264 * — *micropetala* Lag. 94
 265 * — *niccaensis* All. 98
 266 * — *nocturna* L. 98
 267 * — *nutans* L. subsp. *nutans* 98
 268 * — *pendula* L. 98
 269 * — *portensis* L. subsp. *portensis* 98
 270 * — *rubella* L. subsp. *rubella* 94
 271 * — *scabriflora* Brot. subsp. *scabriflora* 98
 272 * — *vulgaris* (Moench) Garcke subsp. *vulgaris* 94
 273 * *Spergula arvensis* L. 98
 274 * — *morisonii* Boreau 94
 1659 * *Spergularia australis* (Samp.) Prain. 96
 275 * — *bocconnei* (Scheele) Graebn. 94
 276 * — *capillacea* (Kindb.) Willk. 94
 277 * — *marina* (L.) Besser 94
 278 * — *media* (L.) C. Presl 94
 279 * — *purpurea* (Pers.) G. Don 98
 280 * *Stellaria alsine* Grimm 98
 281 * — *holostea* L. 98
 282 * — *media* (L.) Vill. 98

CASUARINACEAE

- 283 *Casuarina equisetifolia* L. 98

CELASTRACEAE

- 284 *Euonymus japonicus* L. f. 94

CHENOPODIACEAE

- 1660 * *Arthrocnemum macrostachyum* (Moric.) Moris 96
 285 * *Atriplex patula* L. 94
 1661 * — *prostrata* Boucher ex DC. 96
 286 * *Beta maritima* L. 94
 287 * — *vulgaris* L. 97
 288 * *Chenopodium album* L. var. *album* 94
 289 * — *ambrosioides* L. 94
 1662 * — *botrys* L. 98
 290 * — *murale* L. 94
 291 * — *opulifolium* Schrad. ex Koch & Ziz 94
 292 * — *polyspermum* L. 94
 293 * — *vulvaria* L. 94
 1663 * *Halimone portulacoides* (L.) Aellen 96
 1664 * *Salicornia ramosissima* Woods 96
 1665 * *Salsola kali* L. 96
 1666 * *Sarcocornia perennis* (Mill.) A. J. Scott. subsp. *alpini* (Lag.) Castrov. 96
 1667 * — *perennis* (Mill.) A. J. Scott. subsp. *perennis* (Lag.) Castrov. 96
 1668 * *Suaeda albescens* Lázaro Ibiza 96
 1669 * — *splendens* (Pourr.) Gren. & Godr. 96

CISTACEAE

- 294 * *Cistus albidus* L. 97
 295 * — *crispus* L. 98
 296 — *incanus* L. 98
 297 — *ladanifer* L. subsp. *ladanifer* 98
 1670 * — *laurifolius* L. 98
 298 * — *monspeliensis* L. 98
 299 * — *populifolius* L. subsp. *populifolius* 98
 300 * — *psilosepalus* Sweet 94
 301 * — *salviifolius* L. 94
 302 * *Fumana ericifolia* Wallr. 94
 303 * — *thymifolia* (L.) Spach ex Webb 94
 304 * *Halimium calycinum* (L.) K. Koch 98
 305 * — *halimifolium* (L.) Willk. subsp. *multiflorum* (Salzm. ex Dunal) Maire 94
 1671 * — *lasianthum* (Lam.) Spach subsp. *alyssoides* (Lam.) Greuter 98
 306 * — *lasianthum* (Lam.) Spach subsp. *lasianthum* 94
 308 * — *umbellatum* (L.) Spach subsp. *umbellatum* 98
 1672 * — — subsp. *viscosum* (Willk.) O. Bolós & Wogo 98
 309 * *Helianthemum ledifolium* (L.) Mill. 94
 310 * — *nummularium* (L.) Mill. 94
 311 * *Xolantha guttata* (L.) Raf. 98
 312 * — *tuberaria* (L.) Gallego, Muñoz Gam. & C. Navarro 94

CNEORACEAE

- 313 *Cneorum tricoccum* L. 98

COMBRETACEAE

- 1673 *Terminalia australis* Camb. 97

COMPOSITAE

- 314 * *Achillea ageratum* L. 94
 1674 * — *milaefolium* L. 98
 315 * *Aetheorhiza bulbosa* (L.) Cass. 94
 392 *Ageratina adenophora* (Spreng.) R. King & H. Robinson 94
 395 — *vibumoides* (DC.) R. King & H. Robinson 98
 316 *Ageratum houstonianum* Miller 98
 317 * *Anacyclus radiatus* Loisel. 94
 318 * *Andryala arenaria* (DC.) Boiss. & Reut. 94
 319 * — *integrifolia* L. 94
 1675 * — *laxiflora* DC. 96
 320 * *Anthemis arvensis* L. 98
 1676 * — *canescens* Brot. 98
 321 * — *cotula* L. 94
 322 * *Arctium minus* (Hill) Bernh. 98
 323 * *Arctotheca calendula* (L.) Levyns 94
 324 * *Amoseris minima* (L.) Schweigg. & Körte 97
 1677 * *Artemisia campestris* L. 96
 325 *Aster rotundifolius* Thunb. 98
 326 * — *squamatus* (Spreng.) Hieron. 98
 327 * — *tripolium* L. subsp. *pannonicus* (Jacq.) Soó 94
 328 * *Atractylis cancellata* L. 94
 393 *Bartlettina sordida* (Less.) R. King & H. Robinson 98
 329 * *Bellis perennis* L. 98
 330 * — *sylvestris* (Cyrillo) var. *sylvestris* 98
 331 *Berkheya radula* (Harv.) Burt-Davy 98
 332 * *Bidens frondosa* L. 98
 333 * *Calendula arvensis* L. 98
 334 — *officinalis* L. 94
 335 * — *suffruticosa* Vahl subsp. *algarbiensis* (Boiss.) Nyman 94
 336 * — subsp. *lusitanica* (Boiss.) Ohle 94
 337 *Callistephus chinensis* (L.) Nees 98
 338 * *Carduncellus caeruleus* (L.) C. Presl subsp. *caeruleus* 94
 339 * *Carduus carpetanus* Boiss. & Reut. 98
 340 * — *lusitanicus* Rouy 94
 341 * — *platypus* Lange 97
 342 * — *tenuiflorus* Curtis 98
 343 * *Carlina corymbosa* L. 94
 344 * — *racemosa* L. 94
 345 * *Carthamus lanatus* L. subsp. *lanatus* 94
 346 * *Catananche caerulea* L. 94
 347 * *Centaurea africana* Lam. 98
 1678 * — *aristata* Hoffmanns. & Link subsp. *aristata* 98
 348 * — *calcitrapa* L. 94
 1679 * — *couthoi* Franco 96
 349 * — *limbata* Hoffmanns. & Link 94
 350 * — *melanosticta* (Lange) Franco 94
 351 * — *melitensis* L. 94
 1680 * — *ornata* Willd. subsp. *ornata* 98
 352 * — *pullata* L. subsp. *pullata* 94
 353 * — *rivularis* (Brot.) Cout. 98
 354 * — *sempervirens* L. 94
 355 * — *sphaerocephala* L. subsp. *lusitanica* (Boiss. & Reut.) Nyman 94
 356 * — subsp. *sphaerocephala* 98

- 357 * — uliginosa Brot. 94
 1681 * Chamaeleon gummifer (L.) Cass. 97
 358 * Chamaemelum fuscatum (Brot.) Vasc. 98
 359 * — mixtum (L.) All. 94
 360 * — nobile (L.) All. 98
 361 * Chondrilla juncea L. 98
 362 * Chrysanthemum coronarium L. 94
 363 — nivellei Braun-Blanq. & Maire 94
 364 * — segetum L. 94
 365 * Cichorium intybus L. 98
 366 Cineraria hybrida Hort. 98
 367 * Cirsium filipendulum Lange 94
 368 * — palustre (L.) Scop. 98
 369 * — vulgare (Savi) Ten. 94
 370 * — welwitschii Coss. 98
 1682 * Cnicus benedictus L. 96
 371 — scabrum (Poir.) Bonnet & Barratte 94
 372 * Coleostephus myconis (L.) Rchb. f. 98
 373 * Conyza albida Willd. ex Spreng. 98
 374 * — bonariensis (L.) Cronq. 98
 375 * — canadensis (L.) Cronq. 98
 376 Coreopsis grandiflora Hogg. 94
 377 * Cotula australis (Sieber ex Spreng.) Hook. f. 98
 378 — coronopifolia L. 94
 379 * Crepis capillaris (L.) Wallr. 94
 380 * — foetida L. 94
 381 * — lampsanoides (Gouan) Tausch 97
 382 — rubra L. 94
 383 * — vesicaria L. subsp. haenseleri (Boiss. ex DC.) P. D. Sell 94
 384 * Crupina vulgaris Pers. ex Cass. 98
 1782 Cynara scolymus L. 98
 385 * — humilis L. 97
 386 * Dittrichia graveolens (L.) Greuter 94
 387 * — viscosa (L.) Greuter subsp. viscosa 98
 388 * Echinops strigosus L. 94
 389 * Eclipta prostrata (L.) L. 94
 390 * Erigeron acer L. 94
 391 * — karvinskianus DC. 94
 394 * Eupatorium cannabinum L. subsp. cannabinum 94
 396 * Evax pygmaea (L.) Brot. subsp. pygmaea 94
 397 * Filaginella uliginosa (L.) Opiz subsp. uliginosa 94
 398 * Filago pyramidata L. 94
 399 Gaillardia pulchella Foug. 94
 400 * Galactites tomentosa Moench 98
 401 Galinsoga ciliata (Raf.) S. F. Blake 94
 402 * — parviflora Cav. 94
 403 * Gamochaeta purpurea (L.) Cabrera 98
 404 * Gnaphalium luteo-album L. 94
 405 Grindelia camporum Greene 94
 406 — robusta Nutt. 94
 407 — squarrosa (Pursh) Dunal 94
 408 * Gymnostyles stolonifera (Brot.) Tutin 98
 409 * Hedypnois cretica (L.) Dum.-Cours. 98
 410 Helenium autumnale L. 94
 411 — mexicanum Kunth 94

- 412 — puberulum DC. 94
 1783 Helichrysum bracteatum (Vent.) Andrews 98
 1683 — petiolare Hilliard & Burt. 96
 413 * — picardii Boiss. & Reut. 94
 1684 * — stoechas (L.) Moench 96
 414 Heliopsis helianthoides (L.) Sweet subsp. scabra (Dunal) Fisch. 94
 1685 * Hieracium castellanum Boiss. et Reuter 98
 415 * — dumosum Jord. 94
 416 — pilosella L. 98
 417 * — schmidtii Tausch 98
 418 * Hispidella hispanica Lam. 94
 419 * Hypochaeris glabra L. 94
 420 — radicata L. 98
 421 * Inula conyza DC. 98
 422 * — crithmoides L. 94
 1784 * Jurinea humilis (Desf.) DC. 98
 423 * Klasea baetica L. subsp. lusitanica (Canto) Canto & Rivas Mart. 94
 424 * Lactuca saligna L. 98
 425 * — serriola L. 98
 426 * — viminea (L.) F. W. Schmidt 98
 427 * — virosa L. 94
 428 * Lapsana communis L. 98
 429 Lasiospermum radiatum Trevir. 94
 430 * Leontodon hispidus L. 98
 431 * — longirostris (Finch & P. D. Sell) Talavera 94
 432 * — pyrenaicus Gouan ssp. cantabricus (Widder) Finch & P.D. Sell 94
 433 * — taraxacoides (Vill.) Méral 98
 434 * — tuberosus L. 94
 435 * Lepidophorum repandum (L.) DC. 94
 1770 * Leucanthemopsis flaveola (Hoffmanns. & Link) Heywood 97
 436 * Leucanthemum sylvaticum (Hoffmanns. & Link) Nyman 94
 438 * Logfia gallica (L.) Coss. & Germ. 97
 439 * — minima (Sm.) Dumort. 97
 440 * Mantisalca salmantica (L.) Briq. & Cavill. 94
 441 * Matricaria maritima L. ssp. maritima 94
 1686 * Onopordum acanthium L. 98
 442 * Otanthus maritimus (L.) Hoffmanns. & Link 94
 443 * Pallenis spinosa (L.) Cass. 94
 444 Phagnalon calycinum (Cav.) DC. subsp. spathularum (Lindb.) Maire 94
 445 * — rupestre (L.) DC. 94
 446 * — saxatile (L.) Cass. 98
 447 * Phalacrocarpum oppositifolium (Brot.) Willk. 98
 448 * Picris comosa (Boiss.) B.D.Jacks. subsp. lusitanica (Wellw. ex Schlecht.) Talavera 94
 449 * — echinoides L. 98
 450 * — hieracioides L. 94
 451 Polymnia uvedalia L. 98
 452 * Pulicaria dysenterica (L.) Bernh. 98
 1687 * — odora (L.) Reichenb. 96
 453 * — paludosa Link 94
 454 * Reichardia gaditana (Willk.) Samp. 98
 455 * — intermedia (Sch. Bip.) Samp. 98
 456 * — picroides (L.) Roth 94
 457 * Rhagadiolus edulis Gaertn. 94
 458 * — stellatus (L.) Gaertn. 94
 459 Scolymus grandiflorus Desf. 98

- 460 * — hispanicus L. 94
 461 * — maculatus L. 98
 462 * *Scorzonera humilis* L. 94
 463 * — *laciniata* L. 94
 464 *Senecio bicolor* (Willd.) Tod. subsp. *cineraria* (DC.) Chater 94
 465 * — *doronicum* (L.) L. 94
 466 * — *gallicus* Chaix 94
 467 * — *gallicus* Chaix ssp. *difficilis* DC. 98
 468 * — *jacobaea* L. 98
 469 * — *lividus* L. 94
 470 — *longifolius* L. 94
 471 * — *mikanioides* Otto ex Walp. 98
 472 * — *pyrenaicus* L. 98
 473 * — *sylvaticus* L. 98
 474 * — *vulgaris* L. 94
 476 *Silphium perfoliatum* L. 98
 477 * *Silybum marianum* (L.) Gaertn. 98
 478 * *Solidago virgaurea* L. 98
 479 * *Soliva pterosperma* (Juss.) Less. 98
 480 * *Sonchus asper* (L.) Hill subsp. *glaucescens* (Jord.) Ball 98
 482 * — *oleraceus* L. 98
 483 * *Stachelina dubia* L. 98
 484 *Stevia lanceolata* Lag. 98
 1785 *Tagetes erecta* L. 98
 486 — *lucida* Cav. 98
 489 * *Tanacetum parthenium* (L.) Sch. Bip. 97
 490 * — *vulgare* L. 94
 491 * *Taraxacum officinale* Weber 98
 492 * *Tolpis barbata* (L.) Gaertn. 94
 493 * — *umbellata* Bertol. 94
 494 * *Tragopogon hybridus* L. 98
 495 *Urospermum dalechampii* (L.) Scop. ex F. W. Schmidt 94
 496 * — *picroides* (L.) Scop. ex F. W. Schmidt 98
 1688 * *Xanthium albidum* (Widder) H. Scholz 97
 497 *Xeranthemum cylindraceum* Sibth. & Sm. 94
 1786 *Zinnia elegans* Jacq. 98
 1787 — *peruviana* (L.) L. 98

CONVOLVULACEAE

- 498 * *Calystegia sepium* (L.) R. Br. 98
 499 * — *soldanella* (L.) R. Br. 94
 501 * *Convolvulus arvensis* L. 94
 502 * *Cuscuta australis* R. Br. subsp. *tinei* (Inzenga) Feinbrun 98
 503 * — *epithymum* (L.) L. subsp. *kotschy* (Desmoul.) Arcang. 97
 504 *Ipomaea lobata* (Cerv.) Thell. 98

CORIARIACEAE

- 505 *Coriaria nepalensis* Wall. 98

CORNACEAE

- 506 *Aucuba japonica* Thunb. 94
 507 *Cornus capitata* Wall. 98

- 508 — mas L. 98
 509 * — sanguinea L. subsp. sanguinea 94

CORYNOCARPACEAE

- 1831 Corynocarpus laevigatus Forst. 98

CRASSULACEAE

- 510 Aichryson laxum (Haw.) Bramwell 94
 511 Crassula tetragona L. 94
 512 * — tillaea Lest.-Garl. 98
 1690 Hylotelephium telephium (L.) H. Ohba 96
 513 Kalanchoe blossfeldiana Poellnitz 98
 514 — velutina Britten subsp. velutina 98
 516 * Sedum acre L. 94
 517 * — album L. 98
 1691 * — amplexicaule DC. 98
 1789 * — anglicum Huds. subsp. pyrenaicum (Lange) Laínz 98
 518 * — arenarium Brot. 98
 519 * — brevifolium DC. 94
 520 * — hirsutum All. 98
 515 * — mucizonia (Ortega) Raym.-Hamet 94
 1689 * — pedicellatum Boiss. & Reut. subsp. lusitanicum (Willk. ex Mariz) M.Laínz 97
 521 * — rubens L. 94
 522 * — sedifforme (Jacq.) Pau 94
 523 * Umbilicus rupestris (Salisb.) Dandy 98

CRUCIFERAE

- 1692 * Alyssum serpyllifolium Desf. 97
 524 * Arabidopsis thaliana (L.) Heynh. 98
 525 * Arabis planisiliqua (Pers.) Reichenb. 94
 526 * — stenocarpa Boiss. & Reut. 94
 527 * Barbarea verna (Mill.) Asch. 94
 528 * — vulgaris R. Br. 94
 1693 * Biscutella auriculata L. 96
 529 * — valentina Heywood subsp. valentina var. valentina 94
 530 * Brassica barrelieri (L.) Janka 98
 531 * — oxyrrhina Coss. 98
 1694 * Bunias erucago L. 97
 532 * Cakile maritima Scop. subsp. integrifolia (Hornem.) Greuter & Burdet 94
 533 * Capsella bursa-pastoris (L.) Medik. 98
 534 * Cardamine hirsuta L. 98
 535 * Coincya monensis (L.) Greuter & Burdet subsp. cheiranthos (Vill.) Aedo, Leadley & Muñoz Garm. var. cheiranthos 94
 536 * — — subsp. — var. recurvata (All.) Leadley 94
 537 * Coronopus didymus (L.) Sm. 94
 538 * — squamatus (Forssk.) Asch. 94
 539 * Diplotaxis catholica (L.) DC. 98
 1696 * Erysimum lagascae Rivas Goday & Bellot 98
 1697 * — linifolium (Pourr. ex Pers.) J. Gay 98
 1695 * — merxmulleri Polatschek 97
 542 * Hirschfeldia incana (L.) Lagr.-Foss. subsp. incana 98
 543 Iberis amara L. 98

- 545 * — *procumbens* Lange subsp. *microcarpa* Franco & P. Silva 94
 546 * *Isatis tinctoria* L. subsp. *tinctoria* 94
 547 * *Lepidium heterophyllum* Benth. 98
 548 * — *latifolium* L. 94
 549 * — *virginicum* L. 98
 1790 *Lobularia maritima* (L.) Desv. 98
 1791 *Lunaria annua* L. 98
 551 * *Malcolmia ramosissima* (Desf.) Thell. 94
 552 * *Mathiola sinuata* (L.) R. Br. 94
 1698 * *Moricandia arvensis* (L.) DC. 97
 553 * *Murbeckiella boryi* (Boiss.) Rothm. 98
 554 * — *sousae* Rothm. 98
 555 * *Raphanus raphanistrum* L. subsp. *raphanistrum* 94
 557 * *Rapistrum rugosum* (L.) All. subsp. *linnaeanum* Rouy & Fouc. 94
 558 * — subsp. *rugosum* 94
 559 * *Rorippa amphibia* (L.) Besser 94
 1699 * — *nasturtium-aquaticum* (L.) Hayek 96
 1700 * — *sylvestris* subsp. *sylvestris* (L.) Besser 96
 560 * *Sinapis alba* L. subsp. *alba* 94
 561 * — *arvensis* L. 98
 562 * *Sisymbrella aspera* (L.) Spach subsp. *aspera* 94
 1701 * *Sisymbrium altissima* L. 96
 563 * — *officinale* (L.) Scop. 94
 564 * *Teesdalia coronopifolia* (J. P. Bergeret) Thell. 98
 565 * — *nudicaulis* (L.) R. Br. 98
 566 * *Tesdaliopsis conferta* (Lag.) Rothm. 98
 567 * *Thlaspi perfoliatum* L. 94

CUCURBITACEAE

- 568 * *Bryonia dioica* Jacq. 94
 569 * *Ecballium elaterium* (L.) A. Rich. subsp. *elaterium* 98

DIPSACACEAE

- 570 * *Dipsacus comosus* Hoffmanns. & Link 94
 571 * — *fullonum* L. 94
 1702 * *Knautia nevadensis* (Winkler ex Szabo) Szabó 96
 572 * *Pterocephalus diandrus* (Lag.) Lag. 94
 573 * — *intermedius* (Lag.) Cout. 94
 574 * *Scabiosa atropurpurea* L. 94
 575 * — *cretica* L. 98
 576 * — *gramuntica* L. var. *calcolica* R. Fern. 94
 577 * *Succisa pratensis* Moench 94
 578 * *Succisella inflexa* (Kluk) G. Beck 94

DROSERACEAE

- 579 * *Drosera intermedia* Hayne 98
 580 * — *rotundifolia* L. 98
 581 * *Drosophyllum lusitanicum* (L.) Link 98

EBENACEAE

- 582 *Diospyros lotus* L. 98

ELAEAGNACEAE

- 583 *Elaeagnus multiflora* Thunb. 98

EMPETRACEAE

- 584 * *Corema album* (L.) D. Don 94

ERICACEAE

- 585 * *Arbutus unedo* L. 94
 586 * *Erica arborea* L. 94
 587 * — *australis* L. 94
 588 * — *ciliaris* Loeffl. ex L. 98
 589 * — *cinerea* L. 94
 1703 * — *erigena* R. Ross. 97
 590 * — *lusitanica* Rudolphi 94
 591 * — *tetralix* L. 98
 592 * — *umbellata* Loeffl. ex L. 98
 593 *Rhododendron micranthum* Turcz. 98
 594 — *ponticum* L. 98

EUPHORBIACEAE

- 1704 *Acalypha rhomboidea* Ray 98
 604 * *Chamaesyce maculata* (L.) Small 98
 605 * — *nutans* (Lag.) Small 98
 607 * — *peplis* (L.) Prokh. 94
 609 * — *prostrata* (Aiton) Small 98
 597 * *Euphorbia amygdaloides* L. subsp. *amygdaloides* 94
 1705 * — *baetica* Boiss. 96
 598 — *ceratocarpa* Ten. 98
 599 * — *characias* L. subsp. *characias* 94
 600 * — *dulcis* L. 94
 601 * — *exigua* L. 98
 1793 * — *helioscopia* L. 98
 1794 — *lathyris* L. 98
 606 * — *paralias* L. 98
 608 * — *peplus* L. var. *peplus* 98
 610 * — *pterococca* Brot. 98
 612 * — *uliginosa* Welw. ex Boiss. 98
 613 *Manihot palmata* Müll. Arg. 98
 614 * *Mercurialis ambigua* L. fil. 98
 1795 * *Ricinus communis* L. 98

FAGACEAE

- 615 *Fagus sylvatica* L. 94
 616 ** *Quercus coccifera* L. 98
 617 ** — *faginea* Lam. subsp. *broteroi* (Cout.) A. Camus 98
 619 ** — *lusitanica* Lam. 98
 620 ** — *robur* L. 97
 621 ** — *suber* L. 98

FRANKENIACEAE

- 622 * *Frankenia laevis* L. 94

GENTIANACEAE

- 623 * *Blackstonia perfoliata* (L.) Huds. subsp. *imperfoliata* (L. f.) Franco & Rocha Afonso 94
 624 * — — subsp. *perfoliata* 98
 626 * *Centaurium maritimum* (L.) Fritsch 97
 627 * — *tenuiflorum* (Hoffmanns. & Link) Fritsch subsp. *tenuiflorum* 98
 1796 * *Gentiana lutea* L. 98

GERANIACEAE

- 631 * *Erodium botrys* (Cav.) Bertol. 98
 632 * — *cicutarium* (L.) L'Hér. subsp. *cicutarium* 98
 633 * — *malacoides* (L.) L'Hér. 98
 634 * — *moschatum* (L.) L'Hér. 98
 636 * *Geranium columbinum* L. 98
 637 * — *dissectum* L. 98
 638 * — *lucidum* L. 98
 639 * — *molle* L. 94
 640 * — *purpureum* Vill. 98
 641 * — *pyrenaicum* Burm. f. 94
 642 * — *robertianum* L. 98
 643 * — *rotundifolium* L. 94
 644 *Pelargonium zonale* (L.) L'Hér. 94

GESNERIACEAE

- 647 *Streptocarpus rexii* (Hook.) Lindl. 94

GROSSULARIACEAE

- 595 *Escallonia montevidensis* (Cham. & Schlecht.) DC. 94

GUNNERACEAE

- 648 *Gunnera chilensis* Lam. 98

GUTTIFERAE

- 649 * *Hypericum androsaemum* L. 98
 650 * — *canariense* L. 98
 651 * — *elodes* L. 94
 652 * — *humifusum* L. 94
 653 * — *linariifolium* Vahl 94
 654 * — *perforatum* L. 94
 655 * — *pulchrum* L. 94
 656 * — *tomentosum* L. 94
 657 * — *undulatum* Willd. 97

HALORAGACEAE

- 658 *Haloragis erecta* Eichler. 94

HAMAMELIDACEAE

- 659 Liquidambar styraciflua L. 98

HIPPOCASTANACEAE

- 661 Aesculus hippocastanum L. 98

HYDRANGEACEAE

- 662 Deutzia scabra Thunb. 98
663 Philadelphus coronarius L. 98
664 — incanus Kochne 98

LABIATAE

- 1706 * Acinos alpinos (L.) Moench subsp. meridionalis (Nyman) P.W. Ball 98
666 * Ajuga chamaepitys (L.) Schreb. 98
667 — genevensis L. 98
668 * — iva (L.) Schreb. var. pseudo-iva (Robill & Cast. ex DC.) Robill & Cast. ex Benth. 94
669 * — pyramidalis L. subsp. meonanthe (Hoffmanns. & Link) R. Fern. 98
670 — reptans L. 98
671 Ballota acetabulosa (L.) Benth. 98
672 * — nigra L. subsp. foetida Hayek 98
673 * Calamintha sylvatica Bromf. subsp. ascendens (Jord.) P. W. Ball 97
674 * Cleonia lusitanica (L.) L. 98
675 * Clinopodium vulgare L. subsp. arundanum (Boiss.) Nyman 98
676 Coleus hybridus Hort. ex Cobeau 98
677 * Lamium amplexicaule L. 94
678 * — maculatum L. 98
679 * — purpureum L. 94
680 * Lavandula latifolia Medik. 98
681 * — stoechas L. subsp. luisieri (Rozeira) Rozeira 94
682 * — — subsp. sampaiana Rozeira 94
683 Lepechinia floribunda (Benth.) Epling. 94
684 * Lycopus europaeus L. 98
685 * Marrubium vulgare L. 98
686 * Melissa officinalis L. subsp. altissima (Sibth. & Sm.) Arcang. 98
687 * Mentha aquatica L. var. broteriana Cout. 94
688 * — pulegium L. 94
689 * — suaveolens Ehrh. 98
690 * Micromeria graeca (L.) Rchb. subsp. graeca 94
691 * — juliana (L.) Rchb. 98
1797 Nepeta cataria (L.) Britt. 98
692 * — tuberosa L. 94
693 * Origanum virens Hoffmanns. & Link 98
1798 Perilla frutescens (L.) Britton var. crispa (Thunb.) Decne 98
694 Phlomis alpina Pall. 94
695 * — lychnitis L. 98
697 * Prunella grandiflora (L.) Scholler ssp. pyrenaica (Gren. & Godron) A. & O. Bolós 96
698 * — x intermedia Link 94
699 * — vulgaris L. 98
700 * Rosmarinus officinalis L. 98
1799 Salvia officinalis L. 98
702 * — sclareoides Brot. 98

- 703 — splendens Sellow ex Roemer & Schult. 98
 704 * — verbenaca L. 98
 705 * — viridis L. 94
 1800 Satureja montana L. 98
 706 * Scutellaria galericulata L. 94
 707 * Sideritis hirsuta L. 94
 709 * Stachys arvensis (L.) L. 98
 710 * — germanica L. subsp. cordigera Briq. 94
 711 * — ocymastrum (L.) Briq. 98
 712 * — officinalis (L.) Trev. 94
 713 * — palustris L. 94
 1709 * — sylvatica L. 96
 714 Teucrium flavum L. 98
 715 * — polium L. 98
 716 * — salviastrum Schreb. 98
 717 * — scordium L. subsp. scordioides (Schreb.) Maire & Petitm. 94
 718 * — scorodonia L. subsp. scorodonia 94
 719 * Thymbra capitata (L.) Cav. 98
 721 * Thymus mastichina L. 98
 723 * — zygis Loeffl. ex L. subsp. sylvestris (Hoffmanns. & Link) Brot. ex Cout. 98

LAURACEAE

- 724 ** Apollonias barbuiana (Cav.) Bomm. 98
 725 ** Cinnamomum camphora (L.) Nees & Eberm. 98
 726 ** Laurus nobilis L. 98
 727 ** Persea indica (L.) Spreng. 98

LEGUMINOSAE

- 728 * Acacia dealbata Link 98
 729 — decurrens Willd. 94
 730 — farnesiana (L.) Willd. 98
 731 — horrida (L.) Willd. 94
 732 — longifolia (Andrews) Willd. 94
 733 — melanoxylon R. Br. 98
 734 — meamsii De Wild. 94
 735 — retinodes Schldt. 98
 736 — saligna (Labill.) Wendl. 98
 737 — verticillata (L'Hér.) Willd. 94
 738 * Adenocarpus complicatus (L.) Gay subsp. complicatus 94
 740 Albizzia distachya (Vent.) J. F. Macbr. 94
 741 — julibrissin Durazz. 94
 742 Amicia zigomeris DC. 94
 743 Amorpha fruticosa L. 98
 744 Anagyris foetida L. 94
 745 Anthyllis barba-jovis L. 94
 746 * — gerardi L. 98
 747 * — lotoides L. 94
 748 — tetraphylla L. 94
 749 * — vulneraria subsp. lusitanica (Cullen & P. Silva) Franco 94
 750 * — — subsp. maura (Beck) Maire 98
 752 Astragalus baeticus L. 94
 1710 * — cymbicarpus Brot. 97
 753 * — epiglottis L. subsp. asperulus (Dufour) Nyman 94

- 754 — falcatus Lam. 94
 755 * — granatensis Lange. 94
 756 * — hamosus L. 94
 757 * — lusitanicus Lam. subsp. lusitanicus 98
 758 * Biserrula pelecinus L. 98
 1711 Camptosema robicundum Hook. & Arnott 98
 759 Caragana microphylla Lam. 97
 760 Cassia floribunda Cav. 98
 761 Ceratonia siliqua L. 94
 762 Cercis siliquastrum L. 98
 1712 Colutea arborescens L. 98
 763 Coronilla cretica L. 94
 764 * — repanda (Poir.) Guss. 98
 765 * — scorpioides (L.) Koch 94
 766 * — valentina L. subsp. glauca (L.) Batt. 94
 767 Crotalaria incana L. 94
 768 * Cytisus grandiflorus (Brot.) DC. 97
 769 * — multiflorus (L'Hérit. ex Ait.) Sweet. 94
 770 * — purgans (L.) Boiss. 98
 1713 * — scoparius (L.) Link 96
 771 * — striatus (Hill) Rothm. 98
 772 Desmodium canadense DC. 97
 773 — spicatum Rehder 97
 774 — tiliifolium (D. Don) G. Don 98
 775 Dolichos jacquini DC. 94
 776 * Dorycnium rectum (L.) Ser. 98
 777 * Echinospartum lusitanicum (L.) Rothm. 97
 778 Erythrina crista-galli L. 98
 1714 — senegalensis DC. 97
 779 Galega officinalis L. 94
 781 * Genista berberidea Lange 98
 782 * — cinerea (Vill.) DC. subsp. cinerea 97
 783 * — falcata Brot. 98
 784 * — florida L. 98
 785 * — triacanthus Brot. 94
 786 * — tridentata L. 98
 787 Gleditsia aquatica Marsh. 94
 788 — triacanthos L. 94
 789 Hedysarum coronarium L. 94
 790 * Hippocrepis multisiliquosa L. 94
 793 * Lathyrus angulatus L. 94
 794 * — annuus L. 94
 795 * — aphaca L. 94
 796 * — clymenum L. 94
 797 * — hirsutus L. 98
 798 — odoratus L. 98
 1715 * — sphaericus Retz. 98
 799 * — sylvestris L. 98
 800 * — tingitanus L. 94
 801 Leucaena leucocephala (Lam.) de Wit 98
 803 * Lotus creticus L. 94
 804 * — glareosus Boiss. & Reut. 94
 805 * — parviflorus Desf. 94
 806 * — subbiflorus Lag. subsp. castellanus (Boiss. & Reut.) P. W. Ball 94
 807 * — — subsp. subbiflorus 94

- 808 * — *uliginosus* Schkuhr 94
 809 * *Lupinus angustifolius* L. 98
 1716 * — *hispanicus* Boiss. & Reut. 96
 1717 * — *luteus* L. 98
 810 *Medicago arabica* (L.) Huds. 94
 811 — *arborea* L. 98
 812 * — *doliata* Carmign. var. *muricata* (Benth.) Heyn 94
 813 * — *littoralis* Rohde ex Loisel. var. *littoralis* 94
 814 * — *lupulina* L. var. *lupulina* 98
 815 * — *marina* L. 98
 816 * — *minima* (L.) Bartal. var. *recta* (Desf.) Burnat 94
 817 * — *orbicularis* (L.) Bartal. var. *orbicularis* 94
 818 * — *polymorpha* L. subsp. *polymorpha* 94
 820 * *Melilotus indica* (L.) All. 98
 821 * — *italica* (L.) Lam. 94
 822 * — *messanensis* (L.) All. 94
 1718 * — *neapolitana* Ten. 96
 823 * — *segetalis* (Brot.) Ser. 94
 824 *Mimosa acanthocarpa* (Willd.) Benth. 98
 1801 — *polycarpa* Kunth 98
 825 — *pudica* L. 98
 826 *Nissolia fruticosa* Jacq. 98
 827 *Onobrychis viciifolia* Scop. 94
 1802 * *Ononis mitissima* L. 98
 828 * — *natrix* L. subsp. *ramosissima* (Desf.) Batt. 94
 1803 * — *pubescens* L. 98
 829 * — *pusilla* L. 94
 830 * — *reclinata* L. 98
 831 * — *viscosa* L. subsp. *breviflora* (DC.) Nyman var. *breviflora* 94
 832 * *Ornithopus compressus* L. 94
 833 * — *perpusillus* L. 94
 834 * — *pinnatus* (Mill.) Druce 94
 835 *Parkinsonia aculeata* L. 98
 836 * *Psoralea bituminosa* L. 98
 837 *Pueraria lobata* (Willd.) Ohwi 94
 838 *Retama monosperma* (L.) Boiss. 94
 839 — *sphaerocarpa* (L.) Boiss. 94
 840 *Rhynchosia caribaea* (Jacq.) DC. 94
 841 — *phaseloides* DC. 98
 842 *Robinia pseudacacia* L. 94
 844 *Schotia latifolia* Jacq. 98
 845 * *Scorpiurus muricatus* L. 98
 846 * — *vermiculatus* L. 98
 847 *Securigera securidaca* (L.) Degen & Dorfl. 94
 848 *Sophora viciifolia* Hance 98
 849 * *Spartium junceum* L. 98
 850 * *Stauracanthus genistoides* (Brot.) Samp. subsp. *genistoides* 98
 851 *Teline monspessulana* (L.) Koch 94
 852 *Tipuana tipu* (Benth.) Kuntze 94
 853 * *Trifolium angustifolium* L. 98
 854 * — *arvense* L. 98
 855 * — *bocconeii* Savi 94
 856 * — *campestre* Schreb. 98
 857 * — *cernuum* Brot. 94
 1719 * — *cherleri* L. 96

- 858 * — dubium Sibth. 94
 1804 * — fragiferum L. subsp. fragiferum 98
 859 * — glomeratum L. 98
 860 * — incarnatum L. subsp. incarnatum 94
 861 * — isthmocarpum Brot. subsp. isthmocarpum 94
 862 * — lappaceum L. 98
 1805 * — ligusticum Balb. ex Loisel 98
 863 * — nigrescens Viv. subsp. nigrescens 94
 1720 * — ochroleucon Huds. 98
 864 * — physodes M. Bieb. 94
 865 * — pratense L. 98
 1721 * — repens L. subsp. repens L. 96
 866 * — resupinatum L. 94
 867 * — scabrum L. 98
 868 * — squamosum L. 94
 869 * — stellatum L. 94
 870 * — striatum L. var. brevidens Lange 94
 1722 * — — L. subsp. spinescens Lange 96
 1723 * — strictum Wk. 96
 871 * — subterraneum L. 94
 872 * — suffocatum L. 94
 873 * — tomentosum L. 98
 1724 * Trigonella polyceratia L. 96
 874 * Ulex europaeus L. 98
 875 * — minor Roth 98
 876 * — parviflorus Pourr. subsp. parviflorus 98
 877 * Vicia bithynica (L.) L. 94
 878 * — cracca L. subsp. tenuifolia (Roth) Gaudin 94
 879 * — disperma DC. 98
 880 * — fava L. 94
 881 * — hirsuta (L.) A. Gray 98
 882 * — laxiflora Brot. 98
 883 * — lutea L. subsp. lutea 94
 884 * — pubescens (DC.) Link 94
 885 * — sativa L. subsp. nigra (L.) Ehrh. 98
 886 * — — subsp. sativa 94
 887 Wisteria sinensis (Sims) Sweet 94

LENTIBULARIACEAE

- 1806 * Pinguicula lusitanica L. 98

LINACEAE

- 889 * Linum bienne Mill. 94
 890 * — setaceum Brot. 94
 891 * — strictum L. 94
 892 * — trigynum L. 94
 893 * Radiola linoides Roth 98

LOGANIACEAE

- 894 Chilanthus oleraceus Burch. 98

LYTHRACEAE

- 895 * *Ammannia coccinea* Rottb. 94
 897 *Heimia myrtifolia* Cham. & Schltr. 98
 1807 — *salicifolia* (HBK) Link 98
 898 *Lagerstroemia indica* L. 98
 899 * *Lythrum junceum* Banks & Sol. 94
 900 * — *portula* (L.) D. A. Webb 94
 901 * — *salicaria* L. 98

MAGNOLIACEAE

- 902 ** *Magnolia grandiflora* L. 98
 903 ** — *soulangeana* Soul.-Bod var. *lennei* Rehder 98

MALVACEAE

- 1725 *Abelmoschus esculentus* (L.) Moench 96
 904 *Abutilon grandifolium* (Willd.) Sweet 98
 906 — *theophrasti* Medik. 98
 1771 *Alcea rosea* L. 98
 907 * *Althaea officinalis* L. 94
 909 *Hibiscus syriacus* L. 98
 1726 — *trionum* L. 97
 910 *Lagunaria patersonii* G. Don 94
 911 * *Lavatera arborea* L. 94
 912 * — *cretica* L. 94
 913 * — *olbia* L. 94
 914 * — *trimestris* L. 94
 915 * *Malva hispanica* L. 94
 1727 * — *parviflora* L. 95
 916 * — *sylvestris* L. 94
 917 * — *toumefortiana* L. 94
 919 *Pavonia hastata* Cav. 98
 920 — *spinifex* (L.) Cav. 94
 1808 — *urens* Cav. 98
 921 * *Sida rhombifolia* L. 98

MELASTOMATACEAE

- 922 *Clidemia hirta* (L.) D. Don 94

MELIACEAE

- 923 *Melia azedarach* L. 98

MENISPERMACEAE

- 924 *Cocculus carolinus* (L.) DC. 98
 925 — *laurifolius* DC. 98

MORACEAE

- 926 *Dorstenia contrajerva* L. 98
 927 *Maclura pomifera* (Raf.) C. K. Schneid. 94

- 928 *Morus nigra* L. 98

MYOPORACEAE

- 929 *Myoporum tenuifolium* G. Forst. 98

MYRICACEAE

- 930 *Myrica caroliniensis* Mill. 98
 931 * — *faya* Aiton 98
 932 * — *gale* L. 98

MYRSINACEAE

- 933 *Ardisia crenata* Sims 98
 934 — *humilis* Vahl 97

MYRTACEAE

- 935 *Callistemon phoeniceus* Lindl. 94
 936 — *rigidus* R. Br. 94
 937 *Eucalyptus citriodora* Hook. 98
 938 — *cornuta* Labill. 98
 1809 — *globulus* Labill. 98
 939 — *maculata* Hook. 94
 940 — *obliqua* L'Hér. 98
 1729 — *punctata* DC. 95
 941 — *viminalis* Labill. subsp. *viminalis* 97
 942 *Eugenia uniflora* DC. 98
 943 *Feijoa sellowiana* O. Berg. 98
 944 *Kunzea pedunculata* F. Muell. 98
 945 *Melaleuca genistifolia* Sm. 98
 946 — *huegellii* Endl. 98
 947 * *Myrtus communis* L. 98
 948 *Psidium guajava* L. 98
 949 — *littorale* Raddi var. *littorale* 98
 950 *Tristania conferta* R. Br. 98

NYCTAGINACEAE

- 951 *Mirabilis jalapa* L. 98

NYMPHAEACEAE

- 1730 *Victoria amazonica* (Poepig) Sowerby 98

OCHNACEAE

- 952 *Ochna multiflora* DC. 98

OLEACEAE

- 953 *Fraxinus americana* L. 94
 954 * — *angustifolia* Vahl subsp. *angustifolia* 94
 955 — *ornus* L. 94
 956 — *pennsylvanica* Marsh. 94

- 957 * *Jasminum fruticans* L. 94
 958 *Ligustrum lucidum* Aiton 94
 959 * — *vulgare* L. 94
 960 *Olea chrysophylla* Lam. 94
 961 * *Phillyrea angustifolia* L. 94
 962 * — *latifolia* L. 94
 963 *Syringa vulgaris* L. 94

ONAGRACEAE

- 964 * *Circaea lutetiana* L. subsp. *lutetiana* 98
 965 * *Epilobium hirsutum* L. 98
 966 * — *lanceolatum* Sebast. & Mauri 98
 967 * — *parviflorum* Schreb. 94
 968 * — *tetragonum* L. subsp. *tetragonum* 94
 1810 *Fuchsia coccinea* Dryand. 98
 969 * *Ludwigia palustris* (L.) Elliot. 97
 970 * *Oenothera glazioviana* Micheli 98
 971 * — *rosea* L.Hér. ex Aiton 98
 972 * — *stricta* Ledeb. ex Link subsp. *stricta* 94

OROBANCHACEAE

- 973 * *Orobanche gracilis* Sm. 94
 974 * — *hederae* Duby 98
 976 * — *sanguinea* C. Presl 98

OXALIDACEAE

- 977 *Oxalis articulata* Savigny 98
 978 * — *corniculata* L. 98
 979 * — *corymbosa* DC. 98
 980 * — *pes-caprae* L. 98

PAPAVERACEAE

- 1812 *Argemone mexicana* L. 98
 982 * *Ceratocarpus claviculata* (L.) Lidén 98
 983 * *Chelidonium majus* L. 94
 984 *Eschscholzia californica* Cham. 94
 985 * *Fumaria bastardii* Boreau 94
 986 * — *capreolata* L. 98
 987 * — *muralis* Sonder ex Koch 94
 988 * — *parviflora* Lam. 98
 989 * *Glaucium flavum* Crantz 94
 1731 * *Papaver argemone* L. 98
 990 * — *dubium* L. 98
 991 * — *hybridum* L. 98
 992 * — *rhoeas* L. 98
 1813 * — *somniferum* L. subsp. *setigerum* (DC.) Arcang. 98
 1732 * *Platycarpus spicata* (L.) Bernh. 96

PASSIFLORACEAE

- 1814 *Passiflora caerulea* L. 98

- 1733 — capsularsi L. 98
 993 — edulis Sims 97
 995 — suberosa L. 98

PHYTOLACCACEAE

- 996 * Phytolacca americana L. 98
 997 — dioica L. 98
 998 * — heteropetala H. Walter 94
 999 Rivina humilis L. 97

PITTOSPORACEAE

- 1000 Pittosporum crassifolium Putt. 98
 1001 — heterophyllum Franch. 98
 1002 — tobira (Thunb.) W. T. Aiton 98
 1003 — undulatum Vent. 98
 1004 Sollya fusiformis (Labill.) Briq. 98

PLANTAGINACEAE

- 1005 * Plantago afra L. 94
 1734 — aschersonii Bolle 98
 1006 * — bellardii All. 98
 1007 * — coronopus L. subsp. coronopus 98
 1008 * — lagopus L. subsp. lagopus 94
 1009 * — lanceolata L. 94
 1735 — leriopetala Lowe 95
 1010 * — major L. 98
 1011 * — radicata Hoffmanns. & Link subsp. monticola (Samp.) Franco 98
 1012 — sempervirens Crantz 94
 1013 * — serraria L. 94

PLATANACEAE

- 1014 Platanus hispanica Münchh. 98

PLUMBAGINACEAE

- 1015 * Ammeria beirana Franco 98
 1016 * — transmontana (Samp.) Lawr. 98
 1017 * — welwitschii Boiss. 98
 1018 * Limonium binervosum (G.E.Sm.) C.E. Salmon subsp. binervosum 94
 1736 * — vulgare Mill. 96

POLEMONIACEAE

- 1019 Phlox drummondii Hook. 94

POLYGALACEAE

- 1021 * Polygala microphylla L. 98
 1815 * — vulgaris L. 98

POLYGONACEAE

- 1024 * *Emex spinosa* (L.) Campd. 94
 1025 *Fallopia baldschuanica* (Regel) Holub 98
 1026 * — *convolvulus* (L.) A. Löve 94
 1027 * — *dumetorum* (L.) Holub 94
 1028 * *Polygonum aviculare* L. 94
 1029 * — *capitatum* Buch.-Ham. ex D. Don 98
 1030 * — *equisetiforme* Sm. 94
 1031 * — *hydropiper* L. 94
 1032 * — *lapathifolium* L. 94
 1033 * — *maritimum* L. 94
 1034 * — *persicaria* L. 98
 1035 * — *salicifolium* Brouss. ex Willd. 94
 1036 * *Rumex acetosa* L. subsp. *acetosa* 97
 1037 * — *acetosella* L. subsp. *pyrenaicus* (Pourr. ex Lapeyr.) Akeroid 94
 1038 * — *bucephalophorus* L. subsp. *gallicus* (Steinh.) Reichenb. f. 94
 1039 * — *conglomeratus* Murray 98
 1040 * — *crispus* L. subsp. *crispus* 98
 1042 * — *intermedius* DC. 94
 1043 * — *obtusifolius* L. subsp. *obtusifolius* 94
 1045 * — *pulcher* L. subsp. *woodsii* (De Not.) Archang. 94
 1041 * — *scutatus* L. subsp. *induratus* (Boiss. & Reut.) Nyman 98
 1046 * — *suffruticosus* Gay ex Meissner 98
 1737 * — *thirsiflorus* subsp. *papilaris* (Boiss. & Reut.) Sagredo & Magarriga 98

PORTULACACEAE

- 1047 *Anacampseros rufescens* (Haw.) Sweet 98
 1048 * *Montia fontana* L. subsp. *amporitana* Sennen 98
 1049 *Portulaca grandiflora* Hook. 98
 1050 * — *oleracea* L. subsp. *granulato* (Poelln.) Danin 98
 1051 *Portulacaria afra* Jacq. 98

PRIMULACEAE

- 1052 * *Anagallis arvensis* L. 94
 1053 * — *monelli* L. 98
 1054 * *Asterolinon linum-stellatum* (L.) Duby 94
 1055 * *Lysimachia vulgaris* L. 98
 1057 * *Primula acaulis* L. subsp. *acaulis* 94
 1058 * *Samolus valerandi* L. 98

PROTEACEAE

- 1059 *Grevillea robusta* A. Cunn. ex R. Br. 98
 1817 * *Hakea salicifolia* (Vent.) B.L. Burt. 98
 1816 * — *sericea* Schrad 98

PUNICACEAE

- 1060 *Punica granatum* L. 98

RANUNCULACEAE

1061	Anemone	coronaria L.	98
1062	—	cylindrica A. Gray	98
1063	*	—	palmata L. 94
1064	—	virginiana L.	94
1066	Aquilegia	canadensis L.	98
1068	*	—	vulgaris L. subsp. dichroa (Freyn) Díaz 94
1069	*	—	— subsp. vulgaris 94
1070	*	Clematis	campaniflora Brot. 94
1738	*	—	vitalba L. 98
1819	—	Consolida	ajacis (L.) Schur. 98
1071	*	Delphinium	staphisagria L. 94
1072	*	Helleborus	foetidus L. 97
1073	*	Nigella	damascena L. 94
1739	*	—	hispanica L. 96
1074	*	Ranunculus	arvensis L. 94
1075	—	—	asiaticus L. 98
1077	*	—	bullatus L. 94
1818	—	—	ficaria L. 98
1078	*	—	gregarius Brot. 94
1079	*	—	hederaceus L. 94
1080	*	—	muricatus L. 94
1082	*	—	repens L. 94
1083	*	—	trilobus Desf. 98

RESEDACEAE

1085	*	Reseda	gredensis (Cutanda & Willk.) Müll. Arg. 94
1086	*	—	luteola L. 94
1740	*	—	media Lag. 96
1087	*	Sesamoides	purpurascens (L.) G. López 94

RHAMNACEAE

1088	*	Frangula	alnus Mill. 98
1089	—	Hovenia	dulcis Thunb. 94
1090	—	Paliurus	spina-christi Mill. 98
1091	—	Pomaderris	apetala Labill. 94
1092	*	Rhamnus	alaternus L. 94
1093	—	Ziziphus	jujuba Mill. 98

ROSACEAE

1094	*	Agrimonia	eupatoria L. 98
1095	*	Aphanes	arvensis L. 98
1096	—	Cotoneaster	horizontalis Decne. 94
1097	—	—	lactea W. W. Sm. 98
1098	—	Crataegus	crus-galli L. 98
1099	*	—	monogyna Jacq. subsp. brevispina (Kunze) Franco 98
1100	—	Duchesnea	indica (Andrews) Focke 98
1101	*	Fragaria	vesca L. 98
1102	*	Geum	sylvaticum Pourr. 94
1103	*	—	urbanum L. 98
1104	*	Potentilla	erecta (L.) Raeusch. 98
1105	—	Prunus	laurocerasus L. 97

- 1106 — lusitanica L. 97
 1107 * — spinosa L. 97
 1108 *Pyracantha angustifolia* (Franch.) C.K. Schneid. 98
 1109 — crenulata (Roxb.) Roem. 98
 1110 *Rhaphiolepis umbellata* (Thunb.) Makino 98
 1111 — — fa. ovata (Briot) Schneid. 98
 1112 *Rhodotypos kerrioides* Sieb. & Zucc. 94
 1113 * *Rosa canina* L. 94
 1820 — rugosa Thunb. 98
 1114 * — sempervirens L. 94
 1115 *Rubus idaeus* L. 94
 1116 * *Sanguisorba hybrida* (L.) Nordborg 94
 1117 * — minor Scop. subsp. magnolii (Spach) Briq. 94
 1118 *Sorbaria sorbifolia* (L.) A. Braun 98
 1119 * *Sorbus aucuparia* L. 94
 1120 *Spiraea japonica* L. f. 98

RUBIACEAE

- 1121 *Coprosma robusta* Raoul 94
 1741 * *Crucianella angustifolia* L. 97
 1122 * — maritima L. 94
 1123 * *Cruciata laevipes* Opiz 97
 1124 * *Gallium album* Mill. 94
 1125 * — aparine L. 94
 1126 * — broterianum Boiss. & Reut. 94
 1127 * — divaricatum Lam. 98
 1128 * — murale (L.) All. 98
 1129 * — palustre L. 94
 1130 * — rotundifolium L. 97
 1131 * — saxatile L. subsp. saxatile 94
 1132 * — saxatile L. ssp. vivianum (Kliphuis) Ehrend. 98
 1133 — setaceum Lam. 94
 1134 * — tricomutum Dandy 94
 1135 * — verrucosum Huds. 98
 1136 * *Rubia peregrina* L. 94
 1138 * *Sherardia arvensis* L. 98
 1139 * *Valantia muralis* L. 98

RUTACEAE

- 1742 *Atalantia buxifolia* Oliv. 98
 1140 *Citrus myrtilifolia* Raf. 98
 1141 *Coleonema pulchrum* Hook. 94
 1142 *Poncirus trifoliata* (L.) Raf. 98
 1143 * *Ruta chalepensis* L. 98
 1144 * — montana (L.) L. 94
 1145 *Zanthoxylum armatum* DC. 98
 1146 — simulans Hance 98

SANTALACEAE

- 1147 * *Ozyris alba* L. 98
 1148 * *Thesium humifusum* DC. 98

SAPINDACEAE

- 1149 *Cardiospermum grandiflorum* Sw. fa. *hirsutum* (Willd.) Radlk. 94
 1150 *Dodonaea viscosa* Jacq. 98
 1151 *Koeleruteria paniculata* Laxm. 98

SAURURACEAE

- 1152 *Saururus cernuus* L. 98

SAXIFRAGACEAE

- 1153 *Astilbe japonica* (Merr. & Decne.) A. Gray 98
 1154 * *Saxifraga fragosoi* Sennen 98
 1155 * — *granulata* L. 94
 1156 * — *spathularis* Brot. 98
 1157 * — *stellaris* L. 98

SCROPHULARIACEAE

- 1158 * *Anarrhinum bellidifolium* (L.) Willd. 94
 1743 * *Antirrhinum graniticum* Rothm. subsp. *boissieri* (Rothm.) Valdés 98
 1159 * — *majus* L. subsp. *cirrigherum* (Welw. ex Ficalho) Franco 94
 1160 * — — subsp. *linkianum* (Boiss. & Reut.) Rothm. 98
 1161 * — *meonanthum* Hoffmanns. & Link 98
 1162 *Asarina erubescens* (D. Don) Pennell 94
 1744 * *Bartsia aspera* (Brot.) Lange 98
 1163 * *Bellardia trixago* (L.) All. 98
 1164 * *Cymbalaria muralis* P. Gaertn., B. Mey. & Scherb. 98
 1165 * *Digitalis purpurea* L. subsp. *purpurea* 98
 1745 * — *thapsi* L. 98
 1166 * *Gratiola officinalis* L. 98
 1167 *Halleria lucida* L. 98
 1168 *Hebe speciosa* (A. Cunn.) Ckn. & Allan 94
 1169 * *Kickxia cirrhosa* (L.) Fritsch 94
 1170 * — *spuria* (L.) Dumort. subsp. *integrifolia* (Brot.) R. Fern. 98
 1171 * *Linaria amethystea* (Vent.) Hoffmanns. & Link 94
 1172 * — *caesia* (Pers.) DC. ex Chav. 98
 1173 * — *diffusa* Hoffmanns. & Link 94
 1174 * — *incamata* (Vent.) Spreng. 98
 1175 * — *saxatilis* (L.) Chaz. 98
 1176 * — *spartea* (L.) Willd. var. *spartea* 94
 1177 * — *supina* (L.) Chaz. 94
 1178 * — *triornithophora* (L.) Willd. 94
 1179 * *Lindernia dubia* (L.) Pennell 94
 1180 * *Misopates calycinum* (Vent.) Rothm. 94
 1181 * — *orontium* (L.) Raf. 94
 1182 * *Odontites tenuifolia* (Pers.) G. Don 94
 1183 * *Parentucellia latifolia* (L.) Caruel 94
 1184 * — *viscosa* (L.) Caruel 94
 1185 *Paulownia tomentosa* (Thunb.) Steud. 98
 1186 * *Pedicularis sylvatica* L. subsp. *lusitanica* (Hoffmanns. & Link) Cout. 98
 1187 * *Scrophularia auriculata* L. var. *auriculata* 94
 1188 * — — var. *glabrata* Lange 94
 1189 * — *canina* L. subsp. *canina* 94

- 1190 * — frutescens L. 94
 1191 * — grandiflora DC. subsp. grandiflora 94
 1192 * — herminii Hoffmanns. & Link 98
 1193 * — sambucifolia L. subsp. sambucifolia 98
 1194 * — schousboei Lange subsp. schousboei 94
 1195 * — scorodonia L. 94
 1196 * Sibthorpia europaea L. 94
 1197 Tetranema roseum (M. Martens & Galeotti) Standl. & Steyerl. 94
 1198 Verbascum blattaria L. 94
 1199 — gnaphalodes Bieb. 94
 1200 * — levanticum I. K. Ferguson 98
 1201 * — litigiosum Samp. 94
 1202 * — sinuatum L. 94
 1203 * — thapsus L. subsp. thapsus 94
 1204 * — virgatum Stokes 94
 1205 * Veronica acinifolia L. 98
 1206 * — anagallis-aquatica L. 94
 1207 * — arvensis L. 98
 1208 * — hederifolia L. subsp. triloba (Opiz) Celak. 98
 1209 * — micrantha Hoffmanns. & Link 98
 1210 * — officinalis L. 98
 1211 * — peregrina L. 98
 1212 * — persica Poir. 98
 1213 * — polita Fries 98

SIMAROUBACEAE

- 1214 * Ailanthus altissima (Mill.) Swingle 98

SOLANACEAE

- 1215 Brunfelsia latifolia Benth. 97
 1216 Cyphomandra betacea (Cav.) Sendtn. 94
 1217 * Datura stramonium L. 98
 1218 * Hyoscyamus albus L. 94
 1749 Nicandra physalodes (L.) Gaertn. 97
 1748 * Nicotiana glauca Graham 96
 1839 — tabacum L. 98
 1747 Petunia hybrida Vilm. 98
 1219 * Physalis ixocarpa Brot. ex Hornem. 98
 1226 * Solanum chenopodioides Lam. 94
 1220 * — dulcamara L. 94
 1221 — laciniatum Aiton 94
 1222 — mauritianum Scop. 98
 1223 * — nigrum L. 94
 1224 — pseudocapsicum L. 98
 1225 — rantonnetii Carrière ex Lesc. 98
 1227 * — villosum Mill. 94
 1228 Streptosolen jamesonii (Benth.) Miers. 98
 1229 Withania somnifera (L.) Dunal 94

STERCULIACEAE

- 1750 Brachychiton acerifolius Cunn. ex F. Muell. 96
 1751 — discolor F. Muell. 96

- 1230 Firmiana simplex (L.) W. Wight 98
 1231 Hermannia denudata L. f. 94

STYRACACEAE

- 1232 Styra officinalis L. 98

TAMARICACEAE

- 1233 * Tamarix gallica L. 94
 1234 — tetrandra Bieb. 94

THELIGONACEAE

- 1235 * Theligonum cynocrambe L. 98

THYMELAEACEAE

- 1238 * Thymelaea procumbens A. & R. Fern. 94

TILIACEAE

- 1239 Sparmania ricinicarpa (Eckl. & Zeyh.) Kuntze 94
 1240 Tilia x euchlora C. Koch 98
 1241 — platyphyllos Scop. 98
 1242 — tomentosa Moench 98
 1243 — x vulgaris Hayne 98

TROPAEOLACEAE

- 1244 Tropaeolum majus L. 98

ULMACEAE

- 1245 Celtis australis L. 98
 1246 — sinensis Pers. 98
 1247 Ulmus minor Mill. 94

UMBELLIFERAE

- 1248 Aethusa cynapium L. 94
 1249 * Ammi majus L. 94
 1250 * — visnaga (L.) Lam. 94
 1251 * Ammoides pusilla (Brot.) Breistr. 94
 1252 * Angelica angelicastrum (Hoffmanns. & Link) Cout. 98
 1253 * — sylvestris L. 98
 1254 * Anthriscus caucalis Bieb. 94
 1255 * Apium graveolens L. 94
 1752 * — nodiflorum (L.) Lag. 96
 1256 * Bifora testiculata (L.) Roth 94
 1257 * Bupleurum gerardi All. 94
 1258 * — lancifolium Hornem. 94
 1259 * — rigidum L. subsp. paniculatum (Brot.) H. Wolff 98
 1260 * — tenuissimum L. 94

- 1261 * *Cachrys trifida* Mill. 94
 1262 * *Carum verticillatum* (L.) Koch 94
 1263 * *Chaerophyllum temulentum* L. 98
 1264 * *Conium maculatum* L. 94
 1265 * *Conopodium capillifolium* (Guss.) Boiss. 94
 1266 * — *majus* (Gouan) Loret subsp. *majus* 97
 1753 * *Crithmum maritimum* L. 96
 1267 * *Daucus carota* L. subsp. *maximus* (Desf.) Ball 94
 1268 * — *crinitus* Desf. 94
 1755 * — *durieu* Lange 97
 1754 * — *gingidium* L. 96
 1269 * — *muricatus* (L.) L. 94
 1271 * *Eryngium campestre* L. 98
 1272 * — *corniculatum* Lam. 94
 1273 * — *dilatatum* Lam. 98
 1274 * — *maritimum* L. 94
 1275 * — *pandanifolium* Cham. & Schecht. 98
 1276 * — *tenue* Lam. 98
 1277 * *Ferula communis* L. 94
 1756 * *Ferulago capillifolia* (Link) Franco 98
 1278 * *Foeniculum vulgare* Mill. subsp. *piperitum* (Ucria) Cout. 98
 1279 * *Heracleum sphondylium* L. subsp. *sphondylium* 94
 1280 *Heteromorpha trifoliata* (H. L. Wendl.) Eckl. & Zeyh. 98
 1281 * *Hydrocotyle bonariensis* Lam. 94
 1282 * *Kundmannia sicula* (L.) DC. 97
 1283 * *Margotia gummifera* (Desf.) Lange 94
 1284 * *Oenanthe crocata* L. 98
 1285 * — *fistulosa* L. 94
 1286 * — *lachenalii* C. C. Gmel. 94
 1287 * — *pimpinelloides* L. 94
 1288 * *Orlaya daucoides* (L.) Greuter 94
 1289 *Pastinaca sativa* L. subsp. *sativa* 94
 1290 *Petroselinum crispum* (Mill.) A.W. Hill var. *latifolium* Airy Shaw 94
 1291 * — *segetum* (L.) Koch 98
 1292 *Peucedanum cervaria* (L.) Lapeyr. 94
 1293 * — *lancifolium* Lange 94
 1294 * *Physospermum cornubiense* (L.) DC. 94
 1295 *Pimpinella saxifraga* L. 94
 1296 * — *villosa* Schousb. 94
 1297 * *Pseudorlaya pumila* (L.) Grande 94
 1298 * *Ridolfia segetum* Moris 94
 1299 * *Sanicula europaea* L. 98
 1300 * *Scandix pecten-veneris* L. 97
 1301 * *Selinum carvifolia* (L.) L. 98
 1302 * *Seseli tortuosum* L. 94
 1303 * *Smyrnium olusatrum* L. 98
 1304 * — *perfoliatum* L. 94
 1305 * *Thapsia villosa* L. 94
 1306 * *Tordylium maximum* L. 98
 1307 * *Torilis arvensis* (Huds.) Link subsp. *neglecta* (Spreng.) Thell. 94
 1308 * — *nodosa* (L.) Gaertn. 94

URTICACEAE

- 1309 *Boehmeria cylindrica* (L.) Swartz 98

- 1310 *Debregeasia longifolia* (Burm.) Wedd. 94
 1311 * *Parietaria judaica* L. 98
 1312 * — *lusitanica* L. subsp. *lusitanica* 94
 1313 *Pilea microphylla* (L.) Liebm. 98
 1314 — *pubescens* Liebm. 98
 1315 *Soleirolia soleirolii* (Req.) Dandy 98
 1316 * *Urtica dioica* L. 94
 1317 * — *membranacea* Poir. 98
 1757 * — *pilulifera* L. 98
 1318 * — *urens* L. 94

VALERIANACEAE

- 1319 * *Centranthus calcitrapae* (L.) Dufr. 98
 1821 — *ruber* (L.) DC. var. *albiflora* Guss. 98
 1320 * — *ruber* (L.) DC. subsp. *ruber* 98
 1321 * *Pedia comucopiae* (L.) Gaertn. 98
 1322 * *Valerianella carinata* Loisel. 98
 1323 * — *discoidea* (L.) Loisel. 94
 1324 * — *microcarpa* Loisel. 94

VERBENACEAE

- 1325 *Clerodendrum trichotomum* Thunb. 94
 1326 *Duranta repens* L. 98
 1327 *Lantana camara* L. 98
 1329 *Verbena bonariensis* L. 94
 1330 * — *officinalis* L. 94
 1331 *Vitex agnus-castus* L. 98
 1332 — *negundo* L. 98

VIOLACEAE

- 1823 * *Viola kitaibeliana* Schult. 98
 1335 * — *lactea* Sm. 98
 1822 * — *langeana* Valentine 98
 1336 * — *odorata* L. 98
 1338 * — *riviniana* Rchb. 98
 1339 — *x wittrockiana* Gams 98

VITACEAE

- 1340 *Ampelopsis aconitifolia* Bunge var. *glabra* Diels 98
 1341 *Parthenocissus quinquefolia* (L.) Planch. 98
 1342 — *tricuspidata* (Siebold & Zucc.) Planch. 98
 1824 *Vitis vinifera* L. 98

ZYGOPHYLLACEAE

- 1343 * *Tribulus terrestris* L. 94

MONOCOTYLEDONES

AGAVACEAE

- 1344 Cordyline australis (Forst.) Hook. f. 98
 1345 Phormium tenax J. R. & G. Forst. 94

ALISMATACEAE

- 1346 * Alisma plantago-aquatica L. 98
 1347 * Baldellia ranunculoides (L.) Parl. 94

AMARYLLIDACEAE

- 1348 Clivia nobilis Lindl. 98
 1349 Hypoxis rooperi T. Moore 98
 1825 — villosa 98
 1351 Leucojum autumnale L. 98
 1352 * Narcissus bulbocodium L. 98
 1353 * — calcicola Mendonça 96
 1826 * — cyclamineus DC. 98
 1828 * — triandrus L. var. cernuus (Salisb.) Bak. 98
 1827 * — triandrus L. subsp. pallidulus (Graells) Rivas-Goday var. concolor (Haw.) Bak. 98
 1356 * Pancratium maritimum L. 96

ARACEAE

- 1357 Aglaonema robelinii (Linden) L. Gentil 97
 1358 * Arisarum vulgare Targ.-Tozz. subsp. vulgare 98
 1359 * Arum italicum Mill. subsp. italicum 98

BROMELIACEAE

- 1360 Dyckia brevifolia Bak. 98
 1361 — rariflora Schult. f. 98
 1362 Lindmania penduliflora (C. H. Wright) Stapf 98
 1363 Pitcairnia mirabilis Mez 94

COMMELINACEAE

- 1364 Palisota barteri Hook. f. 98
 1829 — bracteosa C. B. Clarke 98

CYPERACEAE

- 1365 * Carex arenaria L. 98
 1366 * — binervis Sm. 94
 1375 * — cuprina Nendtv. ex A. Kern. 94
 1367 * — depressa Link subsp. depressa 98
 1369 * — divulsa Stokes 98
 1370 * — echinata Murray 98
 1383 * — elata All. subsp. reuteriana (Boiss.) Luceño & Aedo 98
 1371 * — flacca Schreb. 94
 1758 * — furva Webb. 97

- 1372 * — hispida Willd. 94
 1373 * — laevigata Sm. 94
 1376 * — leporina L. 98
 1374 * — muricata L. 98
 1377 * — paniculata L. subsp. lusitanica (Schkuhr) Maire 94
 1378 * — pendula Huds. 94
 1380 * — pilulifera L. subsp. pilulifera 98
 1381 * — pseudocyperus L. 94
 1382 * — remota L. 98
 1384 * — riparia Curtis 94
 1385 * — viridula Michx. subsp. brachyrrhyncha (Celak.) B.Schmid var. lepidocarpa
 (Tausch) B.Schmid 94
 1386 * Cladium mariscus (L.) Pohl 98
 1387 * Cyperus capitatus Vand. 98
 1388 * — difformis L. 94
 1389 * — eragrostis Lam. 98
 1390 * — flavescens L. 98
 1391 * — fuscus L. 98
 1393 * Fuirema pubescens (Poir.) Kunth. 98
 1394 * Mariscus ligularis Urb. 98
 1395 * Rhynchos pora rugosa (Vahl) S. Gale 94
 1396 * Schoenus nigricans L. 94
 1397 * Scirpus cernuus Vahl 94
 1398 * — holoschoenus L. 94
 1399 * — juncooides Roxb. 94
 1400 * — lacustris L. 94
 1401 * — maritimus L. subsp. maritimus 94
 1402 * — mucronatus L. 94
 1403 * — setaceus L. 94

DIOSCOREACEAE

- 1404 * Tamus communis L. 98

GRAMINEAE

- 1405 * Aegilops geniculata Roth 98
 1406 * — triuncialis L. 94
 1407 * Agrostis castellana Boiss. & Reut. var. mutica Hack. 94
 1409 * — pourretii Willd. 94
 1410 * — tenerrima Trin. 94
 1411 * — truncatula Parl. 98
 1412 * Aira caryophyllea L. subsp. uniaristata (Lag. & Rodr.) Maire 98
 1413 * — praecox L. 94
 1414 * Airopsis tenella (Cav.) Asch. & Graebn. 94
 1415 * Alopecurus myosuroides Huds. 98
 1416 * Ammophila arenaria (L.) Link subsp. arundinacea H. Lindb. 98
 1417 * Ampelodesmos mauritanica (Poir.) T. Durand & Schinz 94
 1418 * Anthoxanthum amarum Brot. 98
 1420 * Antinoria agrostioidea (DC.) Parl. subsp. natans (Hack.) Rivas Mart. 98
 1421 * Arrhenatherum elatius (L.) P. Beauv. ex J. & C. Presl subsp. bulbosum (Willd.) Schübl. & M.
 Martens 94
 1422 * Avena barbata Pott ex Link 94
 1423 * — sterilis L. subsp. ludoviciana (Durieu) Gillet & Magne 94
 1424 * Avenula albinervis (Boiss.) Láinz 94

- 1425 * — marginata (Lowe) H. Holub subsp. sulcata (Gay ex Delastre) Franco 94
 1426 * Brachypodium distachyon (L.) P. Beauv. 94
 1427 * — phoenicoides (L.) Roem. & Schult. 98
 1428 * — sylvaticum (Huds.) P. Beauv. 94
 1429 * Briza maxima L. 98
 1430 — media L. 94
 1431 * — minor L. 98
 1432 — triloba Nees 94
 1439 * Bromus catharticus Vahl 94
 1433 * — diandrus Roth 94
 1434 * — hordeaceus L. 94
 1435 * — lanceolatus Roth 94
 1436 * — madritensis L. 98
 1437 * — sterilis L. 94
 1438 * — tectorum L. 94
 1440 * Corynephorus canescens (L.) P. Beauv. 98
 1441 * — fasciculatus Boiss. & Reut. 94
 1442 * Cutandia maritima (L.) W. Barbey 98
 1443 * Cynodon dactylon (L.) Pers. 94
 1444 * Cynosurus cristatus L. 98
 1445 * — echinatus L. 94
 1446 * — elegans Desf. 94
 1447 * Dactylis glomerata L. var. hispanica (Roth) Koch 98
 1448 * Danthonia decumbens (L.) DC. 98
 1759 * Deschampsia caespitosa (L.) P. Beauv. subsp. caespitosa 96
 1449 * — flexuosa (L.) Trin. 98
 1450 * Desmazeria marina (L.) Druce 94
 1451 * — rigida (L.) Tutin subsp. rigida 94
 1452 * Digitaria sanguinalis (L.) Scop. 98
 1453 * Echinochloa crus-galli (L.) P. Beauv. 98
 1454 * Ehrharta erecta Lam. 98
 1455 Elymus caninus (L.) L. 94
 1456 * — farctus (Viv.) Runemark ex Melderis subsp. boreali-atlanticus (Simonet & Guin.)
 Melderis 94
 1457 * — pungens (Pers.) Melderis subsp. campestris (Godr. & Gren.) Melderis 94
 1458 * — — subsp. pungens 94
 1459 Eragrostis chloromelas Steud. 94
 1460 * — cilianensis (All.) F. T. Hubb. 98
 1461 * — pilosa (L.) P. Beauv. 98
 1462 * Festuca ampla Hack. subsp. ampla 94
 1463 * — arundinacea Schreb. subsp. atlantigena (St.-Yves) Auquier 94
 1464 * — durandii Clauson 98
 1465 * — durissima (Hack.) Kerguelen 97
 1466 * — elegans Boiss. 97
 1467 * — henriquesii Hack. 97
 1468 — nigrescens Lam. subsp. microphylla (St.-Yves) Markgr.-Dann. 94
 1469 — petraea Guthnick ex Seub. 94
 1470 * Gastridium ventricosum (Gouan) Schinz & Thell. 94
 1471 * Gaudinia fragilis (L.) P. Beauv. subsp. fragilis 98
 1472 * Glyceria fluitans (L.) R. Br. 94
 1473 * Hainardia cylindrica (Willd.) Greuter 94
 1474 * Holcus gayanus Boiss. 98
 1475 * — lanatus L. 94
 1476 * — mollis L. subsp. mollis 94
 1477 * Hordeum geniculatum All. 94

- 1478 * — murinum L. 94
- 1479 * — secalinum Schreb. 94
- 1480 * *Hyparrhenia hirta* (L.) Stapf 98
- 1481 * *Koeleria caudata* (Link) Steud. 94
- 1482 * *Lagurus ovatus* L. 98
- 1483 * *Lamarckia aurea* (L.) Moench 98
- 1484 * *Leersia oryzoides* (L.) Sw. 98
- 1485 * *Lolium multiflorum* Lam. 94
- 1486 * — rigidum Gaudin 94
- 1487 * — temulentum L. 94
- 1488 * *Melica magnolii* Gren. & Godr. 98
- 1489 * — minuta L. 94
- 1490 * — uniflora Retz. 98
- 1491 * *Micropyrum patens* (Brot.) Rothm. ex Pilg. 98
- 1492 * — tenellum (L.) Link 98
- 1493 *Miscanthus sinensis* N.J. Anderson 94
- 1494 * *Molineriella laevis* (Brot.) Rouy 98
- 1495 * *Molinia caerulea* (L.) Moench subsp. *caerulea* 98
- 1496 * *Nardus stricta* L. 98
- 1836 * *Oryza sativa* L. 98
- 1834 * *Panicum capillare* L. 98
- 1497 — prionitis Nees 98
- 1498 * — repens L. 98
- 1499 * *Parapholis incurva* (L.) C.E. Hubb. 94
- 1500 * — strigosa (Dumort.) C. E. Hubb. 94
- 1501 * *Paspalum dilatatum* Poir. 98
- 1502 * — paspalodes (Michx.) Scribn. 94
- 1503 * — urvillei Steud. 98
- 1504 * — vaginatum Sw. 98
- 1505 *Pennisetum villosum* R. Br. ex Fresen. 98
- 1760 * *Peribalia involucrata* (Cav.) Janka 97
- 1506 * *Phalaris aquatica* L. 98
- 1507 * — arundinacea L. subsp. *arundinacea* 94
- 1508 * — coerulescens Desf. 94
- 1509 * — minor Retz. 97
- 1510 * — paradoxa L. 94
- 1511 * *Phleum pratense* L. subsp. *pratense* 98
- 1512 * *Phragmites australis* (Cav.) Trin. ex Steud. subsp. *australis* 98
- 1513 * *Piptatherum miliaceum* (L.) Coss. 98
- 1514 * *Poa annua* L. 98
- 1515 * — bulbosa L. 94
- 1516 * — pratensis L. 94
- 1517 * — trivialis L. 94
- 1518 * *Polypogon maritimus* Willd. subsp. *maritimus* 94
- 1519 * — monspeliensis (L.) Desf. 98
- 1520 * — viridis (Gouan) Breistr. 94
- 1521 * *Pseudarrhenatherum longifolium* (Thore) Rouy 98
- 1761 * *Psilurus incurvus* (Gouan) Schinz & Thell 96
- 1522 * *Pucinellia maritima* (Huds.) Parl. 94
- 1523 * *Rostraria cristata* (L.) Tzvelev 94
- 1524 *Secale montanum* Guss. 94
- 1525 * *Setaria geniculata* (Lam.) P. Beauv. 94
- 1526 * — pumila (Poir.) Roem. & Schult. 98
- 1527 * — verticillata (L.) P. Beauv. 98
- 1528 * — viridis (L.) P. Beauv. 94

- 1835 * *Sorghum bicolor* (L.) Moench. var. *arduini* (Koemicke) 98
 1529 — *halepense* (L.) Pers. 98
 1530 * *Spartina maritima* (Curtis) Fernald 94
 1531 * *Sporobolus indicus* (L.) R. Br. 98
 1532 * *Stipa capensis* Thunb. 94
 1533 * — *gigantea* Link 94
 1534 — *papposa* Nees 94
 1535 — *setigera* J. Presl 94
 1762 * *Taeniantherum caput-medusae* (L.) Nevski 96
 1536 *Tripsacum dactyloides* L. 98
 1537 * *Trisetaria hispida* (Lange) Paunero 98
 1538 * — *ovata* (Cav.) Paunero 97
 1539 * — *panicea* (Lam.) Paunero 94
 1540 * *Vulpia alopecurus* (Schousb.) Dumort. 94

IRIDACEAE

- 1541 *Chasmanthe aethiopica* (L.) N.E.Br. 94
 1542 * *Gladiolus illyricus* Koch 98
 1543 * — *italicus* Mill. 97
 1544 * *Gynandris sisyrinchium* (L.) Parl. 94
 1545 *Iris cretensis* Janka 98
 1547 * — *lusitanica* Ker-Gawl. 94
 1548 * — *planifolia* (Mill.) Fiori & Paol. 97
 1549 * — *pseudacorus* L. 98
 1550 * — *subbiflora* Brot. 98
 1552 * *Romulea bulbocodium* (L.) Sebast. & Mauri 98
 1553 *Watsonia bulbilifera* Matthews & L. Bolus 98

JUNCACEAE

- 1763 * *Juncus acutiflorus* Ehrh. ex Hoffm. 96
 1554 * — *acutus* L. var. *acutus* 94
 1832 * — *articulatus* L. 98
 1555 * — *bufonius* L. 98
 1556 * — *bulbosus* L. 94
 1557 * — *capitatus* Weigel 94
 1558 * — *effusus* L. var. *effusus* 94
 1559 * — *heterophyllus* Duf. 94
 1560 * — *imbricatus* Laharpe var. *chamissonis* (Kunth) Buchenau 98
 1561 * — *inflexus* L. 94
 1562 * — *maritimus* Lam. 94
 1833 * — *pygmeus* L. C. M. Richard 98
 1563 * — *squarrosus* L. 98
 1564 * — *tenageia* Ehrh. ex L. f. 98
 1565 * — *valvatus* Link 98
 1566 * *Luzula caespitosa* Gay 94
 1567 * — *campestris* (L.) DC. 94
 1568 * — *forsteri* (Sm.) DC. subsp. *forsteri* 98
 1764 * — *lactea* Link. ex E. H. Mey. 98
 1569 * — *multiflora* (Retz.) Lej. subsp. *multiflora* 98
 1570 * — *sylvatica* (Huds.) Gaudin subsp. *henriquesii* (Degen) P. Silva 98

JUNCAGINACEAE

- 1571 * Triglochin barrelieri Loisel. 94
 1572 * — maritima L. 96
 1765 * — striata Ruiz & Pav. 96

LILIACEAE

- 1573 Agapanthus praecox Willd. subsp. orientalis (F.M. Leight.) F. M. Leight. 98
 1574 — — subsp. praecox 98
 1575 * Allium ampeloprasum L. 94
 1576 * — baeticum Boiss. 94
 1577 * — ericetorum Thore 94
 1578 * — neapolitanum Cyrillo 98
 1579 * — paniculatum L. subsp. paniculatum 94
 1580 * — roseum L. 94
 1581 * — scorzonrifolium Desf. 98
 1582 * — sphaerocephalon L. subsp. sphaerocephalon 94
 1583 * — triquetrum L. 98
 1584 * — vineale L. 94
 1837 * — victorialis L. 98
 1766 Aloe saponaria (Ait. f.) Haw. 98
 1585 * Asparagus acutifolius L. 98
 1586 * — aphyllus L. 97
 1587 — asparagoides (L.) Druce 98
 1588 — falcatus L. 98
 1589 — plumosus Baker 98
 1590 — sprengeri Regel 98
 1591 Asphodeline liburnica (Scop.) Reichenb. 94
 1592 * Asphodelus aestivus Brot. 94
 1593 * — fistulosus L. 98
 1594 * — ramosus L. 94
 1595 Bellevallia dubia (Guss.) Rchb. 98
 1597 Chlorophytum comosum (Thunb.) Jacques 98
 1599 * Fritillaria lusitanica Wikstr. 98
 1602 * Hyacinthoides hispanica (Mill.) Rothm. 97
 1603 — non-scripta (L.) Chouard ex Rothm. 94
 1838 * Lilium martagon L. 98
 1604 — regale E. H. Wilson 98
 1605 * Merendera montana (L.) Lange 98
 1606 * Muscari comosum (L.) Mill. 94
 1607 * — neglectum Ten. 98
 1608 * Nothoscordum inodorum (Ait.) G. Nicholson 98
 1609 Ophiopogon jaburan Lodd. 97
 1610 — japonicus (L.) Ker. Gawl. 94
 1611 Ornithogalum caudatum Ait. 94
 1612 * — concinnum (Salisb.) Cout. 98
 1613 * — narbonense L. 94
 1614 * — pyrenaicum L. 94
 1615 * — umbellatum L. 94
 1616 * Paradisea lusitanica (Cout.) Samp. 97
 1617 * Polygonatum odoratum (Mill.) Druce var. odoratum 98
 1767 Rhoeo japonica Roth. ex Kunth 97
 1618 Ruscus aculeatus L. 98
 1619 * Scilla autumnalis L. 98

- 1620 * — monophyllos Link 97
 1621 * — ramburei Boiss. 97
 1622 * *Simethis planifolia* (L.) Gren. 98
 1772 * *Smilax aspera* L. var. *aspera* 98
 1624 * *Urginea maritima* (L.) Baker 98

PALMAE

- 1625 ** *Archontophoenix cunninghamiana* (H. Wendl.) Wendl. et Druce 98
 1626 ** *Arecastrum romanzoffianum* (Cham.) Becc. 98
 1627 ** *Butia capitata* (Mart.) Becc. var. *capitata* 98
 1628 ** — *eriospatha* (Mart.) Becc. 98
 1632 ** *Livistona australis* (R. Br.) C. F. P. Mart. 98
 1633 ** *Phoenix canariensis* Chabaud 98

PONTEDERIACEAE

- 1635 *Pontederia cordata* L. 98

SPARGANIACEAE

- 1636 * *Sparganium erectum* L. subsp. *erectum* 94

TACCACEAE

- 1637 *Tacca chantrieri* André 98

TYPHACEAE

- 1638 * *Typha angustifolia* L. 94
 1639 * — *latifolia* L. 98

ZINGIBERACEAE

- 1830 *Globba bulbifera* Roxb. 98

REFERENCES

- Ferrarini, E., Ciampolini, F. R., Pichi-Sermolli, G. & Marchetti, D.
1986 *Iconographia Palynologica Pteridophytum Italiae. Webbia* 40(1): 1-202, tav. 71
- Flora Europaea, vol. 2 - 5.
- Flora Iberica, vol. 1 - 5, 8.
- Franco, J. A.
1971
1984 *Nova Flora de Portugal, Continente e Açores*, vol. I-II.
- Franco, J. A. & Rocha-Afonso, M. L.
1994 *Nova Flora de Portugal (Continente e Açores)*, vol. III, fasc. I, Alismataceae-Iridaceae.
XIII pp. + 1-181 + 2 mapas.
- Hansen, A. & Sunding, P.
1993 *Flora of Macaronesia. Checklist of Vascular Plants*. 4. Revised ed. *Sommerfeltia* 17: 1-295.
- Pichi-Sermolli, R. E. G.
1977 *Tentamen Pteridophytorum genera in taxonomicum ordinem redigendi. Webbia* 31(2): 313-512.
- Press, J. R. & Short, M. J. (ed.)
1994 *Flora of Madeira*.
- Tutin, T. G., Burger, N. A., Chater, A. O., Edmondson, J. R., Heywood, V. H., Moore, D. M., Valentine, D. H., Walters, S. M. & Webb, D. A.
1993 *Flora Europaea*, vol. 1, Psilotaceae to Platanaceae, second ed. XLV pp., 581 pp.
- Valdés, B., Talavera, S. & Fernández-Galiano, E. (ed.)
1987 *Flora Vascular de Andalucía Occidental* 1-3.

1940-1941

1. The first part of the report deals with the general situation in the country during the year 1940-1941. It is a very interesting and informative account of the various events and circumstances that have shaped the country's development during this period. The author provides a detailed analysis of the political, economic, and social conditions, and offers valuable insights into the challenges and opportunities that the country faces.

2. The second part of the report focuses on the specific achievements and progress made in various fields during the year. It covers a wide range of topics, including education, health, agriculture, and industry. The author highlights the successes and accomplishments of the government and the people, and provides a comprehensive overview of the country's overall performance.

3. The third part of the report discusses the future prospects and challenges of the country. It examines the various factors that will influence the country's development in the coming years, and offers suggestions and recommendations for addressing the challenges and realizing the potential. The author emphasizes the importance of continued efforts and reforms to ensure a bright and prosperous future for the country.

4. The report concludes with a summary of the main findings and conclusions. It reiterates the key points made throughout the document and provides a final assessment of the country's current state and future outlook. The author expresses confidence in the country's ability to overcome its challenges and achieve its goals, and encourages the people to continue their efforts and reforms.

INDEX SEMINUM — DESIDERATA 1999

JARDIM BOTÂNICO DA
UNIVERSIDADE DE COIMBRA

3049 COIMBRA CODEX
PORTUGAL

Cód. Inst.

Reg^o _____ de ____/____/____
N^o Pedidos _____ ● Satisfeitos _____
Data ____/____/____ ● Peso _____

(For our private use)

(Please write your full address)

- Please limit your request to 30 taxa.
- Bitte nicht mehr als 30 taxa bestellen.
- S'il vous plait ne commandez pas plus de 30 taxa.

Numbers:

Please return your request before
the 1st April 1999

Tel.: 039 822897
Fax.: 00 351 039 820780
E-mail: jardbot@condor.ci.uc.pt
<http://www.uc.pt/botanica/lindexse.htm>

Jardim Botânico da
Universidade de Coimbra
Arcos do Jardim

3049 COIMBRA
PORTUGAL