

INDEX SEMINUM ET SPORARUM

QUAE

HORTUS BOTANICUS CONIMBRIGENSIS
PRO MUTUA COMMUTATIONE OFFERT

Anno 2003



Hortus Botanicus

DEPARTAMENTO DE BOTÂNICA
Faculdade de Ciências e Tecnologia
UNIVERSIDADE DE COIMBRA
PORTUGAL

Index Seminum Information

(pay attention: the code number may not be in numerical order)

Geographical position

Lat.: 40° 12' 25" N
Long.: 8° 25' 30" W
Alt.: 25-110 m
above sea level

Cultivated taxa:
about 3500

Main collections:

Gymnospermae
Myrtaceae
Leguminosae
Aceraceae

Staff:

HEAD OF DEPARTMENT
José Firmino Mesquita

SCIENTIFIC ADVISOR
Maria de Fátima Sales

NOMENCLATURE REVISER
José Ormonde

CURATOR
Ana Cristina Tavares

COLLECTORS
Arménio da Costa Matos

Address:

JARDIM BOTÂNICO DA
UNIVERSIDADE DE COIMBRA
Arcos do Jardim
3049 Coimbra Codex PORTUGAL
Tel.: 239 822897
Fax: 00 351 239 820780
E-mail: jardbot@ci.uc.pt
URL: <http://www.uc.pt/botanica/indexse.htm>

ISSN 0870-869

SOME REPORTS ABOUT THE BOTANICAL GARDEN OF COIMBRA

Founded between 1772-1774 by order of the
Marquês de Pombal.

Climatic indications* (from the Geophysical
Institute of the University of Coimbra)


*2000 Data	Monthly	Media	Absolute	Values
	Highest	Lowest	Maximum	Minimum
Temperature (°C)	28,7 (Aug)	8,9 (Nov)	37,5(16 July)	0,375 (24 Feb)
Relative humidity (%)	88(Nov; Dec)	66 (March)	100 (25 Nov)	20 (13 Jun)
Monthly accumulated precipitation (mm)	—	—	324,5 (Dec)	6,3 (Jun)
Total insolation (sun hours/day)	10,5 (Aug)	1,5 (Dec)	—	—

The BOTANICAL GARDEN is a unit of the UNIVERSITY OF COIMBRA, Faculty of Sciences and Technology — DEPARTMENT OF BOTANY. It is an establishment for education and research.

The BOTANICAL GARDEN OF COIMBRA covers an area of about 13 ha and it is divided in two parts

1. The highest part of the garden has a more elaborated conception in the style of the European gardens of the 18th century. There are different terraces where one can see the Order Beds, the greenhouses and a beautiful central Fountain;

2. The «Arboretum», in the lowest part of the garden, where a dense vegetation with exotic trees predominates, includes a valley with a Monocotyledonae collection, an excellent collection of *Eucalyptus* (about 50 species), a cold greenhouse and a splendid plantation of bamboos.



Geographical position of Portugal in the World Map



- AAI - Alto Alentejo
- Ag - Algarve
- BA - Beira Alta
- BAL - Beira Alentejo
- BB - Beira Baixa
- BL - Beira Litoral
- DL - Douro Litoral
- E - Estremadura
- MI - Minho
- R - Ribatejo
- TM - Trás-os-Montes (Alto Douro)

Portuguese map with province codes (Flora Ibérica, 1986)

INDEX SEMINUM ET SPORARUM

QUAE
HORTUS BOTANICUS CONIMBRIGENSIS
PRO MUTUA COMMUTATIONE OFFERT

(Anno 2000, 2001 e 2002 collectorum)

*— Semina e plantis spontaneis in loco natali lecta.
**— Semina germinationis brevis tempore proprio mituntur.

PTERIDOPHYTA

ADIANTACEAE

- 1 * Adiantum capillus-veneris L. 01
2 — hispidulum Sw. 01

ASPLENIACEAE

- 9 * Asplenium adiantum-nigrum L. subsp. adiantum-nigrum 02
10 — aethiopicum (Burm.f.) Bech. subsp. braithwaitii
Ormonde 01
11 — bulbiferum G. Forst. 01
12 — hemionitis L. 02
13 — nidus L. var. nidus 01
14 * — obovatum Viv. subsp. lanceolatum P. Silva 01
15 * — onopteris L. 02
16 * — ruta-muraria L. subsp. ruta-muraria 02
17 * — septentrionale (L.) Hoffm. subsp. septentrionale 02
18 * — trichomanes L. subsp. quadrivalens D. E. Mey. 01
19 — viviparum (L. f.) C. Presl var. viviparum 01
20 * Ceterach officinarum Willd. subsp. officinarum 01
21 * Phyllitis scolopendrium (L.) Newman subsp. scolopendrium 01

BLECHNACEAE

- 22 Blechnum brasiliense Desv. 02
24 * — spicant (L.) Roth var. spicant 01
25 Doodia aspera R. Br. 02
26 — caudata (Cav.) R. Br. 01
27 — dives Kunze 02
28 — media R. Br. 01
29 Woodwardia radicans (L.) Sm. 02
30 — virginica (L.) Sm. 01

CRYPTOGRAMMACEAE

- 6 Onychium japonicum (Thunb.) Kunze 01

DAVALLIACEAE

- 31 * *Davallia canariensis* (L.) Sm. 02

DENNSTAEDTIACEAE

- 49 *Dennstaedtia bipinnata* (Cav.) Maxon 00
 50 *Microlepia hirta* (Kaulf.) C. Presl 02
 51 — *platyphylla* (D. Don) Sm. 00

DICKSONIACEAE

- 32 *Cibotium glaucum* (Sm.) Hook. & Arn. 00
 34 *Dicksonia antarctica* Labill. 01
 35 — *sellowiana* (C. Presl) Hook. 01

DRYOPTERIDACEAE

- 40 *Cytomium falcatum* (L. f.) Copel. 01
 41 — *fortunei* J. Sm. 01
 36 * *Dryopteris affinis* (Lowe) Fraser-Jenk. subsp. *affinis* 02
 37 — *atrata* (Wall.) Ching 01
 1641 * — *filix-mas* (L.) Schott. 99
 42 * *Polystichum setiferum* (Forssk.) Woy. 02

EQUISETACEAE

- 43 * *Equisetum arvense* L. 99
 45 * — *ramosissimum* Desf. 00
 46 * — *telmateia* Ehrh. 01

HEMIONITIDACEAE

- 47 * *Anogramma leptophylla* (L.) Link 01

HYPOLEPIDACEAE

- 52 * *Pteridium aquilinum* (L.) Kuhn 01

NEPHROLEPIDACEAE

- 53 *Nephrolepis exaltata* (L.) Schott 00

OPHIOGLOSSACEAE

- 1811 * *Ophioglossum lusitanicum* L. 02

OSMUNDACEAE

- 55 * *Osmunda regalis* L. 02

POLYPODIACEAE

- 56 *Microsorium punctatum* (L.) Copel. 01
 57 *Phlebodium aureum* (L.) Sm. 00

- 58 *Platynerium bifurcatum* (Cav.) C. Chr. 01
 59 *Polypodium azoricum* (Vasc.) R. Fern. 01
 60 * — *cambricum* L. subsp. *serrulatum* (Sch. ex Arcang.) Pic. Serm. 01
 61 * — *interjectum* Shivas 01
 62 *Pyrrosia lingua* (Thunb.) Farw. 01

PTERIDACEAE

- 63 *Pteris cretica* L. var. *cretica* 02
 64 — — var. *albolineata* Hook. 01
 65 — — var. *wilsonii* Hort. 02
 66 — *incompleta* Cav. 99
 67 — *longifolia* L. 01

SCHIZAEACEAE

- 69 *Anemia phyllitidis* (L.) Sw. 02
 70 *Lygodium scandens* (L.) Sw. 01

SELAGINELLACEAE

- 68 * *Selaginella denticulata* (L.) Spring 01

SINOPTERIDACEAE

- 3 * *Cheilanthes acrostica* (Balb.) Tod. 02
 4 * — *hispanica* Mett. 01
 5 * — *maderensis* Lowe 00
 1640 * — *tinaei* Tod. 01
 7 *Pellaea rotundifolia* (G. Forst.) Hook. 01
 8 — *viridis* (Forssk.) Prantl var. *viridis* 01

THELYPTERIDACEAE

- 71 *Christella parasitica* (L.) Lév. 01

WOODSIACEAE

- 72 * *Athyrium filix-femina* (L.) Roth 99
 73 * *Cystopteris fragilis* (L.) Bernh. 02

GYMNOSPERMAE

ARAUCARIACEAE

- 74 *Araucaria bidwilli* Hook. 02

CUPRESSACEAE

- 75 *Callitris rhomboidea* R. Br. 01
 76 *Chamaecyparis lawsoniana* (A. Murray) Parl. 00
 77 *Cupressus arizonica* Greene 00
 78 — *lusitanica* Mill. var. *lusitanica* 02

- 80 — macrocarpa Hartw. var. macrocarpa 01
 81 — sempervirens L. 01
 1840 * Juniperus communis L. 02
 1643 * — phoenicea L. 02
 82 Platycladus orientalis (L.) Franco 02
 83 Tetracelis articulata (Vahl) Mast. 02

GINKGOACEAE

- 1841 Ginkgo biloba L. 02

PINACEAE

- 84 * Pinus pinaster Aiton 00
 85 * — pinea L. 01
 1644 * — sylvestris L. 02
 86 — mugo Turra subsp. uncinata (Ramond ex DC.) Domin 01

TAXODIACEAE

- 87 Cryptomeria japonica (L. f.) D. Don 02
 88 Sequoia sempervirens (Lamb.) Endl. 02

ANGIOSPERMAE

DICOTYLEDONES

ACANTHACEAE

- 89 * Acanthus mollis L. 00
 1842 Crossandra nilotica Oliv. 01
 1774 Thunbergia coccinea Wallich 02

ACERACEAE

- 92 Acer campestre L. 02
 1645 — dasycarpum Ehrh. 02
 93 — japonicum Thunb. var. microphyllum Hort. 02
 1646 — monspessulanum L. 99
 94 — negundo L. 02
 96 — palmatum Thunb. f. roseo-marginatum (C. Koch) Schwer. 02
 97 — platanoides L. 02
 98 — pseudoplatanus L. 02
 99 — f. purpureum (Loud.) Rehder 02

ACTINIDIACEAE

- 100 Actinidia chinensis Planch. 02

AIZOACEAE

- 101 *Aptemia cordifolia* (L.f.) N. E. Br. 02
 102 * *Carpobrotus edulis* (L.) N. E. Br. 00
 103 * *Mesembryanthemum nodiflorum* L. 00
 104 * *Tetragonia tetragonoides* (Pall.) Kuntze 02

AMARANTHACEAE

- 105 * *Amaranthus albus* L. 00
 1855 — *caudatus* L. 01
 1647 — *cruentus* L. 99
 108 * — *deflexus* L. 02
 109 * — *gracizans* L. subsp. *silvestris* (Vill.) Brenan 00
 110 * — *hybridus* L. 00
 111 * — *powellii* S. Watson 02
 112 *Celosia argentea* L. var. *cristata* (L.) Kuntze 02
 113 *Gomphrena albiflora* Moq. 01
 114 — *globosa* L. 01

ANACARDIACEAE

- 115 *Cotinus coggygia* Scop. 01
 116 * *Pistacia lentiscus* L. 02
 117 * — *terebinthus* L. 01
 1897 * *Rhus coriaria* L. 00
 118 *Schinus dependens* Ortega 02
 119 — *molle* L. var. *areira* (L.) DC. 02
 120 — *terebinthifolius* Raddi 01

APOCYNACEAE

- 121 *Acokanthera oblongifolia* (Hochst.) Codd 02
 124 *Catharanthus roseus* (L.) G. Don var. *albus* G. Don 02
 123 — — var. *roseus* 02
 126 *Nerium oleander* L. var. *album* Lodd. 02
 127 — — var. *oleander* 02
 128 *Thevetia peruviana* (Pers.) Schum. 01
 129 * *Vinca difformis* Pourr. subsp. *difformis* 01

AQUIFOLIACEAE

- 130 * *Ilex aquifolium* L. 02

ARALIACEAE

- 131 *Fatsia japonica* (Thunb.) Decne. & Planch. 02
 132 * *Hedera helix* L. subsp. *canariensis* (Willd.) Cout. 02
 133 *Pseudopanax crassifolius* (Sol. ex A. Cunn.) C. Koch 02

ARISTOLOCHIACEAE

- 134 *Aristolochia fimbriata* Cham. 02
 135 * — *paucinervis* Pomet 02
 136 — *sempervirens* L. 02

ASCLEPIADACEAE

- 137 * *Araujia sericifera* Brot. 01
 140 *Asclepias fruticosa* L. 01
 141 * *Vincetoxicum nigrum* (L.) Moench 02

BALSAMINACEAE

- 142 *Impatiens balsamina* L. 01

BASELLACEAE

- 144 *Anredera cordifolia* (Ten.) Steenis 02

BEGONIACEAE

- 1776 *Begonia cucullata* Willd. var. *hookeri* (A. DC.) L.B. Sm. & Schub. 01
 1898 — *grandis* Dryand. subsp. *evansiana* (Andrews) Immsch. 02

BERBERIDACEAE

- 146 *Berberis vulgaris* L. 02
 1649 *Mahonia japonica* Thunb. 02
 1899 *Nandina domestica* Thunb. 01

BETULACEAE

- 1650 * *Alnus glutinosa* (L.) Gaertner 01
 148 — *sinuata* (Regel) Rydb 01
 149 *Betula alba* L. 02
 1788 * *Corylus avellana* L. 02

BIGNONIACEAE

- 151 *Campsis radicans* (L.) Seem. 02
 152 *Catalpa bignonioides* Walter 01
 153 — *ovata* G. Don 02
 154 *Doxantha unguis-cati* (L.) Rehder 02
 155 *Jacaranda mimosifolia* D. Don 01
 156 *Pithecoctenium muricatum* Moç. ex DC. 02

BOMBACACEAE

- 1900 *Adansonia digitata* L. 00

BORAGINACEAE

- 157 * *Anchusa azurea* Mill. 01
 1843 * — *undulata* L. subsp. *granatensis* (Boiss.) Valdés 01
 158 * — *undulata* L. subsp. *undulata* 01
 159 * *Borago officinalis* L. 02
 161 * *Cerithe gymnandra* Gasp. var. *gymnandra* 00
 162 * — *major* L. 02
 1777 *Cynoglossum amabile* Stapf & J. R. Drumm. 99
 164 * — *clandestinum* Desf. 00
 165 * — *creticum* Mill. 99

- 166 * *Echium lusitanicum* L. subsp. *lusitanicum* 01
 167 * — *plantagineum* L. 00
 169 * — *tuberculatum* Hoffmanns. & Link 00
 170 *Heliotropium amplexicaule* Vahl 01
 171 * — *europaeum* L. 00
 172 — *peruvianum* L. 02
 173 *Lithospermum officinale* L. 02
 1901 * *Myosotis debilis* Pomel 00
 175 * — *discolor* Pers. 01
 177 * — *stolonifera* (DC.) Leresche & Levier 02
 178 * — *welwitschii* Boiss. & Reut. 01
 181 *Omphalodes linifolia* (L.) Moench 99
 182 * — *nitida* Hoffmanns. & Link 02
 183 * *Pentaglottis sempervirens* (L.) Tausch ex L. H. Bailey 02

BUXACEAE

- 184 *Sarcococca hookeriana* Baill. 01

CACTACEAE

- 185 * *Opuntia maxima* Mill. 02

CALLITRICHACEAE

- 186 * *Callitriche brutia* Petagna 00
 1902 * — *stagnalis* Scop. 00
 187 * — *truncata* Guss. subsp. *occidentalis* (Rouy) Schotsman 01

CALYCANTHACEAE

- 188 *Calycanthus laevigatus* Willd. 02
 1778 *Chimonanthus praecox* (L.) Link 02

CAMPANULACEAE

- 189 * *Campanula erinus* L. 01
 190 * — *herminii* Hoffmanns. et Link 02
 191 * — *lusitanica* L. 02
 192 * — *alata* Desf., Fl. 00
 1779 — *rapunculoides* L. subsp. *rapunculoides* 01
 193 * — *rapunculus* L. 02
 194 * *Jasione crispa* (Pourr.) Samp. subsp. *mariana* (Willk.) Rivas Mart. 01
 195 * — *montana* L. subsp. *montana* 01
 197 *Lobelia laxiflora* Humb., Bonpl. & Kunth 00
 198 * — *urens* L. 01
 199 * *Trachelium caeruleum* L. subsp. *caeruleum* 02
 200 * *Wahlenbergia hederacea* (L.) Rchb. 01

CANNABACEAE

- 201 * *Humulus lupulus* L. 02

CAPPARACEAE

- 1781 Cleome spinosa Jacq. 00
 202 * — violacea L. 01
 203 Isomeris arborea Nutt. 02
 1780 Polanisia trachysperma Torr. & A. Gray 02

CAPRIFOLIACEAE

- 204 Kolkwitzia amabilis Graebner 02
 205 * Lonicera etrusca Santi 01
 206 * — implexa Aiton 01
 207 — japonica Thunb. var. aureo-reticulata (T. Moore) Nicholles 01
 208 — maackii (Rupr.) Maxim. 02
 209 * — periclymenum L. subsp. periclymenum 00
 210 — tatarica L. 02
 211 — translucens Carrière 00
 212 * Sambucus ebulus L. 00
 213 * — nigra L. 00
 1973 Symphoricarpos albus (L.) Blake var. laevigatus (Fem.) Blake 02
 1942 Viburnum lantana L. 02
 214 — odoratissimum Ker Gawl. 00
 215 * — tinus L. subsp. tinus 01
 1844 — platum Thunb. f. tomentosum (Thunb.) Rehder 02

CARICACEAE

- 216 Carica quercifolia Benth. & Hooker f. ex Hieron. 02

CARYOPHYLLACEAE

- 1652 * Agrostemma githago L. 01
 217 * Arenaria conimbricensis Brot. subsp. conimbricensis 01
 218 * — leptoclados (Rchb.) Guss. 01
 219 * — montana L. subsp. montana 01
 220 * — querioides Pourr. ex Willk. 01
 221 * — serpyllifolia L. 02
 222 * Cerastium diffusum Pers. subsp. diffusum 01
 223 * — fontanum Baumg. subsp. vulgare (Hartm.) Greuter & Burdet 01
 224 * — glomeratum Thuill. 01
 1653 * — ramosissimum Boiss. 01
 226 * Corrigiola litoralis L. subsp. litoralis 99
 227 * — litoralis L. subsp. telephiifolia (Pourr.) Briq. 02
 1943 Dianthus armeria L. subsp. armeria 01
 229 — barbatus L. subsp. barbatus 01
 1904 * — cintranus Boiss. & Reut. subsp. barbatus R. Fern. & Franco 01
 230 * — lusitanus Brot. 01
 231 * Hemaria ciliolata Melderis subsp. robusta Chaudhri 01
 1654 * — scabrida Boiss. subsp. scabrida var. glabrescens Boiss. 00
 234 * Illecebrum verticillatum L. 00
 235 Lychnis coronaria (L.) Desr. 01
 236 * — flos-cuculi (L.) subsp. flos-cuculi. 02
 238 * Minuartia recurva (All.) Schinz & Thell. 01
 240 * Moehringia pentandra Gay 01
 239 * Moenchia erecta (L.) P. Gaertn., B. Mey. & Scherb. 01
 241 * Myosoton aquaticum (L.) Moench 01

- 1655 * *Ortegia hispanica* L. 02
 242 * *Paronychia argentea* Lam. var. *argentea* 01
 225 * — *cymosa* (L.) DC. 01
 243 * — *echinulata* Chater var. *echinulata* 00
 244 * — *polygonifolia* (Vill.) DC. var. *velucensis* Boiss. 99
 245 * *Petrorhagia nanteuilii* (Burnat) P. W. Ball & Heywood 00
 246 * *Polycarpon alsinifolium* (Biv.) 00
 247 * — *tetraphyllum* (L.) L. subsp. *tetraphyllum* 99
 248 * *Sagina apetala* Ard. 01
 1656 * — *maritima* D. Don 00
 249 * — *procumbens* L. 00
 250 * — *saginoides* (L.) Karst. 02
 1657 * — *subulata* (Sw.) C. Presl 02
 251 * *Saponaria officinalis* L. 00
 252 * *Scleranthus annuus* L. 01
 1974 — *perennis* L. 02
 253 * *Silene acutifolia* Link ex Rohrb. 02
 1905 — *armeria* L. 00
 254 * — *ciliata* Pourr. 02
 255 * — *disticha* Willd. 01
 256 * — *foetida* Link subsp. *foetida* 01
 257 * — *fuscata* Link ex Brot. 01
 258 * — *gallica* L. 01
 259 * — *inaperta* L. subsp. *inaperta* 01
 260 * — *laeta* (Aiton) Gods. 02
 261 * — *latifolia* Poir. 02
 262 * — *littorea* Brot. subsp. *littorea* 01
 1658 * — *marizzii* Samp. 01
 264 * — *micropetala* Lag. 01
 265 * — *nicaensis* All. 01
 1975 — *noctiflora* L. 02
 266 * — *nocturna* L. 01
 267 * — *nutans* L. subsp. *nutans* 02
 268 — *pendula* L. 00
 269 * — *portensis* L. subsp. *portensis* 02
 271 * — *scabriflora* Brot. subsp. *scabriflora* 01
 273 * *Spargula arvensis* L. 01
 274 * — *morisonii* Boreau 01
 1659 * *Spergularia australis* (Samp.) Ralter 01
 276 * — *capillacea* (Kindb. et Lange) Willk. 01
 277 * — *marina* (L.) Besser 00
 279 * — *purpurea* (Pers.) G. Don 00
 280 * *Stellaria alsine* Grimm 01
 1845 * — *graminea* L. 00
 281 * — *holostea* L. 01
 282 * — *media* (L.) Vill. 01
 1976 *Vaccaria hispanica* (Mill.) Ranschert 02

CASUARINACEAE

- 283 *Casuarina equisetifolia* J. R. Forst. & G. Forst. 01

CELASTRACEAE

- 284 *Euonymus japonicus* L. f. 01
 1846 — *grandiflorus* Wall. ex Roxb. 01

CHENOPODIACEAE

- 1660 * *Arthrocnemum macrostachyum* (Moric.) Moris 00
 1944 * *Atriplex halimus* L. 01
 1906 — *hortensis* L. 01
 285 * — *patula* L. 99
 1661 * — *prostrata* Boucher ex DC. 99
 288 * *Chenopodium album* L. var. *album* 99
 289 * — *ambrosioides* L. 01
 1662 * — *botrys* L. 99
 290 * — *murale* L. 01
 292 * — *polyspermum* L. 01
 1847 — *urbicum* L. 00
 1663 * *Halimione portulacoides* (L.) Aellen 00
 1665 * *Salsola kali* L. 02
 1666 * *Sarcocornia perennis* (Mill.) A. J. Scott. subsp. *alpini* (Lag.) Castrov. 99
 1667 * — *perennis* (Mill.) A. J. Scott. subsp. *perennis* (Lag.) Castrov. 00
 1668 * *Suaeda albenscens* Lázaro Ibiza 00
 1669 * — *splendens* (Pourr.) Gren. & Godr. 00

CISTACEAE

- 294 * *Cistus albidus* L. 01
 295 * — *crispus* L. 01
 296 — *incanus* L. 01
 297 * — *ladanifer* L. subsp. *ladanifer* 01
 1670 — *laurifolius* L. 01
 298 * — *monspeliensis* L. 01
 299 * — *populifolius* L. subsp. *populifolius* 99
 304 * *Halimium calycinum* (L.) K. Koch 00
 305 * — *halimifolium* (L.) Willk. subsp. *multiflorum* (Salzm. ex Dunal) Maire 01
 1671 * — *lasianthum* (Lam.) Spach subsp. *alyssoides* (Lam.) Greuter 01
 306 * — *lasianthum* (Lam.) Spach subsp. *lasianthum* 01
 307 * — *ocymoides* (Lam.) Willk. 01
 308 * — *umbellatum* (L.) Spach subsp. *umbellatum* 01
 1672 * — subsp. *viscosum* (Willk.) O. Bolós & Vigo 01
 309 * *Helianthemum ledifolium* (L.) Mill. 00
 311 * *Xolantha guttata* (L.) Raf. 99
 312 * — *tuberaria* (L.) Gallego, Muñoz Garm. & C. Navarro 01

CNEORACEAE

- 313 *Cneorum tricocon* L. 02

COMBRETACEAE

- 1673 *Terminalia australis* Cambess. 02

COMPOSITAE

- 314 * *Achillea ageratum* L. 01
 1674 * — *millefolium* L. 01
 475 *Acmella oleracea* (L.) R. K. Jansen 00

- 392 *Ageratina adenophora* (Spreng.) R. M. King & H. Rob. 99
 395 — *viburnoides* (DC.) R. M. King & H. Rob. 00
 316 *Ageratum houstonianum* Mill. 01
 1676 * *Anthemis canescens* Brot. 01
 1848 — *tinctoria* L. 00
 322 * *Arctium minus* (Hill) Bernh. 01
 323 * *Arctotheca calendula* (L.) Levyns 01
 1907 * *Arnica montana* L. subsp. *atlantica* A. Bolós 02
 324 * *Amoseris minima* (L.) Schweigg. & Körte 01
 1908 * *Artemisia crithmifolia* L. 00
 325 *Aster rotundifolius* Thunb. 00
 326 * — *squamatus* (Spreng.) Hieron. 00
 393 *Bartlettia sordida* (Less.) R. M. King & H. Rob. 01
 329 * *Bellis perennis* L. 02
 330 * — *sylvestris* C. rillo var. *sylvestris* 02
 331 *Berkheya radula* (Harv.) Burtt-Davy 00
 1849 *Bidens pilosa* L. 99
 333 * *Calendula arvensis* L. subsp. *arvensis* 00
 334 — *officinalis* L. 00
 335 * — *suffruticosa* Vahl subsp. *algarbiensis* (Boiss.) Nyman 01
 336 * — *suffruticosa* Vahl subsp. *lusitanica* (Boiss.) Ohle 01
 337 *Callistephus chinensis* (L.) Nees 01
 338 * *Carduncellus caeruleus* (L.) C. Presl. subsp. *caeruleus* 00
 339 * *Carduus carpetanus* Boiss. & Reut. 02
 340 * — *lusitanicus* Rouy 01
 341 * — *platypus* Lange 02
 342 * — *tenuiflorus* Curtis 00
 343 * *Carlina corymbosa* L. 99
 344 * — *racemosa* L. 99
 1909 *Carthamu tinctorius* L. 01
 346 * *Catananche caerulea* L. 01
 347 * *Centaurea africana* Lam. 00
 1678 * — *aristata* Hoffmanns. & Link subsp. *aristata* 01
 349 * — *limbata* Hoffmanns. & Link 01
 1680 * — *ornata* Willd. subsp. *ornata* 01
 353 * — *rivularis* Brot. 00
 354 * — *sempervirens* L. 01
 356 * — *sphaerocephala* L. subsp. *sphaerocephala* 01
 357 * — *uliginosa* Brot. 99
 1681 * *Chamaeleon gummiifer* (L.) Cass. 00
 358 * *Chamaemelum fuscatum* (Brot.) Vasc. 01
 359 * — *mixtum* (L.) All. 01
 360 * — *nobile* (L.) All. var. *discolor* (Boiss. ex Willk.) P. Silva 00
 361 * *Chondrilla juncea* L. 01
 362 * *Chrysanthemum coronarium* L. 00
 364 * — *segetum* L. 99
 365 * *Cichorium intybus* L. 00
 367 * *Cirsium filipendulum* Lange 02
 368 * — *palustre* (L.) Scop. 01
 1682 * *Cnicus benedictus* L. 02
 371 — *scabrum* (Poir.) Bonnet & Barratte 00
 372 * *Coleostephus myconis* (L.) Rchb. f. 01
 373 * *Conyza albida* Willd. ex Spreng. 00
 374 * — *bonariensis* (L.) Cronq. 00
 375 * — *canadensis* (L.) Cronq. 00
 377 * *Cotula australis* (Sieber ex Spreng.) Hook. f. 01

- 378 * — coronopifolia L. 00
 380 * Crepis foetida L. 01
 381 * — lampsanoides (Gouan) Tausch 01
 383 * — vesicaria L. subsp. haenseleri (Boiss. ex DC.) P. D. Sell 01
 384 * Crupina vulgaris Pers. ex Cass. 02
 1896 * Cynara cardunculus L. 01
 1782 — scolymus L. 00
 387 * Dittrichia viscosa (L.) Greuter subsp. viscosa 01
 388 * Echinops strigosus L. 01
 389 * Eclipta prostrata (L.) L. 01
 391 * Erigeron karvinskianus DC. 01
 394 * Eupatorium cannabinum L. subsp. cannabinum 00
 396 * Filago pygmaea (L.) Brot. subsp. pygmaea 99
 400 * Galactites tomentosa Moench 99
 401 Galinsoga ciliata (Raf.) S. F. Blake 02
 402 * — parviflora Cav. 00
 403 * Gamochaeta purpurea (L.) Cabrera 00
 404 * Gnaphalium luteo-album L. 99
 405 Grindelia camponum Greene 00
 406 — robusta Nutt. 02
 407 — squarrosa (Pursh) Dunal 02
 408 * Gymnostyles stolonifera (Brot.) Tutin 00
 409 * Hedypnois cretica (L.) Dum.-Cours. 00
 1910 Helianthus annuus L. 02
 1783 Helichrysum bracteatum (Vent.) Andrews 01
 1683 — petiolare Hilliard & Burt. 01
 413 * — picardii Boiss. & Reut. 00
 1684 * — stoechas (L.) Moench 99
 1685 * Hieracium castellanum Boiss. & Reut. 01
 415 * — dumosum Jord. 01
 416 * — pilosella L. 01
 417 * — schmidtii Tausch 01
 418 * Hispidella hispanica Lam. 02
 421 * Inula conyza DC. 01
 1784 * Jurinea humilis (Desf.) DC. 01
 424 * Lactuca saligna L. 00
 425 * — serriola L. 99
 426 * — viminea (L.) F. W. Schmidt 99
 427 * — virosa L. 01
 428 * Lapsana communis L. 02
 430 * Leontodon hispidus L. 01
 431 * — longirostris (Finch. & P. D. Sell) Talavera 00
 433 * — taraxacoides (Vill.) Méral 00
 434 * — tuberosus L. 00
 435 * Lepidophorum repandum (L.) DC. 99
 1770 * Leucantheropsis flaveola (Hoffmanns. & Link) Heywood 01
 436 * Leucanthemum sylvaticum (Hoffmanns. & Link) Nyman 01
 438 * Logfia gallica (L.) Coss. & Germ. 00
 90 Lonas annua (L.) Vines & Druce 01
 1850 Matricaria chamomilla L. 02
 441 * — maritima L. ssp. maritima 01
 176 — perforata Méral. 02
 1686 * Onopordum acanthium L. subsp. acanthium 01
 442 * Otanthus maritimus (L.) Hoffmanns. & Link 00
 443 * Pallenis spinosa (L.) Cass. ssp. spinosa 99
 366 Pericallis hybrida (Willd.) B. Nord. 00

- 446 * *Phagnalon saxatile* (L.) Cass. 02
 447 * *Phalacrocarpum oppositifolium* (Brot.) Willk. 01
 448 * *Picris comosa* (Boiss.) B.D. Jacks. subsp. *lusitanica* (Wellw. ex Schtdl.) Talavera 01
 449 * — *echioides* L. 00
 450 * — *hieracioides* L. subsp. *longifolia* (Boiss. & Reut.) P.D.Sell 02
 451 *Polymnia uvedalia* L. 02
 452 * *Pulicaria dysenterica* (L.) Bernh. 00
 1687 * — *odora* (L.) Rchb. 01
 453 * — *paludosa* Link 00
 454 * *Reichardia gaditana* (Willk.) Samp. 01
 455 * — *intermedia* (Sch. Bip.) Samp. 99
 456 * — *picroides* (L.) Roth 00
 457 * *Rhagadiolus edulis* Gaertn. 99
 1972 *Sanvitalia procumbens* Lam. 01
 459 *Scolymus grandiflorus* Desf. 00
 460 * — *hispanicus* L. 00
 461 * — *maculatus* L. 99
 462 * *Scorzonera humilis* L. 01
 464 *Senecio bicolor* (Willd.) Tod. subsp. *cineraria* (DC.) Chater 01
 465 * — *doronicum* (L.) L. 01
 466 * — *gallicus* Chaix 01
 468 * — *jacobaea* L. 00
 469 * — *lividus* L. 00
 470 — *longifolius* L. 01
 471 * — *mikanioides* Otto ex Walp. 02
 472 * — *pyrenaicus* L. subsp. *caespitosus* Franco 01
 473 * — *sylvaticus* L. 00
 474 * — *vulgaris* L. 00
 476 *Silphium perfoliatum* L. 02
 477 * *Silybum marianum* (L.) Gaertn. 01
 478 * *Solidago virgaurea* L. 01
 479 * *Soliva pterosperma* (Juss.) Less. 00
 480 * *Sonchus asper* (L.) Hill subsp. *glaucescens* (Jord.) Ball 00
 482 * — *oleraceus* L. 01
 483 * *Stachelina dubia* L. 01
 484 *Stevia lanceolata* Lag. 02
 486 *Tagetes lucida* Cav. 01
 487 * *Tanacetum corymbosum* (L.) Sch. Bip. ssp. *corymbosum* 01
 491 * *Taraxacum sundbergii* Dahlst. 01
 492 * *Tolpis barbata* (L.) Gaertn. 00
 493 * — *umbellata* Bertol. 99
 494 * *Tragopogon hybridus* L. 01
 496 * *Urospermum picroides* (L.) Scop. ex F. W. Schmidt 01
 1688 * *Xanthium albinum* (Widder) H. Scholz 01
 1851 * — *stromarium* subsp. *cavanillesii* (Schronw) D. Love & Dans. 01
 497 *Xeranthemum cylindraceum* Sibth. & Sm. 99
 1787 *Zinnia peruviana* (L.) L. 00

CONVOLVULACEAE

- 498 * *Calystegia sepium* (L.) R. Br. 01
 499 * — *soldanella* (L.) R. Br. 01
 501 * *Convolvulus arvensis* L. 01
 500 * — *tricolor* L. 99
 502 * *Cuscuta australis* R. Br. subsp. *tinei* (Inzenga) Feinbrun 01

- 503 * — epithymum (L.) L. subsp. kotschy (Des. Moul.) Arcang. 01
 504 Ipomaea lobata (Cerv.) Thell. 00

CORIARIACEAE

- 505 Coriaria nepalensis Wall. 02

CORNACEAE

- 506 Aucuba japonica Thunb. 01
 507 Cornus capitata Wall. 02
 508 — mas L. 02
 509 * — sanguinea L. subsp. sanguinea 01

CRASSULACEAE

- 510 Aichryson laxum (Haw.) Bramwell 01
 54 Crassula portulaca Lam. var. obliqua Aiton 00
 1853 — radicans D. Dietr. 02
 512 * — tillaea Lest.-Garl. 01
 1690 Hylotelephium telephium (L.) H. Ohba 02
 513 Kalanchoe blossfeldiana Poelln. 02
 514 — velutina Britten subsp. velutina 02
 516 * Sedum acre L. 02
 517 * — album L. 01
 1691 * — amplexicaule DC. 02
 1789 * — anglicum Huds. 01
 518 * — arenarium Brot. 00
 519 * — brevifolium DC. 01
 1854 * — forsteranum Sm. 01
 520 * — hirsutum All. subsp. hirsutum 01
 515 * — mucizonia (Ortega) Raym. Hamet 02
 1689 * — pedicellatum Boiss. & Reut. subsp. lusitanicum (Willk. ex Mariz) M. Lainz 01
 521 * — rubens L. 01
 522 * — sediforme (Jacq.) Pau 02
 523 * Umbilicus rupestris (Salisb.) Dandy 01

CRUCIFERAE

- 524 * Arabidopsis thaliana (L.) Heynh. 01
 1945 * Arabis beirana P. Silveira, Paiva & N. Marcos 01
 488 * — juressi Rothm. 01
 525 * — planisiliqua (Pers.) Rchbn. 01
 888 * — sadina (Samp.) Cout. 01
 526 * — stenocarpa Boiss. & Reut. 02
 1693 * Biscutela auriculata L. 01
 529 * — valentina (Loefl. ex L.) Heywood subsp. valentina var. valentina 01
 530 * Brassica barrelieri (L.) Janka 01
 531 * — oxyrrhina Coss. 01
 1694 * Bunias erucago L. 02
 532 * Cakile maritima Scop. subsp. integrifolia (Homem.) Greuter & Burdet 01
 533 * Capsella bursa-pastoris (L.) Medik. 02
 534 * Cardamine hirsuta L. 01
 535 * Coincya monensis (L.) Greuter & Burdet subsp. cheiranthos (Vill.) Aedo, Leadley & Muñoz Garm. 99

- 536 * — — subsp. — var. recurvata (All.) Leadley 01
 537 * *Coronopus didymus* (L.) Sm. 01
 539 * *Diploxys catholica* (L.) DC. 01
 540 * *Draba muralis* L. 01
 1022 *Erysimum cheiranthoides* L. 02
 1696 * — *lagascae* Rivas Goday & Bellot 01
 1697 * — *linifolium* (Pourr. ex Pers.) J. Gay 99
 1695 * — *merxmulieri* Polatschek 02
 542 * *Hirschfeldia incana* (L.) Lagr.-Foss. subsp. *incana* 99
 543 *Iberis amara* L. 00
 544 * — *ciliata* All. subsp. *welwitschii* (Boiss.) Moreno 00
 546 *Isatis tinctoria* L. subsp. *tinctoria* 02
 547 * *Lepidium heterophyllum* Benth. 01
 1023 — *sativum* L. 01
 549 * — *virginicum* L. 02
 1790 *Lobularia maritima* (L.) Desv. subsp. *maritima* 02
 1791 *Lunaria annua* L. 01
 551 * *Malcolmia ramosissima* (Desf.) Thell. 00
 552 * *Mathiola sinuata* (L.) R. Br. 02
 1698 * *Moricandia arvensis* (L.) DC. 01
 553 * *Murbeckiella boryi* (Boiss.) Rothm. 02
 554 * — *sousae* Rothm. 01
 555 * *Raphanus raphanistrum* L. subsp. *raphanistrum* 01
 556 — *sativus* L. 01
 557 * *Rapistrum rugosum* (L.) All. subsp. *linnaeanum* (Coss.) Rouy & Foucaud 01
 558 — — subsp. *rugosum* 99
 1699 * *Rorippa nasturtium-aquaticum* (L.) Hayek 01
 1700 * — *sylvestris* (L.) Besser subsp. *sylvestris* 01
 560 * *Sinapis alba* L. subsp. *alba* 01
 561 * — *arvensis* L. 02
 562 * *Sisymbrella aspera* (L.) Spach. subsp. *aspera* 01
 1701 * *Sisymbrium altissimum* L. 00
 563 * — *officinale* (L.) Scop. 01
 564 * *Teesdalia coronopifolia* (J. P. Bergeret) Thell. 01
 565 * — *nudicaulis* (L.) R. Br. 01
 566 * *Teesdaliopsis conferta* (Lag.) Rothm. 02
 1236 *Thlaspi arvense* L. 01
 567 * — *perfoliatum* L. 02

CUCURBITACEAE

- 568 * *Bryonia dioica* Jacq. 02
 1337 *Cucumis melo* L. 02
 1350 *Cucurbita ficifolia* C.D. Boudré 01
 1354 — *pepo* L. 01
 569 * *Ecballium elaterium* (L.) A.Rich. subsp. *elaterium* 02

DIPSACACEAE

- 570 * *Dipsacus comosus* Hoffmanns. & Link 99
 572 * *Pteroccephalus diandrus* (Lag.) Lag. 02
 573 * — *intermedius* (Lag.) Cout. 01
 574 * *Scabiosa atropurpurea* L. 01
 575 — *cretica* L. 02
 1946 * — *stellata* L. 01
 577 * *Succisa pratensis* Moench 01

- 578 *Succisella inflexa* (Kluk) Beck 02
 1947 *Tremastelma palaestinum* (L.) Janch. 01

DROSERACEAE

- 579 * *Drosera intermedia* Hayne 02
 580 * — *rotundifolia* L. 02
 581 * *Drosophyllum lusitanicum* (L.) Link 02

EBENACEAE

- 582 *Diospyros lotus* L. 02
 1977 — *virginiana* L. 02

ELAEAGNACEAE

- 583 *Elaeagnus multiflora* Thunb. 02

EMPETRACEAE

- 584 * *Corema album* (L.) D. Don subsp. *album* 01

ERICACEAE

- 585 * *Arbutus unedo* L. 01
 1379 * *Caluna vulgaris* (L.) Hull 02
 586 * *Erica arborea* L. 00
 587 * — *australis* L. 00
 588 * — *ciliaris* Loeffl. ex L. 01
 589 * — *cinerea* L. 99
 1703 * — *erigena* R. Ross. 00
 1856 * — *scoparia* L. subsp. *scoparia* 02
 591 * — *tetralix* L. 01
 592 * — *umbellata* Loeffl. ex L. 01
 593 *Rhododendron micranthum* Turcz. 00
 594 — *ponticum* L. 02

EUPHORBIACEAE

- 1704 *Acalypha rhomboidea* Ray 02
 604 * *Chamaesyce maculata* (L.) Small 00
 605 * — *nutans* (Lag.) Small 02
 607 * — *peplis* (L.) Prokh. 02
 609 * — *prostrata* (Aiton) Small 00
 597 * *Euphorbia amygdaloides* L. subsp. *amygdaloides* 99
 598 — *ceratocarpa* Ten. 01
 599 * — *characias* L. subsp. *characias* 01
 601 * — *exigua* L. 01
 602 * — *falcata* L. subsp. *falcata* 00
 1793 * — *helioscopia* L. 01
 603 * — *hirsuta* L. 01
 1794 — *lathyris* L. 01
 606 * — *paralias* L. 00
 608 * — *peplus* L. var. *peplus* 01
 1334 * — *portlandica* L. 01
 610 * — *pterococca* Brot. 01

- 612 * — uliginosa Welw. ex Boiss. 99
 613 Manihot palmata Müll. Arg. 02
 614 * Mercurialis ambigua L.fil. 01
 1795 * Ricinus communis L. 02

FAGACEAE

- 616 ** Quercus coccifera L. 02
 617 ** — faginea Lam. subsp. broteroi (Cout.) A. Camus 02
 618 ** — ilex Lam. subsp. bollota (Desf.) Samp. 02
 619 ** — lusitanica Lam. 02
 621 ** — suber L. 02

FLACOURTIACEAE

- 1857 Dovyalis caffra (Hook. F. & Harv.) Warb. 01

FRANKENIACEAE

- 622 * Frankenia laevis L. 00

GENTIANACEAE

- 624 * Blackstonia perfoliata (L.) Huds. subsp. perfoliata 02
 625 * Centaurium erythraea Rafin. 99
 627 * — tenuiflorum (Hoffmanns. & Link) Fritsch subsp. tenuiflorum 01
 628 * Cicendia filiformis (L.) Delarbe 01
 629 * Exaculum pusillum (Lam.) Caruel 01
 630 * Gentiana pneumonanthe L. 01

GERANIACEAE

- 631 * Erodium botrys (Cav.) Bertol. 01
 632 * — cicutarium (L.) L'Hér. 00
 633 * — malacoides (L.) L'Hér. 02
 636 * Geranium columbinum L. 01
 637 * — dissectum L. 01
 638 * — lucidum L. 00
 639 * — molle L. 00
 640 * — purpureum Vill. 02
 641 * — pyrenaicum Burm.f. 02
 642 * — robertianum L. 01
 643 * — rotundifolium L. 02
 644 Pelargonium zonale (L.) L'Hér. 99

GESNERIACEAE

- 647 Streptocarpus rexii (Hook.) Lindl. 02

GROSSULARIACEAE

- 595 Escallonia montevidensis (Cham. & Schlecht.) DC. 02

GUNNERACEAE

- 648 Gunnera chilensis Lam. 01

GUTTIFERAE

- 649 * *Hypericum androsaemum* L. 00
 650 — *canariense* L. 02
 651 * — *elodes* L. 01
 652 * — *humifusum* L. 99
 653 * — *linariifolium* Vahl 02
 654 * — *perforatum* L. 01
 655 * — *pulchrum* L. 00
 656 * — *tomentosum* L. 99
 657 * — *undulatum* (Schousb.) Willd. 00

HALORAGACEAE

- 658 *Haloragis erecta* Eichler. 02

HAMAMELIDACEAE

- 659 *Liquidambar styraciflua* L. 02

HIPPOCASTANACEAE

- 661 *Aesculus hippocastanum* L. 02

HYDRANGEACEAE

- 662 *Deutzia scabra* Thunb. 02
 663 *Philadelphus coronarius* L. 02
 664 — *incanus* Koehne 02

HYDROPHYLACEAE

- 48 *Phacelia tanacetifolia* Benth. 01

JUGLANDACEAE

- 665 *Juglans nigra* L. 02

LABIATAE

- 1706 * *Acinos alpinus* (L.) Moench subsp. *meridionalis* (Nyman) P.W. Ball 02
 666 * *Ajuga chamaepitys* (L.) Schreb. 01
 667 — *genevensis* L. 01
 668 * — *iva* (L.) Schreb. var. *pseudo-iva* (Robill & Cast. ex DC.) Robill & Cast. ex Benth. 02
 669 * — *pyramidalis* L. subsp. *meonantha* (Hoffmanns. & Link) R. Fern. 02
 670 — *reptans* L. 01
 671 *Ballota acetabulosa* (L.) Benth. 01
 672 * — *nigra* L. subsp. *foetida* Hayek 01
 673 * *Calamintha sylvatica* Bromf. subsp. *ascendens* (Jord.) P. W. Ball 01
 674 * *Cleonia lusitanica* (L.) L. 00
 675 * *Clinopodium vulgare* L. subsp. *arundanum* (Boiss.) Nyman 01
 1948 *Dracocephalum moldavica* L. 01
 677 * *Lamium amplexicaule* L. 00
 678 * — *maculatum* L. 01
 679 * — *purpureum* L. 00

- 680 * *Lavandula latifolia* Medik. 01
 681 * — *stoechas* L. subsp. *luisieri* (Rozeira) Rozeira 00
 682 * — — subsp. *sampaiana* Rozeira 01
 684 * *Lycopus europaeus* L. 01
 685 * *Marrubium vulgare* L. 01
 686 * *Melissa officinalis* L. subsp. *altissima* (Sibth. & Sm.) Arcang. 02
 687 * *Mentha aquatica* L. 01
 688 * — *pulegium* L. 00
 689 * — *suaveolens* Ehrh. 00
 690 * *Micromeria graeca* (L.) Rchb. subsp. *graeca* 01
 691 * — *juliana* (L.) Rchb. 01
 1797 *Nepeta cataria* (L.) Britt. 99
 692 * — *tuberosa* L. 00
 693 * *Origanum virens* Hoffmanns. & Link 02
 1792 — *vulgare* L. 02
 1798 *Perilla frutescens* (L.) Britton var. *crispa* (Thunb.) Decne 02
 695 * *Phlomis lychnitis* L. 01
 1911 *Physostegia virginiana* (L.) Benth. 02
 1708 *Plectranthus hereroensis* Engler 02
 697 * *Prunella grandiflora* (L.) Scholler ssp. *pyrenaica* (Gren. & Godr.) A. & O.
 Bolós 01
 698 * — *x intermedia* Link 01
 699 * — *vulgaris* L. 02
 700 * *Rosmarinus officinalis* L. 02
 1949 *Salvia guaranitica* A. St.Hill. ex Benth. 02
 1912 — *sclarea* L. 00
 702 * — *sclareoides* Brot. 02
 703 — *splendens* Sellow ex Roem. & Schult. 02
 704 * — *verbenaca* L. 02
 1978 — *verticillata* L. 02
 705 * — *viridis* L. 02
 1913 *Satureja hortensis* L. 00
 1800 — *montana* L. 02
 706 * *Scutellaria galericulata* L. 00
 1858 * — *minor* Huds. 01
 707 * *Sideritis hirsuta* L. 01
 1914 — *montana* L. 01
 709 * *Stachys arvensis* (L.) L. 00
 710 * — *germanica* L. subsp. *cordigera* Briq. 02
 711 * — *ocymastrum* (L.) Briq. 99
 712 * — *officinalis* (L.) Trev. 00
 713 * — *palustris* L. 01
 1709 * — *sylvatica* L. 02
 714 *Teucrium flavum* L. 02
 715 * — *polium* L. 00
 716 * — *salviastrum* Schreb. 01
 717 * — *scordium* L. subsp. *scordioides* (Schreb.) Maire & Petm. 00
 718 * — *scorodonia* L. subsp. *scorodonia* 01
 719 * *Thymbra capitata* (L.) Cav. 01
 720 * *Thymus caespitius* Brot. 00
 721 * — *mastichina* L. 02
 722 * — *villosus* L. 01
 723 * — *zygis* Loeffl. ex L. subsp. *sylvestris* (Hoffmanns. & Link) Brot. ex
 Cout. 01

LAURACEAE

- 724 ** Apollonias barbuja (Cav.) Bomm. subsp. Barbuja 02
 725 ** Cinnamomum camphora (L.) Nees & Eberm. 02
 726 ** Laurus nobilis L. 02
 727 ** Persea indica (L.) Spreng. 02

LEGUMINOSAE

- 1859 Acacia auriculiformis Cunn. ex Benth 02
 1860 — cultriformis A. Cunn. ex G. Don 00
 728 * — dealbata Link 01
 729 * — decurrens Willd. 01
 730 — farnesiana (L.) Willd. 02
 731 — karroo Hayne Detraen Dorstell. 00
 733 — melanoxylon R. Br. 02
 734 — mearnsii De Wild. 99
 735 — retinodes Schlichtl. 02
 736 — saligna (Labill.) L. Wendl. 02
 737 — verticillata (L'Hér.) Willd. 00
 1979 * Adenocarpus argyrophyllus (Rivas Cody) Cabell 02
 738 * — complicatus (L.) J. Gay 02
 740 Albizzia distachya (Vent.) J. F. Macbr. 01
 743 Amorpha fruticosa L. 02
 745 Anthyllis barba-jovis L. 02
 746 * — gerardi L. 02
 750 * — vulneraria L. subsp. maura (Beck) Maire 01
 751 * Argyrolobium zanonii (Turra) P.W. Ball 01
 752 Astragalus boeticus L. 00
 1710 * — cymbaearpus Brot. 02
 753 * — epiglotis L. 01
 1950 * — lycophyllus L. 02
 758 * — pelecinus (L.) Barnely subsp. pelecinus 01
 836 * Bituminaria bituminosa (L.) C. H. Stirt. 01
 1711 Camptosema robicundum Hook. & Arn. 01
 761 Ceratonia siliqua L. 99
 762 Cercis siliquastrum L. 02
 1712 Colutea arborescens L. 02
 764 * Coronilla repanda (Poir.) Guss. 02
 765 * — scorpioides (L.) Koch 99
 766 * — glauca (L.) 00
 767 Crotalaria incana L. 00
 768 * Cytisus grandiflorus (Brot.) DC. 02
 769 * — multiflorus (L'Hérit. ex Aiton) Sweet. 02
 1915 * — oromediterraneus Rivas Mart. 01
 1713 * — scoparius (L.) Link. 02
 771 * — striatus (Hill) Rothm. 02
 772 Desmodium canadense DC. 02
 773 — spicatum Rehder 02
 774 — tiliifolium (D. Don) G. Don 00
 776 * Dorycnium rectum (L.) Ser. 00
 777 * Echinopartum ibericum Rivas Mart., Sánchez Mata & Sancho 02
 757 * Erophaea baetica (L.) Boiss. subsp. baetica 01
 778 Erythrina crista-galli L. 02
 1714 — senegalensis DC. 02
 779 Galega officinalis L. 02

- 780 * *Genista anglica* L. 01
 782 * — *cinerea* (Vill.) DC. subsp. *cinerea* 01
 783 * — *falcata* Brot. 00
 784 * — *florida* L. 02
 1861 * — *tournefortii* Spach subsp. *tournefortii* 01
 785 * — *triacanthus* Brot. 01
 788 *Gleditsia triacanthos* L. 02
 1980 *Glycyne soja* (L.) Siebold et Zucc. 02
 1951 *Glycyrrhiza foetida* Desf. 02
 789 *Hedysarum coronarium* L. 01
 791 *Laburnum anagyroides* Medik. in voles subsp. *anagyroides* 02
 795 * *Lathyrus aphaca* L. 99
 1952 * — *ochrus* (L.) DC. 01
 798 — *odoratus* L. 99
 799 * — *sylvestris* L. 02
 801 *Leucaena leucocephala* (Lam.) de Wit 02
 1953 * *Lotus corniculatus* L. 01
 803 * — *creticus* L. 01
 1916 — *ornithopodioides* L. 01
 806 * — *subbiflorus* Lag. subsp. *castellanus* (Boiss. & Reut.) P.W. Ball 01
 808 * — *uliginosus* Schkuhr 00
 1917 *Lupinus albus* L. 00
 1954 * — *gredensis* Gaud. 01
 1716 * — *hispanicus* Boiss. & Reut. 00
 1717 * — *luteus* L. 01
 811 *Medicago arborea* L. 02
 812 * — *doliata* Carmign. Var. *muricata* (benth.) Heyn 00
 1918 — *intertexta* (L.) Mill. 00
 813 * — *littoralis* Rohde ex Loisel. var. *littoralis* 99
 814 * — *lupulina* L. var. *lupulina* 00
 815 * — *marina* L. 00
 817 * — *orbicularis* (L.) Bartal. var. *orbicularis* 01
 818 * — *polymorpha* L. subsp. *polymorpha* 00
 1862 * — *sativa* L. subsp. *sativa* 01
 819 — *truncatula* Gaertn. Var. *tribuloides* (Pers.) Burdet 00
 821 * *Melilotus italica* (L.) Lam. 02
 824 *Mimosa acanthocarpa* (Willd.) Benth. 02
 825 — *pudica* L. 01
 826 *Nissolia fruticosa* Jacq. 02
 1802 * *Ononis mitissima* L. 01
 1803 * — *pubescens* L. 99
 830 * — *reclinata* L. 02
 831 * — *viscosa* L. subsp. *breviflora* (DC.) Nyman var. *breviflora* 01
 832 * *Ornithopus compressus* L. 02
 833 * — *perpusillus* L. 99
 834 * — *pinnatus* (Mill.) Druce 02
 1919 *Prosopis limensis* Benth. 00
 786 * *Pterospartium tridentatum* (L.) Willk. subsp. *tridentatum* 01
 837 *Pueraria lobata* (Willd.) Ohwi 02
 838 * *Retama monosperma* (L.) Boiss. 99
 839 * — *sphaerocarpa* (L.) Boiss. 00
 840 *Rhynchosia caribaea* (Jacq.) DC. 02
 841 — *phaseloides* DC. 02
 842 *Robinia pseudacacia* L. 02
 843 — *viscosa* Vent. 01
 844 *Schotia latifolia* Jacq. 02

- 845 * *Scorpiurus muricatus* L. 01
 847 *Securigera securidaca* (L.) Degan & Dorfl. 02
 1955 *Sophora japonica* L. 01
 848 — *viciifolia* Hance 02
 849 * *Spartium junceum* L. 01
 850 * *Stauracanthus genistoides* (Brot.) Samp. 01
 851 *Teline monspessulana* (L.) Koch 02
 1981 *Tetragonolobus conjugatus* (L.) Link subsp. *requienii* 02
 1956 — *purpureus* Moench 01
 852 *Tipuana tipu* (Benth.) Kuntze 01
 1982 * *Trifolium alexandrinum* L. 02
 853 * — *angustifolium* L. 00
 854 * — *arvense* L. 01
 856 * — *campestre* Schreb. 01
 857 * — *cernuum* Brot. 00
 858 * — *dubium* Sibth. 99
 859 * — *glomeratum* L. 00
 860 * — *incarnatum* L. subsp. *incarnatum* 01
 862 * — *lappaceum* L. 00
 1805 * — *ligusticum* Balb. ex Loisel. 00
 1720 * — *ochroleucon* Huds. 02
 865 * — *pratense* L. 01
 866 * — *resupinatum* L. 00
 1983 * — *rubens* L. 02
 867 * — *scabrum* L. 00
 869 * — *stellatum* L. 01
 870 * — *striatum* L. 99
 873 * — *tomentosum* L. 01
 1921 *Trigonella foenum-graecum* L. 01
 1724 * — *polyceratia* L. 00
 874 * *Ulex europaeus* L. 01
 1984 * — *micranthus* Lang 02
 875 * — *minor* Roth 01
 880 *Vicia fava* L. 00
 881 * — *hirsuta* (L.) A. Gray 00
 883 * — *lutea* L. subsp. *lutea* 01
 885 * — *sativa* L. 02
 886 * — — subsp. *sativa* 99
 1863 *Vigna caracalla* L. 02
 887 *Wisteria sinensis* (Sims) Sweet 02

LENTIBULARIACEAE

- 1806 * *Pinguicula lusitanica* L. 02

LINACEAE

- 889 * *Linum bienne* Mill. 99
 890 * — *setaceum* Brot. 01
 891 * — *strictum* L. 99
 1957 — *usitatissimum* L. 02
 893 * *Radiola linoides* Roth 01

LOGANIACEAE

- 894 *Chilianthus oleraceus* Burch. 99

LYTHRACEAE

- 895 * *Ammannia coccinea* Rottb. 01
 896 *Cuphea ignea* DC. fil. 02
 897 *Heimia myrtifolia* Cham. & Schltr. 01
 1807 — *salicifolia* (Humb., Bonpl. & Kunth) Link 02
 898 *Lagerstroemia indica* L. 01
 899 * *Lythrum junceum* Banks & Sol. 01
 901 * — *salicaria* L. 00

MAGNOLIACEAE

- 902 ** *Magnolia grandiflora* L. 02
 903 ** — *soulangiana* Soul.-Bod var. *lennei* Rehder 02

MALVACEAE

- 904 *Abutilon grandifolium* (Willd.) Sweet 00
 1771 *Alcea rosea* L. 00
 907 * *Althaea officinalis* L. 01
 1864 *Hibiscus pedunculatus* L. f. 02
 909 — *syriacus* L. 02
 1726 — *trionum* L. 02
 910 *Lagunaria patersonii* G. Don 01
 911 * *Lavatera arborea* L. 00
 912 * — *cretica* L. 00
 913 * — *olbia* L. 02
 914 * — *trimestris* L. 01
 1727 * *Malva parviflora* L. 99
 916 * — *sylvestris* L. 00
 917 * — *tournefortiana* L. 00
 1923 — *verticillata* L. 01
 918 *Malvaviscus arboreus* Cav. 02
 919 *Pavonia hastata* Cav. 01
 920 — *spinifex* (L.) Cav. 01
 1808 — *urens* Cav. 01
 921 * *Sida rhombifolia* L. 00

MARTYNIACEAE

- 1958 *Ibicella lutea* (Lindl.) Vau Eseltine 01

MELIACEAE

- 923 *Melia azedarach* L. 02

MENISPERMACEAE

- 924 *Cocculus carolinus* (L.) DC. 02
 925 — *laurifolius* DC. 02

MORACEAE

- 926 *Dorstenia contrajerva* L. 02
 927 *Maclura pomifera* (Raf.) C. K. Schneid. 02
 1865 *Morus alba* L. 99

- 928 — nigra L. 01

MYOPORACEAE

- 929 Myoporum laetum G. Forst. 02

MYRICACEAE

- 930 Morella caroliniensis (Mill.) Wilber 02
 931 * — faya (Aiton) Wilber 02
 932 * Myrica gale L. 01

MYRSINACEAE

- 933 Ardisia crenata Sims 02
 934 — humilis Vahl 02

MYRTACEAE

- 936 Callistemon rigidus R. Br. 02
 1959 Eucalyptus camaldulensis Dehnh. 01
 937 — citriodora Hook. 01
 938 — cornuta Labill. 02
 1960 — crebra F. Muell. 01
 1809 — globulus Labill. 01
 1961 — goniocalyx F. Muell. ex Miq. 01
 939 — maculata Hook. 01
 940 — obliqua L'Hér. 01
 1962 — paniculata Smith 01
 941 — viminalis Labill. subsp. viminalis 01
 942 Eugenia uniflora DC. 02
 943 Feijoa sellowiana O. Berg. 02
 945 Melaleuca genistifolia Sm. 02
 946 — huegellii Endl. 02
 947 * Myrtus communis L. 02
 1866 — ugni Molina 02
 948 Psidium guajava L. 02
 949 — littorale Raddi var. littorale 02
 1867 — — Raddi var. lucidum Hort. 02
 950 Tristania conferta R. Br. 02

NYCTAGINACEAE

- 951 Mirabilis jalapa L. 02

NYMPHAEACEAE

- 1730 Victoria cruziana Orb. 02

OCHNACEAE

- 952 Ochna multiflora DC. 02

OLEACEAE

- 954 * Fraxinus angustifolia Vahl subsp. angustifolia 02
 955 — — omus L. 00

- 956 — pennsylvanica Marsh. 00
 957 * Jasminum fruticans L. 02
 958 Ligustrum lucidum W. T. Aiton 02
 959 — vulgare L. 00
 960 Olea chrysophylla Lam. 02
 961 * Phillyrea angustifolia L. 00
 962 * — latifolia L. 02
 963 Syringa vulgaris L. 01

ONAGRACEAE

- 964 * Circaea lutetiana L. subsp. lutetiana 00
 965 * Epilobium hirsutum L. 02
 966 * — lanceolatum Sebast. & Mauri 01
 1810 Fuchsia coccinea Dryand. 02
 969 * Ludwigia palustris (L.) Elliot. 01
 1985 * Oenothera biennis L. 02
 970 * — glazioviana Micheli 01
 971 * — rosea L. Hér. ex Aiton 00
 972 * — stricta Ledeb. Ex Link subsp. stricta 00

OROBANCHACEAE

- 973 * Orobanche gracilis Sm. 00
 974 * — hederæ Duby 02
 976 * — sanguinea C. Presl 02

OXALIDACEAE

- 977 Oxalis articulata Savigny 02
 978 * — corniculata L. 01
 979 * — debelis Kunth 02
 980 * — pes-caprae L. 02

PAEONIACEAE

- 981 * Paeonia broteroi Boiss. et Reut. 02

PAPAVERACEAE

- 1812 Argemone mexicana L. 01
 982 * Ceratocarpus claviculata (L.) Lidén 01
 983 * Chelidonium majus L. 00
 984 * Eschscholzia californica Cham. 00
 986 * Fumaria capreolata L. 01
 987 * — muralis Sonder ex Koch 01
 988 * — parviflora Lam. 02
 989 * Glaucium flavum Crantz 00
 990 * Papaver dubium L. 01
 991 * — hybridum L. 02
 992 * — rhoeas L. 02
 1813 * — somniferum L. subsp. setigerum (DC.) Arcang. 00
 1732 * Platycarpus spicata (L.) Bernh. 01

PASSIFLORACEAE

- 1814 *Passiflora caerulea* L. 01
 1733 — *capsularis* L. 01
 993 — *edulis* Sims 01
 994 — *x exoniensis* L. H. Bailey 02
 995 — *suberosa* L. 02

PHYTOLACCACEAE

- 996 * *Phytolacca americana* L. 02
 997 — *dioica* L. 02
 998 * — *heteropetala* H. Walter 02
 999 *Rivina humilis* L. 02

PIPERACEAE

- 1868 *Peperonia maculosa* (L.) Hook. 02

PITTOSPORACEAE

- 1000 *Pittosporum crassifolium* Putt. 02
 1001 — *heterophyllum* Franch. 02
 1002 — *tobira* (Thunb.) W. T. Aiton 02
 1003 — *undulatum* Vent. 02
 1004 *Sollya fusiformis* (Labill.) Briq. 01

PLANTAGINACEAE

- 1005 * *Plantago afra* L. 01
 1734 — *aschersonii* Bolle 01
 1006 * — *bellardii* All. 01
 1007 * — *coronopus* L. subsp. *coronopus* 00
 1009 * — *lanceolata* L. 00
 1735 — *leriopetala* Lowe 01
 1010 * — *major* L. 02
 1011 * — *radicata* Hoffmanns. & Link subsp. *monticola* (Samp.) Franco 02

PLATANACEAE

- 1014 *Platanus hispanica* Münchh. 02

PLUMBAGINACEAE

- 1015 * *Armeria beirana* Franco 01
 1016 * — *transmontana* (Samp.) Lawr. 01
 1017 * — *welwitschii* Boiss. 01
 1925 * *Limonium dodartii* (Girard) Kuntze 00
 1926 — *latifolium* (Sm.) Kuntze 02
 1736 * — *vulgare* Mill. 00

POLEMONIACEAE

- 1018 * *Gilia tricolor* Benth. 02

POLYGALACEAE

- 1021 * *Polygala microphylla* L. 01
 1927 * — *monspeliaca* L. 01
 1815 * — *vulgaris* L. 01

POLYGONACEAE

- 1024 * *Emex spinosa* (L.) Campb. 02
 1025 *Fallopia baldschuanica* (Regel) Holub 02
 1026 * — *convolvulus* (L.) A. Löve 99
 1027 * — *dumetorum* (L.) Holub 00
 1028 * *Polygonum aviculare* L. 02
 1029 * — *capitatum* Buch.-Ham. ex D. Don 01
 1030 * — *equisetiforme* Sm. 00
 1031 * — *hydropiper* L. 99
 1032 * — *laphathifolium* L. 01
 1033 * — *maritimum* L. 00
 1034 * — *persicaria* L. 01
 1036 * *Rumex acetosa* L. subsp. *acetosa* 01
 1037 * — *acetosella* L. subsp. *pyrenaicus* (Pourr. ex Lapeyr.) Akeroid 99
 1038 * — *bucephalophorus* L. subsp. *gallicus* (Steinh.) Rchb.f. 00
 1039 * — *conglomeratus* Murray 00
 1040 * — *crispus* L. subsp. *crispus* 00
 1963 — *sanguineus* L. 01
 1041 * — *scutatus* L. subsp. *induratus* (Boiss. & Reut.) Nyman 02
 1046 * — *suffruticosus* Gay ex Meissner 99
 1737 * — *thirsiflorus* Fingerh. subsp. *papilaris* (Boiss. & Reut.) Sagredo & Malagariga 01

PORTULACACEAE

- 1047 *Anacampseros rufescens* (Haw.) Sweet 02
 1048 * *Montia fontana* L. subsp. *amporitana* Sennen 01
 1928 — *perfoliata* (Doun ex Willd.) Howell 00
 1049 *Portulaca grandiflora* Hook. 01
 1050 * — *oleracea* L. subsp. *granulatostellulata* (Poelln.) Danin 02
 1051 *Portulacaria afra* Jacq. 02

PRIMULACEAE

- 1052 * *Anagallis arvensis* L. 01
 1053 * — *monelli* L. 01
 1054 * *Asterolinon linum-stellatum* (L.) Duby 02
 1929 * *Lysimachia ephemerum* L. 01
 1055 * — *vulgaris* L. 01
 1057 * *Primula acaulis* L. subsp. *acaulis* 00
 1058 * *Samolus valerandi* L. 02

PROTEACEAE

- 1059 *Grevillea robusta* A. Cunn. ex R. Br. 01
 1817 * *Hakea salicifolia* (Vent.) B.L. Burt. 01
 1816 * — *sericea* Schrad 01

PUNICACEAE

- 1060 *Punica granatum* L. 02

RANUNCULACEAE

- 1062 *Anemone cylindrica* A. Gray 02
 1063 * — *palmata* L. 01
 1931 * — *trifolia* L. 02
 1064 — *virginiana* L. 00
 1066 *Aquilegia canadensis* L. 01
 1068 * — *vulgaris* L. subsp. *dichroa* (Freyn) T. E. Díaz 02
 1069 * — — subsp. *vulgaris* 01
 1070 * *Clematis campaniflora* Brot. 01
 1738 * — *vitalba* L. 00
 1819 *Consolida ajacis* (L.) Schur. 01
 1932 * *Delphinium halteratum* Sm. subsp. *halteratum* 00
 1870 * — *pentagynum* Lam. 00
 1072 * *Helleborus foetidus* L. 02
 1073 * *Nigella damascena* L. 00
 1739 * — *gallica* L. 01
 1933 — *sativa* L. 01
 1074 * *Ranunculus arvensis* L. 00
 1077 * — *bullatus* L. 02
 1986 * — *bupleuroides* Brot. 02
 1818 * — *ficaria* L. 00
 1078 * — *gregarius* Brot. 01
 1080 * — *muricatus* L. 01
 1871 * — *ophioglossifolius* Vill. 01
 1934 * — *paludosus* Poir. 01
 1872 * — *parviflorus* L. 01
 1083 * — *trilobus* Desf. 01
 1084 * *Thalictrum speciosissimum* L. 02

RESEDACEAE

- 1086 * *Reseda luteola* L. 99
 1740 * — *media* Lag. 01
 1087 * *Sesamoides purpurascens* (L.) G. López 01

RHAMNACEAE

- 1088 * *Frangula alnus* Mill. subsp. *alnus* 00
 1089 *Hovenia dulcis* Thunb. 01
 1090 *Paliurus spina-christi* Mill. 02
 1091 *Pomaderris apetala* Labill. 01
 1092 * *Rhamnus alaternus* L. 02
 1093 *Ziziphus jujuba* Mill. 01

ROSACEAE

- 1094 * *Agrimonia eupatoria* L. 02
 1095 * *Aphanes arvensis* L. 01
 1873 *Chaenomelles japonica* (Thunb.) Lindl. 99
 1097 *Cotoneaster lactea* W. W. Sm. 00

- 1098 *Crataegus crus-galli* L. 00
 1099 * — *monogyna* Jacq. 02
 1100 *Duchesnea indica* (Jacks.) Focke 02
 1101 * *Fragaria vesca* L. subsp. *vesca* 02
 1102 * *Geum sylvaticum* Pourr. 00
 1103 * — *urbanum* L. 01
 1104 * *Potentilla erecta* (L.) Raesch. 01
 1106 * *Prunus lusitanica* L. subsp. *lusitanica* 02
 1108 *Pyracantha angustifolia* (Franch.) C.K. Schneid. 00
 1109 — *crenulata* (Roxb.) Roem. 00
 1874 * *Pyrus communis* L. 02
 1110 *Rhaphiolepis umbellata* (Thunb.) Makino 02
 1111 — — *fa. ovata* (Briot) Schneid. 02
 1113 * *Rosa canina* L. 00
 1114 * — *sempervirens* L. 00
 1115 *Rubus idaeus* L. 00
 1116 * *Sanguisorba hybrida* (L.) Font Quer 01
 1117 * — *verrucosa* (Link ex G. Don) Ces. 02
 1118 *Sorbaria sorbifolia* (L.) A. Braun 02
 1119 * *Sorbus aucuparia* L. 01
 1875 * — *latifolia* (Lam.) Pers 01
 1120 *Spiraea japonica* L. f. 02

RUBIACEAE

- 1121 *Coprosma robusta* Raoul 02
 1741 * *Crucianella angustifolia* L. 01
 1122 * — *maritima* L. 01
 1123 * *Cruciata lacvipes* Opiz 00
 1125 * *Galium aparine* L. 01
 1128 * — *murale* (L.) All. 00
 1130 * — *rotundifolium* L. 01
 1131 * — *saxatile* L. 00
 1135 * — *verrucosum* Huds. 02
 1935 *Phyllis nobla* L. 00
 1136 * *Rubia peregrina* L. 02
 1137 — *tinctorum* L. 01
 1138 * *Sherardia arvensis* L. 00
 1139 * *Valantia muralis* L. 02

RUTACEAE

- 1742 *Atalantia buxifolia* Oliv. 99
 1140 *Citrus myrtifolia* Raf. 02
 1876 *Phellodendron lavalleyi* Dode 99
 1142 *Poncirus trifoliata* (L.) Raf. 02
 1143 * *Ruta chalepensis* L. 00
 1144 * — *montana* (L.) L. 02
 1145 *Zanthoxylum armatum* DC. 02
 1146 — *simulans* Hance 00

SANTALACEAE

- 1147 * *Oziris alba* L. 02
 1148 * *Thesium humifusum* D.C. in Lam. 02

SAPINDACEAE

- 1149 *Cardiospermum grandiflorum* Sw. *Fa. Hirsutum* (Willd.) Redlk. 02
 1150 *Dodonaea viscosa* Jacq. 02
 1151 *Koeleruteria paniculata* Laxm. 02

SAURURACEAE

- 1152 *Saururus cernuus* L. 01

SAXIFRAGACEAE

- 1153 *Astilbe japonica* (Merr. & Decne.) A. Gray 01
 1154 * *Saxifraga fragosoi* Sennen 01
 1155 * — *granulata* L. 01
 1156 * — *spathularis* Brot. 02
 1157 * — *stellaris* L. 02
 1877 — *stolonifera* Meerb. 02

SCROPHULARIACEAE

- 1158 * *Anarrhinum bellidifolium* (L.) Willd. 00
 1743 * *Antirrhinum graniticum* Rothm. subsp. *boissieri* (Rothm.) Valdés 01
 1159 * — *majus* L. subsp. *cirrherum* (Welw. ex Ficalho) Franco 00
 1160 * — subsp. *linkianum* (Boiss. & Reut.) Rothm. 01
 1161 * — *meonanthum* Hoffmanns. & Link 99
 1162 *Asarina erubescens* (D. Don) Pennell 02
 1744 * *Bartsia aspera* (Brot.) Lange 01
 1163 * *Bellardia trixago* (L.) All. 00
 1164 * *Cymbalaria muralis* P. Gaertn., B. Mey. & Scherb. 01
 1165 * *Digitalis purpurea* L. subsp. *purpurea* 00
 1745 * — *thapsi* L. 01
 1166 * *Gratiola officinalis* L. 00
 1167 *Halleria lucida* L. 02
 1169 * *Kickxia cirrhosa* (L.) Fritsch 01
 1964 * — *elatine* (L.) Dumort. 01
 1170 * — *spuria* (L.) Dumort. subsp. *integrifolia* (Brot.) R. Fern. 01
 1171 * *Linaria amethystea* (Vent.) Hoffmanns. & Link ssp. *multipunctata*
 (Brot.) Chater & D.A. Webb 00
 1172 * — *caesia* (Pers.) DC. ex Chav. subsp. *decumbens* 01
 1173 * — *diffusa* Hoffmanns. & Link 02
 1174 * — *incarnata* (Vent.) Spreng. 01
 1987 * — *maroccana* Hook. f. 02
 1175 * — *saxatilis* (L.) Chaz. 01
 1176 * — *spartea* (L.) Willd. var. *spartea* 00
 1178 * — *triornithophora* (L.) Willd. 00
 1179 * *Lindernia dubia* (L.) Pennell 01
 1180 * *Misopates calycinum* (Lam.) Rothm. 99
 1181 * — *orontium* (L.) Raf. 99
 1182 * *Odontitis tenuifolia* (Pers.) G. Don 01
 1184 * *Parentucellia viscosa* (L.) Caruel 99
 1185 *Paulownia tomentosa* (Thunb.) Steud. 02
 1186 * *Pedicularis sylvatica* L. subsp. *lusitanica* (Hoffmanns. & Link) Cout. 02
 1936 * *Rhinanthus minor* L. 02
 1188 * *Scrophularia auriculata* L. 00
 1189 * — *canina* L. subsp. *canina* 00

- 1190 * — frutescens L. 00
 1191 * — grandiflora DC. subsp. grandiflora 02
 1192 * — herminii Hoffmanns. & Link 99
 1193 * — sambucifolia L. subsp. sambucifolia 02
 1196 * Sibthorpia europaea L. 00
 1197 Tetranema roseum (M. Martens & Galeotti) Standl. & Steyerl. 02
 1198 Verbascum blattaria L. 02
 1200 — levanticum I. K. Ferguson 01
 1201 * — litigiosum Samp. 02
 1203 * — thapsus L. subsp. thapsus 01
 1205 * Veronica acinifolia L. 01
 1206 * — anagallis-aquatica L. 01
 1207 * — arvensis L. 01
 1208 * — hederifolia L. subsp. triloba (Opiz) èelak. 00
 1209 * — micrantha Hoffmanns. & Link 01
 1210 * — officinalis L. 01
 1211 * — peregrina L. 00
 1212 * — persica Poir. 00
 1213 * — polita Fries 01

SIMAROUBACEAE

- 1214 * Ailanthus altissima (Mill.) Swingle 01

SOLANACEAE

- 1215 Brunfelsia latifolia Benth. 01
 1216 Cyphomandra crassicalis (Ortega) Kuntze 01
 1217 * Datura stramonium L. 00
 1218 * Hyoscyamus albus L. 01
 1965 Iochroma coccinea Scheid. 01
 1749 Nicandra physalodes (L.) Gaertn. 01
 1748 * Nicotiana glauca Graham 00
 1937 — rustica L. 00
 1839 — tabacum L. 02
 1747 Petunia hybrida Vilm. 01
 1219 * Physalis ixocarpa Brot. ex Homem. 01
 1226 * Solanum chenopodioides Lam. 00
 1220 * — dulcamara L. 00
 1222 — mauritanum Scop. 02
 1223 * — nigrum L. subsp. nigrum 00
 1224 — pseudocapsicum L. 01
 1225 — rantonnetii Carrière ex Lesc. 02
 1227 * — villosum Mill. 01
 1228 Streptosolen jamesonii (Benth.) Miers. 01

STERCULIACEAE

- 1750 Brachychiton acerifolius Cunn. ex F. Muell. 00
 1751 — discolor F. Muell. 00
 1878 — populneum R. Br. 00
 1230 Firmiana simplex (L.) W. Wight 02
 1231 Hermannia denudata L. f. 00

STYRACACEAE

- 1232 *Styrax officinalis* L. 02

TAMARICACEAE

- 1233 * *Tamarix gallica* L. 01
1234 — *tetrandra* Pallas ex M. Bieb. 99

TAMARICACEAE

- 1988 *Camellia sinensis* (L.) Kuntze 02

THELIGONACEAE

- 1235 * *Theligonum cynocrambe* L. 02

THYMELAEACEAE

- 1879 * *Daphne gnidium* L. 02

TILIACEAE

- 1880 *Sparmannia africana* L. f. 02
1239 — *ricinica* (Eckl. & Zeyh.) Kuntze 00
1240 *Tilia* x *euchlora* K. Koch 02
1241 — *platyphyllos* Scop. 02
1242 — *tomentosa* Moench 01
1243 — x *vulgaris* Hayne 00

TROPAEOLACEAE

- 1244 *Tropaeolum majus* L. 99

ULMACEAE

- 1245 *Celtis australis* L. 02
1246 — *sinensis* Pers. 02

UMBELLIFERAE

- 1248 *Aethusa cynapium* L. 02
1250 * *Ammi visnaga* (L.) Lam. 00
1252 * *Angelica angelicastrum* (Hoffmanns. & Link) Cout. 01
1255 * *Apium graveolens* L. 02
1752 * — *nodiflorum* (L.) Lag. 01
1258 * *Bupleurum lancifolium* Homeg. 00
1259 * — *rigidum* L. subsp. *paniculatum* (Brot.) H. Wolff 01
1262 * *Carum verticillatum* (L.) Koch 02
1263 * *Chaerophyllum temulentum* L. 02
1264 * *Conium maculatum* L. 99
1266 * *Conopodium majus* (Gouan) Loret subsp. *majus* 01
1881 * *Coriandrum sativum* L. 01
1753 * *Crithmum maritimum* L. 99
1267 * *Daucus carota* L. subsp. *maximus* (Desf.) Ball 99
1268 * — *crinitus* Desf. 00

- 1269 * — muricatus (L.) L. 00
 1271 * Eryngium campestre L. 01
 1273 * — dilatatum Lam. 01
 1274 * — maritimum L. 01
 1275 * — pandanifolium Cham. & Schlecht. 01
 1276 * — tenue Lam. 01
 1277 * Ferula communis L. 02
 1756 * Ferulago capillifolia (Link) Franco 01
 1883 Foeniculum vulgare Mill. 02
 1278 * — vulgare Mill. subsp. piperitum (Ucria) Cout. 02
 1280 Heteromorpha trifoliata (H. L. Wendl.) Eckl. & Zeyh. 02
 1281 * Hydrocotyle bonariensis Lam. 00
 1884 * — vulgaris L. 01
 1282 Kundmannia sicula (L.) DC. 02
 1283 * Margotia gummifera (Desf.) Lange 00
 1289 Pastinaca sativa L. subsp. sativa 01
 1290 Petroselinum crispum (Mill.) A.W. Hill var. latifolium Airy Shaw 01
 1291 * — segetum (L.) Koch 00
 1292 Peucedanum cervaria (L.) Lapeyr. 01
 1293 * — lancifolium Lange 99
 1294 * Physospermum cornubiense (L.) DC. 01
 1297 * Pseudorhiza pumila (L.) Grande 00
 1298 * Ridolfia segetum Moris 00
 1299 * Sanicula europaea L. 01
 1300 * Scandix pecten-veneris L. 99
 1302 * Seseli tortuosum L. 01
 1303 * Smyrniolum olusatrum L. 99
 1305 * Thapsia villosa L. 99
 1306 * Tordylium maximum L. 01
 1307 * Torilis arvensis (Huds.) Link subsp. neglecta (Spreng.) Thell. 01
 1308 * — nodosa (L.) Gaertn. 01

URTICACEAE

- 1309 Boehmeria cylindrica (L.) Swartz 01
 1310 Debregeasia longifolia (Burm.) Wedd. 01
 1311 * Parietaria judaica L. 01
 1312 * — lusitanica L. subsp. lusitanica 00
 1313 Pilea microphylla (L.) Liebm. 01
 1314 — pubescens Liebm. 01
 1315 Soleirolia soleirolii (Req.) Dandy 00
 1316 * Urtica dioica L. 01
 1317 * — membranacea Poir. 00
 1757 * — pilulifera L. 01
 1318 * — urens L. 00

VALERIANACEAE

- 1319 * Centranthus calcitrapae (L.) Dufr. 01
 1320 * — ruber (L.) DC. subsp. ruber 02
 1321 * Fedia cornucopiae (L.) Gaertn. 02
 1885 Valeriana officinalis L. 01
 1322 * Valerianella carinata Loisel. 01
 1323 * — discoidea (L.) Loisel. 00
 1324 * — microcarpa Loisel. 00

VERBENACEAE

- 1326 *Duranta repens* L. 01
 1327 *Lantana camara* L. 02
 1329 *Verbena bonariensis* L. 01
 1330 * — *officinalis* L. 00
 1331 *Vitex agnus-castus* L. 02
 1332 — *negundo* L. 01

VIOLACEAE

- 1333 * *Viola arvensis* Murray 01
 1823 * — *kitaibeliana* Schult. 02
 1822 * — *langeana* Valentine 02
 1336 * — *odorata* L. 02
 1338 * — *riviniiana* Reichenb. 01
 1339 — *x wittrockiana* Gams 01

VITACEAE

- 1340 *Ampelopsis aconitifolia* Bunge var. *glabra* Diels 02
 1341 *Parthenocissus quinquefolia* (L.) Planch. 02
 1342 — *tricuspidata* (Siebold & Zucc.) Planch. 02
 1824 *Vitis vinifera* L. 00

MONOCOTYLEDONES

AGAVACEAE

- 1344 *Cordyline australis* (Forst.) Hook. f. 02
 1938 *Dracaena draco* (L.) L. 01

ALISMATACEAE

- 1346 * *Alisma plantago-aquatica* L. 00
 1347 * *Baldellia ranunculoides* (L.) Parl. 01

AMARYLLIDACEAE

- 1939 *Alstroemeria psittacina* Lehm. 01
 1348 *Clivia nobilis* Lindl. 02
 1349 *Hypoxis rooperi* T. Moore 02
 1825 — *villosa* L. 02
 1351 * *Leucojum autumnale* L. 02
 1352 * *Narcissus bulbocodium* L. 02
 1353 * — *calicicola* Mendonça 02
 1355 — *tazetta* L. 02
 1828 — *triandrus* L. var. *cernuus* (Salisb.) Bak. 02

- 1827 * — — L. subsp. pallidulus (Graells) Rivas-Goday 01
 1356 * *Pancratium maritimum* L. 02

ARACEAE

- 1357 *Aglaonema robelinii* (Linden) L. Gentil 02
 1358 * *Arisarum vulgare* Targ.-Tozz. subsp. vulgare 02
 1359 * *Arum italicum* Mill. subsp. italicum 02

BROMELIACEAE

- 1360 *Dyckia brevifolia* Bak. 02
 1361 — *rariflora* Schult. f. 02
 1362 *Lindmania penduliflora* (C. H. Wright) Stapf 01
 1363 *Pitcairnia mirabilis* Mez 02

COMMELINACEAE

- 1829 *Palisota bracteosa* C. B. Clarke 02

CYPERACEAE

- 1365 * *Carex arenaria* L. 01
 1366 * — *binervis* Sm. 01
 1367 * — *depressa* Link subsp. *depressa* 01
 1368 * — *distachya* Desf. 99
 1369 * — *divulsa* Stokes 01
 1370 * — *echinata* Murray 01
 1383 * — *elata* All. subsp. *reuteriana* (Boiss.) Luceño & Aedo 01
 1371 * — *flacca* Schreb. 00
 1376 * — *leporina* L. 01
 1374 * — *muricata* L. 01
 1377 * — *paniculata* L. subsp. *lusitanica* (Schkuhs) Maire 00
 1378 * — *pendula* Huds. 01
 1887 — *peregrina* Link 01
 1380 * — *pilulifera* L. 01
 1382 * — *remota* L. 99
 1384 * — *riparia* Curtis 01
 1386 * *Cladium mariscus* (L.) Pohl 02
 1387 * *Cyperus capitatus* Vand. 01
 1389 * — *eragrostis* Lam. 00
 1390 * — *flavescens* L. 01
 1391 * — *fuscus* L. 01
 1888 * *Eleocharis multicaulis* (Sm.) Desv. 00
 1393 * *Fuirema pubescens* (Poir.) Kunth. 01
 1394 *Mariscus ligularis* Urb. 02
 1396 * *Schoenus nigricans* L. 00
 1397 * *Scirpus cernuus* Vahl 01
 1889 * — *fluitans* L. 99
 1400 * — *lacustris* L. 01
 1401 * — *maritimus* L. subsp. *maritimus* 01
 1890 * — *pungens* Vahl 00
 1403 * — *setaceus* L. 01

DIOSCOREACEAE

- 1404 * *Tamus communis* L. 00

GRAMINEAE

- 1405 * *Aegilops geniculata* Roth 01
 1406 * — *triuncialis* L. 99
 1407 * *Agrostis castellana* Boiss. & Reuter var. *mutica* Hack. 00
 1408 * — *curtisii* Kerguelen 99
 1409 * — *pourretii* Willd. 00
 1410 * — *tenerrima* Trin. 00
 1411 * — *truncatula* Parl. 00
 1415 * *Alopecurus myosuroides* Huds. 02
 1416 * *Ammophila arenaria* (L.) Link subsp. *arundinacea* H. Lindb. Fil. 00
 1417 * *Ampelodesmos mauritanica* (Poir.) T. Durand & Schinz 01
 1418 * *Anthoxanthum amarum* Brot. 01
 1419 * — *aristatum* Boiss. subsp. *aristatum* 01
 1420 * *Antinoria agrostioides* (DC.) Parl. 99
 1421 * *Arrhenatherum elatius* (L.) P. Beauv. ex J. & C. Presl. subsp. *bulbosum* (Willd.) Schubl. & M. Martens 00
 1422 * *Avena barbata* Pott ex Link 01
 1423 * — *sterilis* L. subsp. *ludoviciana* (Durieu) Gillet & Magne 01
 1424 * *Avenula albinervis* (Boiss.) Laínz 01
 1427 * *Brachypodium phoenicoides* (L.) Roem. & Schult. 99
 1429 * *Briza maxima* L. 00
 1430 * — *media* L. 02
 1431 * — *minor* L. 01
 1439 * *Bromus catharticus* Vahl 00
 1433 * — *diandrus* Roth 01
 1434 * — *hordeaceus* L. 00
 1436 * — *madritensis* L. 01
 1438 * — *tectorum* L. 00
 1891 * *Coix lacryma-jobi* L. 00
 1443 * *Cynodon dactylon* (L.) Pers. 01
 1445 * *Cynosurus echinatus* L. 00
 1446 * — *elegans* Desf. 01
 1447 * *Dactylis glomerata* L. subsp. *hispanica* (Roth) Nyman 01
 1448 * *Danthonia decumbens* (L.) DC. 01
 1759 * *Deschampsia caespitosa* (L.) P. Beauv. subsp. *caespitosa* 01
 1449 * — *flexuosa* (L.) Trin. 01
 1451 * *Desmazeria rigida* (L.) Tutin subsp. *rigida* 00
 1452 * *Digitaria sanguinalis* (L.) Scop. 00
 1453 * *Echinochloa crus-galli* (L.) P. Beauv. 01
 1454 * *Ehrharta erecta* Lam. 00
 1967 * *Eleusine coracana* (L.) Gaertner 01
 1456 * *Elymus farctus* (Viv.) Runemark ex Melderis subsp. *boreali-atlanticus* (Simonet & Guin.) Melderis 00
 1457 * — *pungens* (Pers.) Melderis subsp. *campestris* (Godr. & Gren.) Melderis 00
 1460 * *Eragrostis cilianensis* (All.) F. T. Hubb. 00
 1461 * — *pilosa* (L.) P. Beauv. 00
 1462 * *Festuca ampla* Hack. subsp. *ampla* 01
 1464 * — *durandii* Clauson 00
 1466 * — *elegans* Boiss. 01
 1468 * — *nigrescens* Lam. subsp. *microphylla* (St. Yves) Markgr.-Dann. 01
 1470 * *Gastridium ventricosum* (Gouan) Schinz & Thell. 00

- 1471 * *Gaudinia fragilis* (L.) P. Beauv. 99
- 1472 * *Glyceria fluitans* (L.) R. Br. 99
- 1473 * *Hainardia cylindrica* (Willd.) Greuter 99
- 1474 * *Holcus gayanus* Boiss. 02
- 1478 * *Hordeum murinum* L. 00
- 1480 * *Hyparrhenia hirta* (L.) Stapf 01
- 1481 * *Koeleria caudata* (Link) Steud. 01
- 1482 * *Lagurus ovatus* L. 00
- 1483 * *Lamarckia aurea* (L.) Moench 00
- 1484 * *Leersia oryzoides* (L.) Sw. 01
- 1487 * *Lolium temulentum* L. 00
- 1488 * *Melica ciliata* L. subsp. *magnolii* (Gren. & Godr.) Husnot 00
- 1489 * — *minuta* L. subsp. *minuta* 02
- 1490 * — *uniflora* Retz. 02
- 1491 * *Micropyrum patens* (Brot.) Rothm. ex Pilg. 01
- 1492 * — *tenellum* (L.) Link 00
- 1493 * *Miscanthus sinensis* N. J. Andrson 00
- 1494 * *Molineriella laevis* (Brot.) Rouy 01
- 1495 * *Molinia caerulea* (L.) Moench 00
- 1496 * *Nardus stricta* L. 02
- 1836 * *Oryza sativa* L. 01
- 1834 * *Panicum capillare* L. 00
- 1497 * — *prionitis* Nees 00
- 1498 * — *repens* L. 01
- 1499 * *Parapholis incurva* (L.) C.E. Hubb. 00
- 1501 * *Paspalum dilatatum* Poir. 01
- 1503 * — *urvillei* Steud. 01
- 1504 * — *vaginatum* Sw. 01
- 1505 * *Pennisetum villosum* R. Br. ex Fresen. 00
- 1760 * *Peribalia involucrata* (Cav.) Janka 01
- 1506 * *Phalaris aquatica* L. 99
- 1507 * — *arundinacea* L. subsp. *arundinacea* 00
- 1892 * — *brachystachys* Link 99
- 1940 * — *canariensis* L. 01
- 1511 * *Phleum pratense* L. subsp. *pratense* 01
- 1512 * *Phragmites australis* (Cav.) Trin. ex Steud. subsp. *australis* 00
- 1513 * *Piptatherum miliaceum* (L.) Coss. 99
- 1514 * *Poa annua* L. 01
- 1515 * — *bulbosa* L. 01
- 1517 * — *trivialis* L. 00
- 1518 * *Polypogon viridis* (Gouan) Breistr. 00
- 1521 * *Pseudarrhenatherum longifolium* (Thore) Rouy 99
- 1526 * *Setaria pumila* (Poir.) Roem. & Schult. 00
- 1527 * — *verticillata* (L.) P. Beauv. 02
- 1835 * *Sorghum bicolor* (L.) Moench. 02
- 1529 * — *halepense* (L.) Pers. 01
- 1530 * *Spartina maritima* (Curtis) Fernald 00
- 1531 * *Sporobolus indicus* (L.) R. Br. 01
- 1533 * *Stipa gigantea* Link 01
- 1536 * *Tripsacum dactyloides* L. 01
- 1538 * *Trisetaria ovata* (Cav.) Paunero 99

IRIDACEAE

- 1541 * *Chasmanthe aethiopica* (L.) N.E.Br. 02
- 1542 * *Gladiolus illyricus* W. D. J. Koch 01

- 1544 * *Gynandris sisyrinchium* (L.) Parl. 00
 1545 Iris 'Shelforde Grant' 02
 1546 * — *foetidissima* L. 00
 1548 * — *planifolia* (Mill.) Fiori & Paol. 01
 1549 * — *pseudacorus* L. 02
 1550 * — *subbiflora* Brot. 00
 1547 * — *xiphium* L. var. *lusitanica* (Ker-Gawl.) Franco 00
 1551 *Lapeyrouisia cruenta* (Lindl.) Baker 00
 1552 * *Romulea bulbocodium* (L.) Sebast. & Mauri subsp. *bulbocodium* 01
 1553 *Watsonia bulbilifera* H. B. Matthews & L. Bolus 02

JUNCACEAE

- 1554 * *Juncus acutus* L. var. *acutus* 00
 1555 * — *bufonius* L. 00
 1557 * — *capitatus* Weigel 01
 1968 — *conglomeratus* L. 01
 1558 * — *effusus* L. var. *effusus* 00
 1559 * — *heterophyllus* Dufour. 00
 1560 * — *imbricatus* Laharpe var. *chamissonis* (Kunth) Buchenau 02
 1562 * — *maritimus* Lam. 00
 1563 * — *squarrosus* L. 02
 1564 * — *tenageia* Ehrh. ex L. f. 00
 1565 * — *valvatus* Link 01
 1567 * *Luzula campestris* (L.) DC. 01
 1969 — *elegans* Lowe 01
 1568 * — *forsteri* (Sm.) DC. subsp. *forsteri* 01
 1764 * — *lactea* Link ex E. H. Mey. 02
 1569 * — *multiflora* (Retz.) Lej. subsp. *multiflora* 01
 1570 * — *sylvatica* (Huds.) Gaudin subsp. *henriquesii* (Degen) P. Silva 01

JUNCAGINACEAE

- 1572 * *Triglochin maritima* L. 99

LILIACEAE

- 1573 *Agapanthus praecox* Willd. subsp. *orientalis* (F.M. Leight.) F.M. Leight. 02
 1574 — — subsp. *praecox* 02
 1577 * *Allium ericetorum* Thore 01
 1578 * — *neapolitanum* Cyr. 02
 1579 * — *paniculatum* L. subsp. *paniculatum* 00
 1580 * — *roseum* L. 01
 1581 * — *scorzonerifolium* Desf. 01
 1582 * — *sphaerocephalon* L. subsp. *sphaerocephalon* 01
 1583 * — *triquetrum* L. 01
 1584 * — *vineale* L. 01
 1766 *Aloe saponaria* (W. T. Aiton) Haw. 01
 1585 * *Asparagus acutifolius* L. 02
 1586 * — *aphyllus* L. 02
 1587 — *asparagoides* (L.) Druce 02
 1588 — *falcatus* L. 02
 1893 — *officinalis* L. 01
 1589 — *plumosus* Baker 00
 1590 — *sprengerii* Regel 02
 1592 * *Asphodelus aestivus* Brot. 01

- 1593 * — fistulosus L. 00
 1594 * — ramosus L. 01
 1595 Bellevallia dubia (Guss.) Rchb. 01
 1941 Bulbine semibarbata (R. Br.) Haw. 01
 1597 Chlorophytum comosum (Thunb.) Jacques 01
 1598 * Colchicum lusitanicum Brot. 01
 1970 Dipsadi serotinum (L.) Medicus subsp. serotinum 02
 1599 * Fritillaria lusitanica Wikstr. 01
 1894 * — nervosa Willd. subsp. nervosa 02
 1601 * Geitonoplesium cymosum A. Cunn. 02
 1602 * Hyacinthoides hispanica (Mill.) Rothm. 02
 1838 * Lilium martagon L. 02
 1604 — regale E. H. Wilson 02
 1605 * Merendera montana (L.) Lange 02
 1606 * Muscari comosum (L.) Mill. 01
 1607 * — neglectum Guss. ex Ten. 02
 1971 * Narthecium ossifragum (L.) Hudson 01
 1608 * Nothoscordum gracile (Aiton) Stearn 02
 1609 Ophiopogon jaburan Lodd. 01
 1610 — japonicus (L.) Ker.Gawl. 01
 1895 * Ornithogalum broteroi Lainz 02
 1611 — caudatum Ait. 02
 1612 * — concinnum (Salisb.) Cout. 01
 1613 * — narbonense L. 00
 1614 * — pyrenaicum L. 02
 1616 * Paradiscea lusitanica (Cout.) Samp. 00
 1617 * Polygonatum odoratum (Mill.) Druce 02
 1767 Rhodea japonica Roth. ex Kunth 00
 1618 * Ruscus aculeatus L. 01
 1619 * Scilla autumnalis L. 02
 1620 * — monophyllos Link 99
 1621 * — ramburei Boiss. subsp. ramburei 02
 1622 * Simethis mattiazzi (Vand.) Sacc. 02
 1772 * Smilax aspera L. var. aspera 02
 1624 * Urginea maritima (L.) Baker 02

PALMAE

- 1625 ** Archontophoenix cunninghamiana H.A. Wendl. & Drucc. 02
 1627 ** Butia capitata (Mart.) Becc. var. capitata 02
 1628 ** — criospatha (Mart. ex Druce) Becc. 02
 1629 ** Chamaerops humilis L. var. arborescens (Pers.) Stend 02
 1630 ** — humilis L. var. humilis 02
 1631 ** Jubaea chilensis (Mollina) Baillon 02
 1632 ** Livistona australis (R. Br.) ex Mart. 02
 1769 ** Lytocaryum weddellianum (H. Wendl.) Toledo 02
 1633 ** Phoenix canariensis Hort. Gx. Chabaud 02
 1626 ** Syagrus romanzoffianum (Cham.) Glassman 02

PONTEDERIACEAE

- 1635 Pontederia cordata L. 01

SPARGANIACEAE

- 1636 * *Sparganium erectum* L. subsp. *erectum* 01

TYPHACEAE

- 1638 * *Thypha angustifolia* L. 00
1639 * — *latifolia* L. 01

ZINGIBERACEAE

- 1830 *Globba bulbifera* Roxb. 02

REFERENCES

- Ferrarini, E., Ciampolini, F. R., Pichi-Sermolli, G. & Marchetti, D.
1986 *Iconographia Palynologica Pteridophytum Italiae*. *Webbia* 40(1): 1-202, tav. 71
- Flora Europaea*, vol. 2 - 5
- Flora Iberica*, vol. 1 - 6, 7(1), 8
- Franco, J. A.
1971 *Nova Flora de Portugal (Continente e Açores)*. Vol. I, Lycopodiaceae-Umbelliferae.
1984 *Nova Flora de Portugal (Continente e Açores)*. Vol. II. Clethraceae-Compositae.
- Franco, J. A. & Rocha-Afonso, M. L.
1994 *Nova Flora de Portugal (Continente e Açores)*. Vol. III, fasc. I, Alismataceae-Iridaceae.
XIII pp. + 1-181 + 2 mapas.
1998 *Nova Flora de Portugal (Continente e Açores)*. Vol. III, fasc. II, Gramineae.
- Hansen, A. & Sunding, P.
1993 *Flora of Macaronesia. Checklist of Vascular Plants*. 4. Revised ed. *Sommerfeltia* 17: 1-295.
- Pichi-Sermolli, R. E. G.
1977 *Tentamen Pteridophytorum genera in taxonomicum ordinem redigendi*. *Webbia* 31(2): 313-512.
- Press, J. R. & Short, M. J. (ed.)
1994 *Flora of Madeira*.
- Tutin, T. G., Burger, N. A., Chater, A. O., Edmondson, J. R., Heywood, V. H., Moore, D. M., Valentine, D. H., Walters, S. M. & Webb, D. A.
1993 *Flora Europaea*, vol. 1, Psilotaceae to Platanaceae, second ed., XLV pp., 581 pp.
- Valdés, B., Talavera, S. & Fernández-Galiano, E. (ed.)
1987 *Flora Vascular de Andalucía Occidental* 1-3.

INDEX SEMINUM — DESIDERATA 2003

**JARDIM BOTÂNICO DA
UNIVERSIDADE DE COIMBRA**
Calçada Martim de Freitas
3000-393 COIMBRA
PORTUGAL

Cód. Inst.

Reg^o _____ de ____/____/____
Nº Pedidos _____ • Satisfeitos _____
Data ____/____/____ • Peso _____

(For our private use)

(Please write your full address)

- Please limit your request to 30 taxa.
- Bitte nicht mehr als 30 taxa bestellen.
- S'il vous plait ne commandez pas plus de 30 taxa.

Numbers:

Please return your request before
the 1st June 2003

Tel.: 00 351 239 822897
Fax.: 00 351 239 820780
E-mail: jardbot@ci.uc.pt
<http://www.uc.pt/botanica!/indexse.htm>

INDEX SEMINUM — DESIDERATA 2003


JARDIM BOTÂNICO DA
UNIVERSIDADE DE COIMBRA

Calçada Martim de Freitas
3000-119 COIMBRA

PORTUGAL

Nome	
Nº	
Local	
Altitude	
Outros	

Nome	
Nº	
Local	
Altitude	
Outros	



Jardim Botânico da
Universidade de Coimbra
Arcos do Jardim
Calçada Martim de Freitas
3000 COIMBRA
PORTUGAL