

INDEX SEMINUM ET SPORARUM

QUAE

HORTUS BOTANICUS CONIMBRIGENSIS

PRO MUTUA COMMUTATIONE OFFERT

2013



HORTUS BOTANICUS

UNIVERSIDADE DE COIMBRA

PORTUGAL

Cover illustration: *Anarrhinum longipedicellatum* R. Fernandes a rare Plantaginaceae and a Portuguese endemic species. Photo taken in Beira Alta, Oliveira de Frades, Serra do Ladário (760 m) by João Domingues de Almeida.

Index Seminum Information

(PAY ATTENTION: THE CODE NUMBER
MAY NOT BE IN NUMERICAL ORDER)

GEOGRAPHICAL POSITION:

LAT.: 40° 12' 25" N

LONG.: 8° 25' 30" W

ALT.: 25 - 90 M

ABOVE SEA LEVEL

CULTIVATED TAXA:

ABOUT 2000

MAIN COLLECTIONS:

GYMNOSPERMAE

MYRTACEAE

LEGUMINOSAE

ACERACEAE

STAFF:

**HEAD OF THE BOTANICAL
GARDEN**

PAULO TRINCÃO

SCIENTIFIC ADVISOR

ANTÓNIO PEREIRA COUTINHO

SCIENTIFIC COLLABORATOR

JOÃO DOMINGUES DE ALMEIDA

COLLECTOR

ARMÉNIO DA COSTA MATOS

ADDRESS:

**JARDIM BOTÂNICO DA
UNIVERSIDADE DE COIMBRA**

**CALÇADA MARTIM DE FREITAS
3000-456 COIMBRA
PORTUGAL**

TEL.: 00 351 239 855233

FAX: 00 351 239 855211

E-MAIL:

JARDIM.BOTANICO@UC.PT

URL: WWW.UC.PT/JARDIMBOTANICO

ISSN 0870-0869

SOME REPORTS ABOUT THE**BOTANICAL GARDEN OF THE UNIVERSITY OF
COIMBRA**

Founded between 1772-1774 by order of the
Marquês de Pombal.

Climatic indications* (from the Geophysical
Institute of the University of Coimbra)


*2005 Data	Monthly	Media	Absolute	Values
	Highest	Lowest	Maxim	Minimum
	um			
Temperature (°C)	30,7 (Aug)	4,3 (Jan)	41,6 (5 Aug)	- 2,1 (1 March)
Relative humidity (%)	98,7 (Nov)	22,4 (Aug)	100	7,3 (4 Aug)
Monthly accumulated precipitation (mm)	—	—	129,9 (Dec)	0
Total insolation (sun hours/day)	11,7 (Jun)	0	—	—

The BOTANICAL GARDEN OF THE
UNIVERSITY OF COIMBRA is a unit of the
university of coimbra. It is an establishment
for education and research.


THE BOTANICAL GARDEN OF THE
UNIVERSITY OF COIMBRA covers an
area of about 13.5 ha and it is divided in
two parts

1. The highest part of the garden has
a more elaborated conception in the style of
the european gardens of the 18th century.
There are different terraces where one can
see the order beds, the greenhouses and a
beautiful central fountain;

2. The «arboretum», in the lowest
part of the garden, where a dense
vegetation with exotic trees predominates,
includes a valley with a monocotyledonae
collection, an excellent collection of
eucalyptus (about 50 species), a cold
greenhouse and a splendid plantation of
bamboos.



Geographical position of Portugal in the Europe Map



- AAI - Alto Alentejo
- Ag - Algarve
- BA - Beira Alta
- BAL - Baixo Alentejo
- BB - Beira Baixa
- BL - Beira Litoral
- DL - Douro Litoral
- E - Estremadura
- Mi - Minho
- R - Ribatejo
- TM - Trás-os-Montes (Alto Douro)

Portuguese map with province codes (Flora Iberica, 1986)

INDEX SEMINUM ET SPORARUM
QUAE
HORTUS BOTANICUS CONIMBRIGENSIS
PRO MUTUA COMMUTATIONE OFFERT

(Anno 2009, 2010, 2011 et 2012 collectorum)

* - Semina e plantis spontaneis in loco natali lecta.
** - Semina germinationis brevis tempore proprio mituntur

PTERIDOPHYTA

EQUISETOPSIDA

EQUISETACEAE

PT0COI 45*	Equisetum ramosissimum Desf.	12	1
PT0COI 46*	E. telmateia Ehrh.	12	2

LYCOPODIOPSIDA

SELAGINELLACEAE

PT0COI 68 *	Selaginella denticulata (L.) Spring	12	3
-------------	-------------------------------------	----	---

POLYPODIOPSIDA

ASPLENIACEAE

PT0COI 9*	Asplenium adiantum-nigrum L. subsp. adiantum-nigrum	12	4
PT0COI 11	A. bulbiferum G. Forst.	12	5
PT0COI 13	A. nidus L. var. nidus	12	6
PT0COI 20*	A. officinarum L. subsp. officinarum	12	7
PT0COI 15*	A. onopteris L.	12	8
PT0COI 16*	A. ruta-muraria L. subsp. ruta-muraria	12	9
PT0COI 21*	A. scolopendrium L. subsp. scolopendrium	12	10
PT0COI 17*	A. septentrionale (L.) Hoffm. subsp. septentrionale	12	11
PT0COI 18*	A. trichomanes L. subsp. quadrivalens D. E. Meyer	12	12

BLECHNACEAE

PT0COI 22	Blechnum brasiliense Desv.	12	13
PT0COI 24*	B. spicant (L.) Roth var. spicant	12	14
PT0COI 30	W. virginica (L.) Sm	12	15

CIBOTIACEAE

PT0COI 32 Cibotium glaucum (Sm.) Hook. & Arn. 12 16

CRYPTOGRAMMACEAE

PT0COI 2085*Cryptogramma crispa (L.) R. Br. 12 17

DAVALLIACEAE

PT0COI 31* Davallia canariensis (L.) Sm. 12 18

DICKSONIACEAE

PT0COI 34* Dicksonia antarctica Labill. 12 19

PT0COI 35 D. sellowiana Hook. 12 20

DRYOPTERIDACEAE

PT0COI 40 Cyrtomium falcatum (L. f.) Copel. 12 21

PT0COI 1641 Dryopteris filix-mas (L.) Schott 09 22

PT0COI 42* Polystichum setiferum (Forssk.) Woy. 12 23

HEMIONITIDACEAE

PT0COI 47* Anogramma leptophylla (L.) Link 12 24

PT0COI 1642*Cosentina vellea (Aiton) Tod. 10 25

LOMARIOPSIDACEAE

PT0COI 53 Nephrolepis exaltata (L.) Schott. 12 26

OPHIOGLOSSACEAE

PT0COI 54* Ophioglossum lusitanicum L. 12 27

OSMUNDACEAE

PT0COI 55* Osmunda regalis L. 12 28

POLYPODIACEAE

PT0COI 56 Microsorium punctatum (L.) Cpel 10 29

PT0COI 57 Phlebodium aureum (L.) Sm. 12 30

PT0COI 58 Platycerium bifurcatum (Cav.) C. Ch. 09 31

PT0COI 60* Polypodium cambricum (L.) subsp. serrulatum (Sch. ex Arcang.)
Pic. Serm. 12 32

PT0COI 61* P. interjectum Shivas 12 33

PT0COI 62 Pyrrosia lingua (Thunb.) Farw. 12 34

PTERIDACEAE

PT0COI 1*	<i>Adiantum capillus-veneris</i> L.	10	35
PT0COI 63	<i>Pteris cretica</i> L. var. <i>cretica</i>	12	36
PT0COI 65	<i>P. cretica</i> L. var. <i>wilsonii</i> Hort.	12	37
PT0COI 67	<i>P. longifolia</i> L.	12	38

SINOPTERIDACEAE

PT0COI 3*	<i>Cheilanthes aquatica</i> (Balb.) Tod.	10	39
PT0COI 4*	<i>C. hispanica</i> Mett.	08	40
PT0COI 8	<i>Pellaea viridis</i> (Forssk.) Prantl var. <i>viridis</i>	12	41

THELYPTERIDACEAE

PT0COI 71	<i>Christella parasitica</i> (L.) Lév.	12	42
-----------	--	----	----

WOODIACEAE

PT0COI 73*	<i>Cystopteris fragilis</i> (L.) Bernh.	12	43
------------	---	----	----

GYMNOSPERMAE

GINKGOOPSIDA

GINKGOACEAE

PT0COI 1841*	<i>Ginkgo biloba</i> L.	12	44
--------------	-------------------------	----	----

PINOPSIDA

ARAUCARIACEAE

PT0COI74**	<i>Araucaria bidwillii</i> Hook.	12	45
------------	----------------------------------	----	----

CUPRESSACEAE

PT0COI 76	<i>Chamaecyparis lawsoniana</i> (A. Murray) Parl.	12	46
PT0COI 87	<i>Cryptomeria japonica</i> (L. f.) D. Don	12	47
PT0COI 78	<i>Cupressus lusitanica</i> Mill. var. <i>lusitanica</i>	12	48
PT0COI 81	<i>C. sempervirens</i> L.	11	49
PT0COI 1840*	<i>Juniperus communis</i> L. subsp. <i>alpina</i> (Suter) Celak	11	50
PT0COI 2148	<i>J. navicularis</i> Gand	12	51
PT0COI 2008*	<i>J. oxycedrus</i> L. subsp. <i>oxycedrus</i>	12	52
PT0COI 82	<i>Platycladus orientalis</i> (L.) Franco	12	53
PT0COI 88	<i>Sequoia sempervirens</i> (Lamb.) Endl.	12	54
PT0COI 83	<i>Tetraclinis articulata</i> (Vahl) Mast.	12	55

PINACEAE

PT0COI 84*	Pinus pinaster Aiton	12	56
PT0COI 85*	P. pinea L.	12	57
PT0COI 1644*	P. sylvestris L.	12	58

TAXACEAE

PT0COI 2009*	Taxus baccata L.	12	59
--------------	------------------	----	----

ANGIOSPERMAE

MAGNOLIOPSIDA

ACANTHACEAE

PT0COI 89*	Acanthus mollis L.	12	60
PT0COI 91	Mackaya bella Harv.	12	61

ACTINIDIACEAE

PT0COI 100	Actinidia chinensis Planch.	12	62
------------	-----------------------------	----	----

ADOXACEAE

PT0COI 212*	Sambucus ebulus L.	12	63
PT0COI 213*	S. nigra L.	12	64
PT0COI 1492	Viburnum lantana L.	12	65
PT0COI 214	Viburnum odoratissimum Ker Gawl.	12	66
PT0COI 215*	V. tinus L. subsp. tinus	12	67

AIZOACEAE

PT0COI 102*	Carpobrotus edulis (L.) N. E. Br.	11	68
PT0COI 103*	Mesembryanthemum nodiflorum L.	09	69
PT0COI 104*	Tetragonia tetragonoides (Pall.) Kuntze	10	70

ALISMATACEAE

PT0COI 1346*	Alisma plantago-aquatica L.	12	71
--------------	-----------------------------	----	----

ALTINGIACEAE

PT0COI 659	Liquidambar styraciflua L.	12	72
------------	----------------------------	----	----

AMARANTHACEAE

PT0COI 105*	<i>Amaranthus albus</i> L.	12	73
PT0COI 108*	<i>A. deflexus</i> L.	12	74
PT0COI 1944*	<i>Atriplex halimus</i> L.	11	75
PT0COI 1906	<i>A. hortensis</i> L.	09	76
PT0COI 1661*	<i>A. prostrata</i> Boucher ex DC.	11	77
PT0COI 112	<i>Celosia argentea</i> L. var. <i>cristata</i> (L.) Kunze	12	78
PT0COI 288*	<i>Chenopodium album</i> L. var. <i>album</i>	11	79
PT0COI 289*	<i>C. ambrosioides</i> L.	12	80
PT0COI 1662*	<i>C. botrys</i> L.	11	81
PT0COI 292*	<i>C. polyspermum</i> L.	11	82
PT0COI 113	<i>Gomphrena albiflora</i> Moq.	12	83
PT0COI 114	<i>G. globosa</i> L.	11	84
PT0COI 2011*	<i>Salsola soda</i> L.	09	85
PT0COI 1666*	<i>Sarcocornia perennis</i> (Miller) A. J. Scott subsp. <i>alpini</i> (Lag.)		
Castroviejo		12	86
PT0COI 1668	<i>Suaeda albescens</i> Lázaro Ibiza	09	87

AMARYLLIDACEAE

PT0COI 1351*	<i>Acis autumnalis</i> (L.) Herb.	12	88
PT0COI 1574	<i>Agapanthus praecox</i> Willd. subsp. <i>praecox</i>	10	89
PT0COI 1577*	<i>Allium ericetorum</i> Thore	10	90
PT0COI 1580*	<i>A. roseum</i> L.	12	91
PT0COI 1581*	<i>A. scorzonerifolium</i> Desf.	11	92
PT0COI 1583*	<i>A. triquetrum</i> L.	12	93
PT0COI 1837*	<i>A. victorialis</i> L.	09	94
PT0COI 1886*	<i>Amaryllis belladonna</i> L.	12	95
PT0COI 1348	<i>Clivia nobilis</i> Lindl.	12	96
PT0COI 1606*	<i>Muscari comosum</i> (L.) Mill.	12	97
PT0COI 1607*	<i>M. neglectum</i> Guss. ex Ten.	09	98
PT0COI 2060*	<i>Narcissus cuneiflorus</i> (Salisb.) Link	12	99
PT0COI 1352*	<i>N. bulbocodium</i> L.	012	100
PT0COI 1353*	<i>N. calcicola</i> Mendonça	09	101
PT0COI 1826*	<i>N. cyclamineus</i> DC.	10	102
PT0COI 2006*	<i>N. scaberulus</i> Henriq.	10	103
PT0COI 1828*	<i>N. triandrus</i> L. var. <i>cernuus</i> (Salisb.) Bak.	11	104
PT0COI 1827*	<i>N. triandrus</i> L. subsp. <i>pallidulus</i> (Graells) Rivas-Goday	11	105
PT0COI 1608*	<i>Nothoscordum gracile</i> (Aiton) Stearn	11	106
PT0COI 1356*	<i>Pancratium maritimum</i> L.	11	107

ANACAMPSEROTACEAE

PT0COI 1047	<i>Anacampseros rufescens</i> (Haw.) Sweet	12	108
-------------	--	----	-----

ANACARDIACEAE

PT0COI 115	<i>Cotinus coggyria</i> Scop.	12	109
PT0COI 116*	<i>Pistacia lentiscus</i> L.	10	110
PT0COI 117*	<i>P. terebinthus</i> L.	12	111
PT0COI 1897*	<i>Rhus coriaria</i> L.	11	112
PT0COI 118	<i>Schinus polygama</i> (Cav.) Cabrera	10	113
PT0COI 119	<i>S. molle</i> L. var. <i>areira</i> (L.) DC.	12	114
PT0COI 120	<i>S. terebinthifolius</i> Raddi	12	115

ANONNACEAE

PT0COI 1648	<i>Annona cherimola</i> Mill.	12	116
-------------	-------------------------------	----	-----

APIACEAE

PT0COI 1248	<i>Aethusa cynapium</i> L.	12	117
PT0COI 1249*	<i>Ammi majus</i> L.	11	118
PT0COI 1250*	<i>A. visnaga</i> (L.) Lam.	10	119
PT0COI 1252*	<i>Angelica major</i> Lag.	12	120
PT0COI 2059*	<i>A. pachycarpa</i> Lange	10	121
PT0COI 1253*	<i>A. sylvestris</i> L.	10	122
PT0COI 1254*	<i>Anthriscus caucalis</i> Bieb	11	123
PT0COI 1255*	<i>Apium graveolens</i> L.	09	124
PT0COI 1752*	<i>A. nodiflorum</i> (L.) Lag.	12	125
PT0COI 1256*	<i>Bifora testiculata</i> (L.) Roth.	12	126
PT0COI 1257*	<i>Bupleurum gerardi</i> All.	11	127
PT0COI 1258*	<i>B. lancifolium</i> Hornem	12	128
PT0COI 1259*	<i>B. rigidum</i> L. subsp. <i>paniculatum</i> (Brot.) H. Wolff	12	129
PT0COI 1263*	<i>Chaerophyllum temulum</i> L.	09	130
PT0COI 1264*	<i>Conium maculatum</i> L.	12	131
PT0COI 1266*	<i>Conopodium majus</i> (Gouan) Loret subsp. <i>marizianum</i> (Samp) López Udias & Mateo	12	132
PT0COI 1881	<i>Coriandrum sativum</i> L.	10	133
PT0COI 1753*	<i>Crithmum maritimum</i> L.	12	134
PT0COI 1267*	<i>Daucus carota</i> L. subsp. <i>maximus</i> (Desf.) Ball	10	135
PT0COI 1754*	<i>D. carota</i> L. subsp. <i>halophilus</i> (Brot.) A. Pujadas	12	136
PT0COI 1268*	<i>D. crinitus</i> Desf.	10	137
PT0COI 1755*	<i>D. durieua</i> Lange	11	138
PT0COI 1269*	<i>D. muricatus</i> (L.) L.	12	139
PT0COI 2081*	<i>Distichoselinum tenuifolium</i> (Lag.) García Martin & Silvestre	10	140
PT0COI 1271*	<i>Eryngium campestre</i> L.	10	141
PT0COI 1272*	<i>E. corniculatum</i> Lam.	10	142
PT0COI 1273*	<i>E. dilatatum</i> Lam.	09	143
PT0COI 1882*	<i>E. duriaei</i> J. Gay ex Boiss. subsp. <i>duriaei</i>	09	144
PT0COI 2133*	<i>E. duriaei</i> J. Gay ex Boiss. subsp. <i>juresianum</i> M. Laínz	12	145
PT0COI 1274*	<i>E. maritimum</i> L.	11	146
PT0COI 1275*	<i>E. pandanifolium</i> Cham. & Schlecht.	10	147
PT0COI 1276*	<i>E. tenue</i> Lam.	11	148
PT0COI 1277*	<i>Ferula communis</i> L.	12	149

PT0COI 1756*	<i>Ferulago capillaris</i> (Link ex Spreng.) Cout.	11	150
PT0COI 1883*	<i>Foeniculum vulgare</i> Mill.	12	151
PT0COI 1279*	<i>Heracleum sphondylium</i> L. subsp. <i>sphondylium</i>	12	152
PT0COI 1280	<i>Heteromorpha trifoliata</i> (H. L. Wendl.) Ekl. & Zeyh.	12	153
PT0COI 1282	<i>Kundmannia sicula</i> (L.) DC.	12	154
PT0COI 2121*	<i>Laserpitium eliasii</i> Sennen & Pau subsp. <i>thalictrifolium</i> (Samp.) P. Monts	09	155
PT0COI 1284*	<i>Oenanthe crocata</i> L.	12	156
PT0COI 1285*	<i>O. fistulosa</i> L.	12	157
PT0COI 1290	<i>Petroselinum crispum</i> (Mill.) Fuss. var. <i>latifolium</i>	Airy Shaw 10	158
PT0COI 1292	<i>Peucedanum cervaria</i> (L.) Lapeyr.	12	159
PT0COI 1294*	<i>Physospermum cornubiense</i> (L.) DC.	10	160
PT0COI 1261*	<i>Prangos trifida</i> (Mill.) Herrnst. & Heyn	12	161
PT0COI 1298*	<i>Ridolfia segetum</i> Moris	12	162
PT0COI 1299*	<i>Sanicula europaea</i> L.	12	163
PT0COI 1300*	<i>Scandix pecten-veneris</i> L.	12	164
PT0COI 2100*	<i>Seseli montanum</i> L. subsp. <i>peixotoanum</i> (Samp.) M. Lainz	12	165
PT0COI 1302*	<i>S. tortuosum</i> l.	12	166
PT0COI 1303*	<i>Smyrniololus</i> L.	10	167
PT0COI 1304*	<i>S. perfoliatum</i> L.	12	168
PT0COI 2104*	<i>Thapsia minor</i> Hoffmans. & Link	12	169
PT0COI 2149*	<i>T. nitida</i> Lacaita var. <i>nitida</i>	12	170
PT0COI 1305*	<i>T. villosa</i> L.	12	171
PT0COI 1306*	<i>Tordylium maximum</i> L.	12	172
PT0COI 1307*	<i>Torilis arvensis</i> (Huds.) Link subsp. <i>neglecta</i> (Spreng.) Thell.	12	173
PT0COI 1308*	<i>T. nodosa</i> (L.) Gaertn.	12	174

APOCYNACEAE

PT0COI 121	<i>Acokanthera oblongifolia</i> (Hochst.) Codd	12	175
PT0COI 137*	<i>Araujia sericifera</i> Brot.	12	176
PT0COI 138	<i>Asclepias curassavica</i> L.	11	177
PT0COI 126	<i>Nerium oleander</i> L. var. <i>album</i>	Lodd. 12	178
PT0COI 127	<i>Nerium oleander</i> L. var. <i>oleander</i>	12	179
PT0COI 128	<i>Thevetia peruviana</i> (Pers.) Schum.	12	180
PT0COI 129*	<i>Vinca difformis</i> Pourr. subsp. <i>difformis</i>	12	181
PT0COI 140	<i>V. fruticosa</i> L.	12	182
PT0COI 141*	<i>Vincetoxicum nigrum</i> (L.) Moench	10	183

AQUIFOLIACEAE

PT0COI 130*	<i>Ilex aquifolium</i> L.	12	184
-------------	---------------------------	----	-----

ARACEAE

PT0COI 1358*	<i>Arisarum simirrhinum</i> Durieu	12	185
PT0COI 1359*	<i>Arum italicum</i> Mill. subsp. <i>italicum</i>	10	186

ARALIACEAE

PT0COI 131	<i>Fatsia japonica</i> (Thunb.) Decne. & Planch	12	187
PT0COI 132*	<i>Hedera maderensis</i> K. Koch ex A. Rutherf. subsp. <i>iberica</i>		
	Mc Allister	12	188
PT0COI 1281*	<i>Hydrocotyle bonariensis</i> Lam.	12	189
PT0COI 1884*	<i>H. vulgaris</i> L.	12	190
PT0COI 133	<i>Pseudopanax crassifolius</i> (Sol. ex A. Cunn.) C. Koch	12	191

ARECACEAE

PT0COI 1625**	<i>Arconthophoenix cunninghamiana</i> H. Wendl. & Drude	12	192
PT0COI 1627**	<i>Butia capitata</i> Mart. Becc. var. <i>capitata</i>	12	193
PT0COI 1628**	<i>B. eriospatha</i> (mart. Ex Drude) Becc.	12	194
PT0COI 1630**	<i>Chamaerops humilis</i> L. var. <i>humilis</i>	12	195
PT0COI 1632**	<i>Livistona australis</i> (R. Br.) Mart.	12	196
PT0COI 1633**	<i>Phoenix canariensis</i> Hort. Ex Chabaud	12	197
PT0COI 1626**	<i>Syagrus romanzoffiana</i> (Cham.) Glassman	12	198

ARISTOLOCHIACEAE

PT0COI 1989*	<i>Aristolochia baetica</i> L.	12	199
PT0COI 135*	<i>A. paucinervis</i> pommel	12	200
PT0COI 136	<i>A. sempervirens</i> L.	12	201

ASPARAGACEAE

PT0COI 2120*	<i>Anthericum liliago</i> L.	11	202
PT0COI 1585*	<i>Asparagus acutifolius</i> L.	12	203
PT0COI 1590	<i>A. aethiopicus</i> L.	12	204
PT0COI 1586	<i>A. aphyllus</i> L.	12	205
PT0COI 1588	<i>A. falcatus</i> L.	12	206
PT0COI 1893*	<i>A. officinalis</i> L.	12	207
PT0COI 1589	<i>A. setaceus</i> (Kunth.) Jessop	10	208
PT0COI 1595	<i>Belevallia dubia</i> (Guss.) Rchnb.	10	209
PT0COI 1624*	<i>Charibdis maritime</i> (L.) Speta	09	210
PT0COI 1344	<i>Cordyline australis</i> (J. R. Forst.) Endl.	10	211
PT0COI 1938	<i>Dracaena draco</i> (L.) L.	09	212
PT0COI 1602*	<i>Hyacinthoides hispanica</i> (Mill.) Rothm.	11	213
PT0COI 1609	<i>Ophiopogon jaburan</i> (Sieb.) Lodd.	10	214
PT0COI 1611	<i>Ornithogalum caudatum</i> Ait.	11	215
PT0COI 1970*	<i>O. serotinum</i> (L.) Medicus subsp. <i>serotinum</i>	12	216
PT0COI 1612*	<i>O. concinnum</i> (Salisb.) Cout.	12	217
PT0COI 1613*	<i>O. narbonense</i> L.	12	218
PT0COI 1614*	<i>O. pyrenaicum</i> L.	11	219
PT0COI 1615*	<i>O. umbellatum</i> L.	10	220
PT0COI 1617*	<i>Polygonatum odoratum</i> (Mill.) Druce	09	221
PT0COI 1767	<i>Rohdea japonica</i> (Thunb.) Roth. Ex Kunth	10	222
PT0COI 1618*	<i>Ruscus aculeatus</i> L.	11	223
PT0COI 1619*	<i>Scilla autumnalis</i> L.	12	224

PT0COI 1620*S. monophyllos Link 12 225

ASTERACEAE

PT0COI 1852*Acanthoxantium spinosum (DC.) Fourr. 12 226
PT0COI 314* Achillea ageratum L.12 227
PT0COI 1674*A. millefolium L. 12 228
PT0COI 395 Ageratina viburnoides (DC.) R. M. King & H. Rob. 12 229
PT0COI 316 Ageratum houstonianum Mill. 12 230
PT0COI 317* Anacyclus radiatus Loisel 09 231
PT0COI 1675*Andryala laxiflora DC. 09 232
PT0COI 1676*Anthemis canescens Brot. 11 233
PT0COI 1848 A. tinctoria L. 10 234
PT0COI 322* Arctium minus (Hill) Bernh. 12 235
PT0COI 323* Arctotheca calendula (L.) Levyns 12 236
PT0COI 1907*Arnica montana (L.) subsp. atlantica A. Bolòs 12 237
PT0COI 324* Arnoseris minima (L.) Schweigg. & Körte 10 238
PT0COI 1908*Artemisia campestris L. subsp. maritima Arcangeli 10 239
PT0COI 2122*Asteriscus maritimus (L.) Less. 12 240
PT0COI 328* Atractylis cancellata L. 11 241
PT0COI 393* Bartlettina sordida (Less.) R. M. King & H. Rob. 12 242
PT0COI 2150*Bellis annua L. 12 243
PT0COI 329 B. perennis L. 12 244
PT0COI 330* B. sylvestris Cirillo var. sylvestris 12 245
PT0COI 332* Bidens frondosa L. 12 246
PT0COI 1849 B. pilosa L. 12 247
PT0COI 333* Calendula arvensis L. subsp. arvensis 12 248
PT0COI 335* C. incana Willd. subsp. algarbiensis (Boiss.) Ohle 12 249
PT0COI 334 C. officinalis L. 11 250
PT0COI 336* C. suffruticosa Vahl. subsp. lusitanica (Boiss.) Ohle 11 251
PT0COI 337 Callistephus chinensis (L.) Nees 10 252
PT0COI 339* Carduus carpetanus Boiss. & reut. 11 253
PT0COI 340* C. lusitanicus Rouy 12 254
PT0COI 341* C. platypus Lange 12 255
PT0COI 342* C. tenuiflorus Curtt. 12 256
PT0COI 344* Carlina racemosa L. 09 257
PT0COI 338* Carthamus caeruleus L. 12 258
PT0COI 345* C. lanatus L. subsp. lanatus 12 259
PT0COI 1909 C. tinctorius L. 09 260
PT0COI 346 Catananche caerulea L. 11 261
PT0COI 347* Centaurea africana Lam. 12 262
PT0COI 1678*C. aristata Hoffmans. & Link subsp. aristata 12 263
PT0COI 1682*C. benedicta (L.) L. 11 264
PT0COI 348* C. calcitrapa L. 12 265
PT0COI 2123*C. herminii Rouy subsp. herminii 09 266
PT0COI 349* C. limbata Hoffmans. & Link 11 267
PT0COI 351* C. melitensis L. 12 268
PT0COI 2048*C. micrantha Hoffmans. & Link 11 269
PT0COI 1680*C. ornata Willd. subsp. ornata 12 270
PT0COI 354* C. sempervirens L. 12 271

PT0COI 356*	<i>C. sphaerocephala</i> L. subsp. <i>sphaerocephala</i>	12	272
PT0COI 357*	<i>C. uliginosa</i> Brot.	12	273
PT0COI 1681*	<i>Chamaeleon gummifer</i> (L.) Cass.	10	274
PT0COI 358*	<i>Chamaemelon fuscum</i> (Brot.) Vasc.	12	275
PT0COI 360*	<i>C. nobile</i> (L.) All. var. <i>discolor</i> (Boiss. ex Willk.) P. Silva	12	276
PT0COI 2107*	<i>Chamomila suaveolens</i> (Pursh) Rydb.	11	277
PT0COI 361*	<i>Chondrilla juncea</i> L.	12	278
PT0COI 362*	<i>Chrysanthemum coronarium</i> L.	12	279
PT0COI 361*	<i>Cichorium intybus</i> L.	12	280
PT0COI 2144*	<i>Cirsium arvense</i> (L.) Scop.	12	281
PT0COI 367*	<i>C. filipendulum</i> Lange	12	282
PT0COI 368*	<i>C. palustre</i> (L.) Scop.	11	283
PT0COI 371	<i>Cnicus scabrum</i> (Poir.) Bennet & Barrate	12	284
PT0COI 372*	<i>Coleostephus myconis</i> (L.) Reichenb.	12	285
PT0COI 377*	<i>Cotula australis</i> (Sieber ex Spreng.) Hook.	12	286
PT0COI 378*	<i>C. coronopifolia</i> L.	10	287
PT0COI 381*	<i>Crepis lampanoides</i> (Gouan) Tausch	09	288
PT0COI 383*	<i>C. vesicaria</i> subsp. <i>taraxifolia</i> (Thuill.) Tell	10	289
PT0COI 384*	<i>Crupina vulgaris</i> Pers. ex Cass.	12	290
PT0COI 1782	<i>Cynara scolymus</i> L.	12	291
PT0COI 471*	<i>Delairea odorata</i> Lem.	12	292
PT0COI 386*	<i>Dittrichia graveolens</i> (L.) Grant	12	293
PT0COI 387*	<i>D. viscosa</i> (L.) Greuter subsp. <i>viscosa</i>	12	294
PT0COI 2014*	<i>Doronicum plantagineum</i> L. subsp. <i>plantagineum</i>	09	295
PT0COI 389*	<i>Eclipta prostrata</i> (L.) L.	10	296
PT0COI 374*	<i>Erigeron bonariensis</i> L.	12	297
PT0COI 375*	<i>E. canadensis</i> L.	12	298
PT0COI 391*	<i>E. karvinskyanus</i> DC.	09	299
PT0COI 373*	<i>E. sumatrensis</i> Retz.	12	300
PT0COI 394*	<i>Eupatorium cannabinum</i> L. subsp. <i>cannabinum</i>	12	301
PT0COI 439*	<i>Filago minima</i> (Sm.) Pers.	012	302
PT0COI 396*	<i>F. pygmaea</i> L. subsp. <i>pygmaea</i>	10	303
PT0COI 400*	<i>Galactites tomentosa</i> Moench	12	304
PT0COI 402*	<i>Galinsoga parviflora</i> Cav.	10	305
PT0COI 401*	<i>G. quadriradiata</i> Ruiz & Pavón	12	306
PT0COI 403*	<i>Gamochaeta purpurea</i> (L.) Cabrera	12	307
PT0COI 364*	<i>Glebionis segetum</i> (L.) Fourr.	11	308
PT0COI 406	<i>Grindelia robusta</i> Nutt.	12	309
PT0COI 408*	<i>Gymnostyles stolonifera</i> (Brot.) Tutin	12	310
PT0COI 409*	<i>Hedypnois rhagadiolioides</i> (L.) F. W. Schmidt	12	311
PT0COI 1910	<i>Helianthus annuus</i> L.	12	312
PT0COI 1783	<i>Helychrisum bracteatum</i> (Vent.) Andrews	09	313
PT0COI 413*	<i>H. picardii</i> Boiss. & Reut.	11	314
PT0COI 1684*	<i>H. stoechas</i> (L.) Moench	12	315
PT0COI 2106*	<i>Hieracium brevifolium</i> Tausch	12	316
PT0COI 415*	<i>H. dumosum</i> Jord.	12	317
PT0COI 417*	<i>H. schmidtii</i> Tausch	11	318
PT0COI 418*	<i>Hispidella hispanica</i> Lam.	11	319
PT0COI 419*	<i>Hypochaeris glabra</i> L.	10	320
PT0COI 420*	<i>H. radicata</i> L.	12	321

PT0COI 421*	<i>Inula conyzae</i> (Griess.) DC.	12	322	
PT0COI 2050*	<i>I. salicina</i> L. subsp. <i>salicina</i>	11	323	
PT0COI 464*	<i>Jacobaea maritima</i> (L.) Pelser & Meijden	12	324	
PT0COI 2087*	<i>J. minuta</i> (Cav.) Pelser & Veldcamp	09	325	
PT0COI 1784*	<i>Jurinea humilis</i> (desf.) DC.	12	326	
PT0COI 424*	<i>Lactuca saligna</i> L.	12	327	
PT0COI 2134	<i>L. sativa</i> L.	11	328	
PT0COI 425*	<i>L. serriola</i> L.	11	329	
PT0COI 427*	<i>L. virosa</i> L.	12	330	
PT0COI 428*	<i>Lapsana communis</i> L.	12	331	
PT0COI 430*	<i>Leontodon hispidus</i> L.	12	332	
PT0COI 431*	<i>L. saxatilis</i> Lam. Subsp. <i>rothii</i> Maire	09	333	
PT0COI 435*	<i>Lepidophorum repandum</i> (L.) DC.	11	334	
PT0COI 1770*	<i>Leucanthemopsis flaveola</i> (Hoffmanns. & Link) Moench	11	335	
PT0COI 436*	<i>Leucanthemum sylvaticum</i> (Hoffmanns. & Link) Nyman	12	336	
PT0COI 440*	<i>Mantisalca salmantica</i> (L.) Briq. & Cavill.	12	337	
PT0COI 1686*	<i>Onopordum acanthium</i> L. subsp. <i>acanthium</i>	12	338	
PT0COI 443*	<i>Pallenis spinosa</i> (L.) Cass.	10	339	
PT0COI 446*	<i>Phagnalon saxatile</i> (L.) Cass.	12	340	
PT0COI 2125*	<i>Phalacrocarpum hoffmannseggii</i> (Samp.) Lainz	11	341	
PT0COI 447*	<i>P. sericeum</i> Henriq.	11	342	
PT0COI 448*	<i>Picris comosa</i> (Boiss.) B. D. Jacks subsp. <i>lusitanica</i> (Welw. Ex Schltdl.) Talavera	12	343	
PT0COI 449*	<i>P. echioides</i> L.	10	344	
PT0COI 450*	<i>P. hieracioides</i> L. subsp. <i>longifolia</i> (Boiss. & Reut.) P. D. Sell	12	345	
PT0COI 416	<i>Pilosella officinarum</i> Vaill.	09	346	
PT0COI 404*	<i>Pseudognaphalium luteo-album</i> (L.) Hilliard & B. L. Burt	12	347	
PT0COI 453*	<i>Pulicaria arabica</i> (L.) Cass. Subsp. <i>hispanica</i> (Boiss.) Murb.	12	348	
PT0COI 452*	<i>P. dysenterica</i> (L.) Bernh.	10	349	
PT0COI 1687*	<i>P. odora</i> (L.) Rchb.	12	350	
PT0COI 457*	<i>Rhagadiolus edulis</i> Gaertn.	11	351	
PT0COI 437*	<i>Rhaponticum coniferum</i> (L.) Greuter	12	352	
PT0COI 2124*	<i>R. longifolium</i> (Hoffmanns. & Link) Soskov subsp. <i>longifolium</i>	09	353	
PT0COI 454*	<i>Reichardia gaditana</i> (Willk.) Samp.	12	354	
PT0COI 2017	<i>Santolina semidentata</i> Hoffmanns. & Link	11	355	
PT0COI 460*	<i>Scolymus hispanicus</i> L.	10	356	
PT0COI 2135*	<i>Scorzonera graminifolia</i> L.	10	357	
PT0COI 462*	<i>S. humilis</i> L.	09	358	
PT0COI 465*	<i>Senecio doronicum</i> (L.) L.	12	359	
PT0COI 468*	<i>Senecio jacobaea</i> L.	09	360	
PT0COI 466*	<i>S. gallicus</i> Chay	12	361	
PT0COI 2108*	<i>S. leucanthemifolius</i> Poiret	12	362	
PT0COI 469*	<i>S. lividus</i> L.	09	363	
PT0COI 472*	<i>S. pyrenaicus</i> L. subsp. <i>caespitosus</i> (Brot.) Franco	12	364	
PT0COI 473*	<i>S. sylvaticus</i> L.	12	365	
PT0COI 474*	<i>S. vulgaris</i> L.	09	366	
PT0COI 423*	<i>Serratula baetica</i> L. subsp. <i>lusitanica</i> (Hoffmanns. & Link) Heywood	12	367	
PT0COI 475*	<i>S. tinctoria</i> L. subsp. <i>seoanei</i> (Willk.) Lainz	12	368	
PT0COI 476	<i>Silphium perfoliatum</i> L.	12	369	

PT0COI 477*	<i>Sylibum marianum</i> (L.) Gaertn.	10	370
PT0COI 451	<i>Smallanthus uvedalia</i> (L.) Mack. ex Small	12	371
PT0COI 478*	<i>Solidago virgaurea</i> L.	12	372
PT0COI 480*	<i>Sonchus asper</i> (L.) Hill. Subsp. <i>glaucescens</i> (Jord.) Ball	12	373
PT0COI 481*	<i>S. maritimus</i> L. subsp. <i>maritimus</i>	12	374
PT0COI 482*	<i>S. oleraceus</i> L.	12	375
PT0COI 483*	<i>Staechelina dubia</i>	12	376
PT0COI 484	<i>Stevia lanceolata</i> Lag.	12	377
PT0COI 326*	<i>Symphyotrichum squamatum</i> (Spreng.) G. L. Nesom	11	378
PT0COI 1785*	<i>Tagetes erecta</i> L.	10	379
PT0COI 2151	<i>T. minuta</i> L.	12	380
PT0COI 487*	<i>Tanacetum corymbosum</i> (L.) Sch. Bip. subsp. <i>corymbosum</i>	12	381
PT0COI 488*	<i>T. mocrunulatum</i> (Hoffmanns. & Link) Heywood	11	382
PT0COI 491*	<i>Taraxacum sundbergii</i> Dahlst.	12	383
PT0COI 492*	<i>Tolpis barbata</i> (L.) Gaertn.	12	384
PT0COI 494*	<i>Tragopogon hybridus</i> L.	12	385
PT0COI 327*	<i>Tripolium panonicum</i> (Jacq.) Schur subsp. <i>tripolium</i> (L.) Gaertn.	11	386
PT0COI 496*	<i>Urospermum picroides</i> (L.) Scop. ex F. W. Schmidt	12	387
PT0COI 1851*	<i>Xanthium orientale</i> L. subsp. <i>italicum</i> (Moretti) Greuter	10	388
PT0COI 1688*	<i>X. strumarium</i> L.	10	389
PT0COI 1786	<i>Zinnia elegans</i> Jacq.	12	390

BALSAMINACEAE

PT0COI 142	<i>Impatiens balsamina</i> L.	10	391
------------	-------------------------------	----	-----

BASELLACEAE

PT0COI 144	<i>Anredera cordifolia</i> (Ten.) Steenis	12	392
------------	---	----	-----

BEGONIACEAE

PT0COI 1898	<i>Begonia grandis</i> Dryand. Subsp. <i>evansiana</i> (Andrews) Irmsch.	12	393
-------------	--	----	-----

BERBERIDACEAE

PT0COI 146	<i>Berberis vulgaris</i>	12	394
PT0COI 1649	<i>B. japonica</i> (Thunb.) R. Br.	12	395
PT0COI 1899	<i>Nandina domestica</i> Thunb.	11	396

BETULACEAE

PT0COI 1650*	<i>Alnus glutinosa</i> (L.) Gaertner	12	397
PT0COI 148	<i>Alnus viridis</i> (Chaix) DC. subsp. <i>16amigli</i> (Regel) A. Löve & D. Löve	10	398
PT0COI 149	<i>Betula pubescens</i> Ehrh.	12	399
PT0COI 1788*	<i>Corylus avelana</i> L.	12	400

BIGNONIACEAE

PT0COI 151	<i>Campsis radicans</i> (L.) Bureau	12	401
PT0COI 152	<i>Catalpa bignonioides</i> Walter	12	402
PT0COI 153	<i>C. ovata</i> G. Don	12	403
PT0COI 155	<i>Jacaranda mimosifolia</i> D. Don	12	404
PT0COI 154	<i>Macfadyena unguis-gati</i> (L.) A. H. Gentry	12	405
PT0COI 156	<i>Pithecoctenium muricatum</i> Moç. Ex DC.	12	406

BORAGINACEAE

PT0COI 157*	<i>Anchusa azurea</i> Mill.	12	407
PT0COI 1843*	<i>A. undulata</i> L. subsp. <i>granatensis</i> (Boiss.) Valdés	12	408
PT0COI 158*	<i>A. undulata</i> L. subsp. <i>undulata</i>	12	409
PT0COI 159*	<i>Borago officinalis</i> L.	12	410
PT0COI 161*	<i>Cerinthe gynandra</i> Gasp. Var. <i>gynandra</i>	12	411
PT0COI 162*	<i>C. major</i> L.	12	412
PT0COI 164*	<i>Cynoglossum clandestinum</i> Desf.	12	413
PT0COI 165*	<i>C. creticum</i> Mill.	12	414
PT0COI 166*	<i>Echium lusitanicum</i> L. subsp. <i>lusitanicum</i>	12	415
PT0COI 167*	<i>E. plantagineum</i> L.	012	416
PT0COI 168*	<i>E. rosulatum</i> Lange	12	417
PT0COI 169*	<i>E. tuberculatum</i> Hoffmanns. & Link	12	418
PT0COI 170	<i>Heliotropium amplexicaule</i> Vahl	11	419
PT0COI 171*	<i>H. europaeum</i> L.	12	420
PT0COI 1901*	<i>Myosotis debilis</i> Pomel	09	421
PT0COI 175*	<i>M. discolor</i> Pers.	09	422
PT0COI 176*	<i>M. ramosissima</i> Rochel subsp. <i>ramosissima</i>	09	423
PT0COI 177*	<i>M. stolonifera</i> (DC.) Luesche & Levier	11	424
PT0COI 178*	<i>M. welwitschii</i> Boiss. & Reut.	12	425
PT0COI 179*	<i>Neatostema apulum</i> (L.) I. M. Johnst.	11	426
PT0COI 181*	<i>Omphalodes linifolia</i> (L.) Moench	12	427
PT0COI 182*	<i>O. nitida</i> Hoffmanns. & Link	12	428
PT0COI 183*	<i>Pentaglottis sempervirens</i> (L.) Tausch ex L. H. Bailey	11	429
PT0COI 2046*	<i>Pulmonaria longifolia</i> (Bost.) Boreau	09	430

BRASSICACEAE

PT0COI 2053*	<i>Alliaria petiolata</i> (M. Bieb.) Cavara & Grande	09	431
PT0COI 2018*	<i>Allyssum granatense</i> Boiss. & Reut.	11	432
PT0COI 2109*	<i>A. minutum</i> DC.	11	433
PT0COI 1692*	<i>A. serpyllifolium</i> Desf. Fl.	11	434
PT0COI 2019*	<i>A. simplex</i> Rudolphi	10	435
PT0COI 524*	<i>Arabidopsis thaliana</i> (L.) Heynh.	12	436
PT0COI 1945*	<i>Arabis beirana</i> P. Silveira, Paiva & N. Marcos	12	437
PT0COI 2088*	<i>A. glabra</i> (L.) Bernh.	11	438
PT0COI 525*	<i>A. planisiliqua</i> (Pers.) Rehn.	12	439
PT0COI 888*	<i>A. sadina</i> (Samp.) Cout.	12	440
PT0COI 526*	<i>A. stenocarpa</i> Boiss. & Reut.	09	441

PT0COI 528*	<i>Barbarea vulgaris</i> R. Br.	12	442
PT0COI 529*	<i>Biscutella valentina</i> (Loefl. Ex L.) Heywood	subsp. valentina 11	443
PT0COI 530*	<i>Brassica barrelieri</i> (L.) Janka	12	444
PT0COI 531*	<i>B. oxyrrhina</i> Coss.	12	445
PT0COI 1694*	<i>Bunias erucago</i> L.	09	446
PT0COI 532*	<i>Cakile maritime</i> Scop. Subsp. <i>integrifolia</i> (Hornem.) Greuter & Burdet	12	447
PT0COI 2126*	<i>Calepina irregularis</i> (Asso) Thell.	09	448
PT0COI 533*	<i>Capsella bursa-pastoris</i> (L.) Medik.	12	449
PT0COI 1992*	<i>Cardamine flexuosa</i> With.	12	450
PT0COI 534*	<i>C. hirsuta</i> L.	11	451
PT0COI 536*	<i>Coincya monensis</i> (L.) Greuter & Burdet subsp. <i>cheiranthos</i> (Vill.) Aedo, Leadley & Muñoz Garm. Var. <i>recurvata</i> (All.) Leadley	12	452
PT0COI 539*	<i>Diplotaxis catholica</i> (L.) DC.	09	453
PT0COI 540*	<i>Draba muralis</i> L.	11	454
PT0COI 541*	<i>Eriophila verna</i> (L.) Chevall.	09	455
PT0COI 1696*	<i>Erysimum lagascae</i> Rivas Goday & Bellot	12	456
PT0COI 1695*	<i>E. merxmuelieri</i> Polatschek	12	457
PT0COI 542*	<i>Hirschfeldia incana</i> Lagr. Foss. Subsp. <i>incana</i>	12	458
PT0COI 2090*	<i>Iberis procumbens</i> Lange subsp. <i>procumbens</i>	10	459
PT0COI 546	<i>Isatis tinctoria</i> L. subsp. <i>tinctoria</i>	12	460
PT0COI 537*	<i>Lepidium didymum</i> L.	12	461
PT0COI 547*	<i>L. heterophyllum</i> Benth.	09	462
PT0COI 549*	<i>L. virginicum</i> L.	12	463
PT0COI 1790*	<i>Lobularia marítima</i> (L.) Desv.	12	464
PT0COI 1791*	<i>Lunaria annua</i> L.	12	465
PT0COI 550*	<i>Malcolmia littorea</i> (L.) R. Br.	12	466
PT0COI 551*	<i>M. ramosissima</i> (Desf.) Thell.	12	467
PT0COI 553*	<i>Murbeckiella boryi</i> (Boiss.) Rothm.	12	468
PT0COI 554*	<i>M. sousae</i> Rothm.	12	469
PT0COI 1699*	<i>Nasturtium officinale</i> R. Br.	10	470
PT0COI 555*	<i>Raphanus raphanistrum</i> L. subsp. <i>raphanistrum</i>	12	471
PT0COI 556*	<i>R. sativus</i> L.	12	472
PT0COI 557*	<i>Rapistrum rugosum</i> (L.) All. Subsp. <i>linnaeanum</i> (Coss.) Rouy & Foucaud	11	473
PT0COI 1700*	<i>Rorippa sylvestris</i> (L.) subsp. <i>sylvestris</i>	12	474
PT0COI 560*	<i>Sinapis alba</i> L. subsp. <i>alba</i>	12	475
PT0COI 561*	<i>S. arvensis</i> L.	12	476
PT0COI 562*	<i>Sysimbrella aspera</i> (L.) Spach. Subsp. <i>aspera</i>	12	477
PT0COI 563*	<i>Sysimbrium officinale</i> (L.) Scop.	12	478
PT0COI 566*	<i>Teesdaliopsis conferta</i> (Lag.) Rothm.	11	479
PT0COI 565*	<i>Teesdalia nudicaulis</i> (L.) R. Br.	10	480

BROMELIACEAE

PT0COI 1360	<i>Dyckia brevifolia</i> Hort. Ex Baker	11	481
PT0COI 1361	<i>D. rariflora</i> Schult f.	11	482
PT0COI 1362	<i>Forsterella penduliflora</i> (Wright) L. B. Smith	09	483
PT0COI 1363	<i>Pitcairnia mirabilis</i> Mez	12	484

BUXACEAE

PT0COI 184 *Sarcococca hookeriana* Baill. 12 485

CACTACEAE

PT0COI 185* *Opuntia maxima* Miller 12 486

CALYCANTHACEAE

PT0COI 188 *Calycanthus floridus* L. var. *glaucus* (Willd.) Torrey & A. Gray 12
487

PT0COI 1778 *Chimonanthus praecox* (L.) Link 10 488

CAMPANULACEAE

PT0COI 189* *Campanula erinus* L. 12 489

PT0COI 190* *C. herminii* Hoffmanns. & Link 12 490

PT0COI 191* *C. lusitanica* L. 12 491

PT0COI 1779 *C. rapunculoides* L. subsp. *rapunculoides* 12 492

PT0COI 193* *C. rapunculus* L. 12 493

PT0COI 194* *Jasione crispa* (Poult.) Samp. Subsp. *mariana* (Willk.) Rivas Mart. 12
494

PT0COI 195* *J. montana* L. subsp. *montana* 11 495

PT0COI 196* *Legousia hybrida* (L.) Delarbre 12 496

PT0COI 197 *Lobelia laxiflora* Kunth 08 497

PT0COI 198* *L. urens* 12 498

PT0COI 199* *Trachelium caeruleum* L. subsp. *caeruleum* 12 499

PT0COI 200* *Wahlenbergia hederacea* (L.) Rchb. 11 500

CANNABACEAE

PT0COI 1903 *Cannabis sativa* L. 12 501

PT0COI 1245* *Celtis australis* L. 12 502

PT0COI 1246 *C. sinensis* Pers. 12 503

PT0COI 201* *Humulus lupulus* L. 12 504

CAPRIFOLIACEAE

PT0COI 1319* *Centranthus calcitrapae* (L.) DuRoi. 12 505

PT0COI 1320* *C. ruber* (L.) DC. subsp. *ruber* 09 506

PT0COI 570* *Dipsacus comosus* Hoffmanns. & Link 12 507

PT0COI 571* *Dipsacus fullonum* L. 09 508

PT0COI 1321* *Fedia cornucopiae* (L.) Gaertn. 12 509

PT0COI 204 *Kolkwitzia amabilis* Graebner 12 510

PT0COI 1946* *Lomelosia simplex* (Desf.) Raf. Subsp. *dentata* (Jord. & Fourr.) Greuter &
Burdet 12 511

PT0COI 2136 *Lonicera deflicalyx* Batal. 12 512

PT0COI 205* *L. etrusca* Santi 12 513

PT0COI 206*	<i>L. implexa</i> Aiton	12	514
PT0COI 207	<i>L. japonica</i> Thunb. Var. <i>aureo-reticulata</i> (T. Moore) Nicholles	09	515
PT0COI 208	<i>L. maacki</i> (Rupr.) Maxim.	09	516
PT0COI 209*	<i>L. periclymenum</i> L. subsp. <i>periclymenum</i>	12	517
PT0COI 1702*	<i>Knautia nevadensis</i> (Winkler ex Szabó) Szabó	12	518
PT0COI 573*	<i>Pycnocomon intermedium</i> (Lag.) Greuter & Burdet	12	519
PT0COI 574*	<i>Sixalix atropurpurea</i> (L.) Greuter & Burdet subsp. <i>atropurpurea</i>	12	520
PT0COI 577*	<i>Succisa pratensis</i> Moench	09	521
PT0COI 1973	<i>Symphoricarpus albus</i> (L.) Blake var. <i>laevigatus</i> (Fern.) Blake	12	522
PT0COI 1885	<i>Valeriana officinalis</i> L.	12	523
PT0COI 1322*	<i>Valerianella carinata</i> Loisel.	12	524
PT0COI 1323*	<i>V. discoidea</i> (L.) Loisel.	12	525
PT0COI 1324*	<i>V. microcarpa</i> Loisel.	12	526

CARICACEAE

PT0COI 216	<i>Carica quercifolia</i> Benth. & Hooker . f. <i>Ex Hieron.</i>	12	527
------------	--	----	-----

CARYOPHYLLACEAE

PT0COI 1652*	<i>Agrostemma githago</i> L.	12	528
PT0COI 217*	<i>Arenaria conimbricensis</i> Brot. Subsp. <i>conimbricensis</i>	12	529
PT0COI 218*	<i>A. leptoclados</i> (Rchb.) Guss.	12	530
PT0COI 219*	<i>A. montana</i> L. subsp. <i>montana</i>	12	531
PT0COI 220*	<i>A. querioides</i> Pourr. Ex Willk.	12	532
PT0COI 223*	<i>Cerastium fontanum</i> Baumg. Subsp. <i>vulgare</i> (Hartm.) Greuter & Burdet	12	533
PT0COI 224*	<i>C. glomeratum</i> Thuill.	12	534
PT0COI 1653*	<i>C. ramosissimum</i> Boiss.	10	535
PT0COI 226	<i>*Corrigiola litoralis</i> L. subsp. <i>litoralis</i>	09	536
PT0COI 227*	<i>C. telephiiifolia</i> Pourret	12	537
PT0COI 228*	<i>Cucubalus baccifer</i> L.	11	538
PT0COI 229	<i>Dianthus barbatus</i> L. subsp. <i>barbatus</i>	12	539
PT0COI 2145*	<i>D. laricifolius</i> Boiss. & Reut. Subsp. <i>laricifolius</i>	11	540
PT0COI 2064*	<i>D. laricifolius</i> Boiss. & Reut. Subsp. <i>marizii</i> (Samp.) Franco	11	541
PT0COI 230*	<i>D. lusitanicus</i> Brot.	12	542
PT0COI 231*	<i>Herniaria ciliolata</i> Melderis subsp. <i>robusta</i> Chaudhri	11	543
PT0COI 1654*	<i>H. scabrida</i> Boiss. Subsp. <i>scabrida</i>	11	544
PT0COI 234*	<i>Illecebrum verticillatum</i> L.	12	545
PT0COI 235	<i>Lychnis coronaria</i> (L.) Desr.	12	546
PT0COI 236*	<i>L. flos-cuculi</i> (L.) subsp. <i>flos-cuculi</i>	12	547
PT0COI 238*	<i>Minuartia recurva</i> (All.) Schinz. & Thell.	12	548
PT0COI 239*	<i>Moenchia erecta</i> (L.) P. Gaertner, B. Meyer & Scherb.	09	549
PT0COI 240*	<i>Moehringia pentandra</i> Gay	12	550
PT0COI 1655*	<i>Ortegia hispanica</i> L.	12	551
PT0COI 242*	<i>Paronychia argentea</i> Lam. Var. <i>argentea</i>	12	552
PT0COI 244*	<i>P. polygonifolia</i> (Vill.) DC. Var. <i>velucensis</i> Boiss.	09	553
PT0COI 245*	<i>Petrorhagia nanteuilii</i> (Burnat) P. W. Ball & Heywood	12	554
PT0COI 247*	<i>Polycarpon tetraphyllum</i> (L.) L. subsp. <i>tetraphyllum</i>	10	555
PT0COI 248*	<i>Sagina apetala</i> Ard.	12	556

PT0COI 249*	<i>S. procumbens</i> L.	10	557	
PT0COI 250*	<i>S. saginoides</i> (L.) Karst.	09	558	
PT0COI 1657*	<i>S. subulata</i> (Sw.) K. Presl.	11	559	
PT0COI 251*	<i>Saponaria officinalis</i> L.	12	560	
PT0COI 252*	<i>Sceleranthus annuus</i> L.	12	561	
PT0COI 253*	<i>Silene acutifolia</i> Link ex Rohrb.	12		562
PT0COI 254*	<i>S. ciliata</i> Pourr.	12	563	
PT0COI 256*	<i>S. foetida</i> Link. Subsp. <i>foetida</i>	12		564
PT0COI 258*	<i>S. gallica</i> L.	12	565	
PT0COI 259*	<i>S. inaperta</i> L. subsp. <i>inaperta</i>	12		566
PT0COI 261*	<i>S. latifolia</i> Poir.	11	567	
PT0COI 2146*	<i>S. legionensis</i> Lag.	11	568	
PT0COI 262*	<i>S. littorea</i> Brot. Subsp. <i>littorea</i>	12		569
PT0COI 263*	<i>S. longicilia</i> (Brot.) Otth.	12	570	
PT0COI 1658*	<i>S. marizii</i> Samp.	11	571	
PT0COI 265*	<i>S. niceensis</i> All.	11	572	
PT0COI 266*	<i>S. nocturna</i> L.	12	573	
PT0COI 267*	<i>S. nutans</i> L. subsp. <i>nutans</i>	12	574	
PT0COI 269*	<i>S. portensis</i> L. subsp. <i>portensis</i>	11		575
PT0COI 270*	<i>S. rubella</i> L. subsp. <i>rubella</i>	12	576	
PT0COI 271*	<i>S. scabriflora</i> Brot. Subsp. <i>scabriflora</i>	12		577
PT0COI 272*	<i>S. vulgaris</i> (Moench.) Gorcke subsp. <i>vulgaris</i>	12		578
PT0COI 273*	<i>Spergula arvensis</i> L.	12	579	
PT0COI 274*	<i>S. morisonii</i> Boreau	12	580	
PT0COI 1659*	<i>Spergularia australis</i> (Samp.) Ratter	12		581
PT0COI 277*	<i>S. marina</i> (L.) Besser	11	582	
PT0COI 278*	<i>S. media</i> (L.) C. Presl.	09	583	
PT0COI 2152*	<i>S. rupicola</i> Lebel	12	584	
PT0COI 280*	<i>Stellaria alsine</i> Grimm	12		585
PT0COI 1845*	<i>S. graminea</i> L.	12	586	
PT0COI 281*	<i>S. holostea</i> L.	11	587	
PT0COI 282*	<i>S. media</i> (L.) Vill.	12	588	
PT0COI 2047*	<i>Velezia rigida</i> L.	11	589	

CASUARINACEAE

PT0COI 283	<i>Casuarina equisetifolia</i> L.	12	590	
------------	-----------------------------------	----	-----	--

CELASTRACEAE

PT0COI 284	<i>Euonymus japonicus</i> L. f.	11	591	
PT0COI 1846	<i>E. grandiflorus</i> Wall.	12	592	

CISTACEAE

PT0COI 294*	<i>Cistus albidus</i> L.	12	593	
PT0COI 295*	<i>C. crispus</i> L.	12	594	
PT0COI 297*	<i>C. ladanifer</i> L. subsp. <i>ladanifer</i>	10		595
PT0COI 298*	<i>C. monspeliensis</i> L.	12	596	
PT0COI 299*	<i>C. populifolius</i> L. subsp. <i>populifolius</i>	10		597

PT0COI 301*	<i>C. salvifolius</i> L.	10	598
PT0COI 302*	<i>Fumana ericifolia</i> Wallr.	12	599
PT0COI 303*	<i>F. thymifolia</i> (L.) Spach ex Webb	12	600
PT0COI 304*	<i>Halimium calycinum</i> (L.) K. Koch	12	601
PT0COI 305*	<i>H. halimifolium</i> (L.) Willk. Subsp. multiflorum (Salsm. Ex Dunal) Maire	11	602
PT0COI 306*	<i>H. lasianthum</i> (Lam.) Spach. Subsp. lasianthum	10	603
PT0COI 1671*	<i>H. lasianthum</i> (Lam.) Spach subsp. alyssoïdes (Lam.) Greuter	09	604
PT0COI 307*	<i>H. ocymoides</i> (Lam.) Willk.	11	605
PT0COI 308*	<i>H. umbellatum</i> (L.) Spach subsp. umbellatum	11	606
PT0COI 1672*	<i>H. umbellatum</i> (L.) Spach subsp. viscosum (Willk.) O. Bolòs & Vigo	12	607
PT0COI 1990*	<i>Helianthemum aegyptiacum</i> (L.) Mill.	11	608
PT0COI 2012*	<i>H. appenium</i> (L.) Mill.	11	609
PT0COI 309*	<i>H. ledifolium</i> (L.) Mill.	12	610
PT0COI 310*	<i>H. nummularium</i> (L.) Mill.	12	611
PT0COI 2110*	<i>H. violaceum</i> (Cav.) Pers.	12	612
PT0COI 311*	<i>Tuberaria gutatta</i> (L.) Fourr.	12	613
PT0COI 312*	<i>T. lignosa</i> (Sweet) Samp.	12	614

CLEOMACEAE

PT0COI 202*	<i>Cleome violacea</i> L.	12	615
-------------	---------------------------	----	-----

CNEORACEAE

PT0COI 313	<i>Cneorum tricoccum</i> L.	12	616
------------	-----------------------------	----	-----

COLCHICACEAE

PT0COI 1598*	<i>Colchicum lusitanicum</i> Brot.	12	617
PT0COI 1605*	<i>C. Montanum</i> L.	12	618

COMBRETACEAE

PT0COI 1673	<i>Terminalia australis</i> Cambess.	12	619
-------------	--------------------------------------	----	-----

COMMELINACEAE

PT0COI 1829	<i>Palisota bracteosa</i> C. B. Blake	09	620
-------------	---------------------------------------	----	-----

CONVOLVULACEAE

PT0COI 498*	<i>Calystegia sepium</i> (L.) R. Br.	11	621
PT0COI 499*	<i>C. soldanella</i> (L.) R. Br.	12	622
PT0COI 500*	<i>Convolvulus althaeoides</i> L.	12	623
PT0COI 501*	<i>C. arvensis</i> L.	12	624
PT0COI 2153*	<i>C. tricolor</i> L. subsp. tricolor	12	625
PT0COI 503*	<i>Cuscuta epithymum</i> (L.) L. subsp. kotschy (Des. Moul.) Arcang.	11	626

CORIARIACEAE

PT0COI 505 *Coriaria nepalensis* Wall. 12 627

CORNACEAE

PT0COI 507 *Cornus capitata* Wall. 12 628
 PT0COI 508 *C. mas* L. 11 629
 PT0COI 509* *C. sanguinea* L. subsp. *sanguinea* 10 630

CRASSULACEAE

PT0COI 510 *Aichryson laxum* (Haw.) Bramwell 11 631
 PT0COI 54 *Crassula portulaca* Lam. Var. *obliqua* Aiton 12 632
 PT0COI 1853 *C. pubescens* Thunb. Subsp. *radicans* (Haw.) Toelken 12 633
 PT0COI 512* *C. tillaea* Lest.-Garl. 12 634
 PT0COI 514 *Kalanchoe velutina* Britton subsp. *velutina* 12 635
 PT0COI 516* *Sedum acre* L. 10 636
 PT0COI 517* *S. album* L. 09 637
 PT0COI 1691* *S. amplexicaule* DC. 12 638
 PT0COI 1789* *S. anglicum* Huds. 09 639
 PT0COI 518* *S. arenarium* Brot. 11 640
 PT0COI 519* *S. brevifolium* DC. 12 641
 PT0COI 1854* *S. forsterianum* Sm. 12 642
 PT0COI 520* *S. hirsutum* All. Subsp. *hirsutum* 12 643
 PT0COI 515* *S. mucizonia* (Ortega) Raym-Hamet 12 644
 PT0COI 522* *S. sediforme* (Jacq.) Pau 12 645
 PT0COI 523* *Umbilicus rupestris* (Salisb.) Dandy 09 646

CUCURBITACEAE

PT0COI 568* *Bryonia dioica* Jacq. 12 647
 PT0COI 2021 *Cucumis melo* L. 11 648
 PT0COI 1350 *Cucurbita ficifolia* C. D. Bouché 12 649
 PT0COI 1354 *C. pepo* L. 10 650
 PT0COI 569 *Ecballium elaterium* (L.) A. Rich. Subsp. *elaterium* 12 651
 PT0COI 1993 *Luffa aegyptiaca* Mill. 09 652

CYPERACEAE

PT0COI 1401* *Bolboschoenus maritimus* (L.) Palla subsp. *maritimus* 12 653
 PT0COI 1365* *Carex arenaria* L. 10 654
 PT0COI 1375* *C. cuprina* A. Kern. 09 655
 PT0COI 1369* *C. divulsa* Stokes 11 656
 PT0COI 1383* *C. elata* All. Subsp. *reuteriana* (Boiss.) Luceño & Aedo 09 657
 PT0COI 1376* *C. leporina* L. 09 658
 PT0COI 1374* *C. muricata* L. 12 659
 PT0COI 1378* *C. pendula* Huds. 11 660
 PT0COI 1382* *C. remota* L. 12 661
 PT0COI 1384* *C. riparia* Curtis 12 662

PT0COI 1386*	<i>Cladium mariscus</i> (L.) Pohl	12	663
PT0COI 1387*	<i>Cyperus capitatus</i> Vaud.	11	664
PT0COI 1389*	<i>C. eragrostis</i> Lam.	10	665
PT0COI 1391*	<i>C. fuscus</i> L.	10	666
PT0COI 1392*	<i>Eleocharis multicaulis</i> (Sm.) Desv.	12	667
PT0COI 1393*	<i>Fuirena pubescens</i> (Poir.) Kunth.	12	668
PT0COI 1397*	<i>Isolepis cernua</i> (Vahl) Roem. & Schult.	12	669
PT0COI 1889*	<i>I. fluitans</i> L.	12	670
PT0COI 1403*	<i>I. setacea</i> (L.) R. Br.	09	671
PT0COI 1394	<i>Mariscus ligularis</i> Urb.	12	672
PT0COI 1396*	<i>Schoenus nigricans</i> L.	12	673
PT0COI 1890*	<i>Schoenoplectus pungens</i> Vahl	12	674

DIDIERACEAE

PT0COI 1051	<i>Portulacaria afra</i> Jacq.	12	675
-------------	--------------------------------	----	-----

DIOSCOREACEAE

PT0COI 1404*	<i>Dioscorea communis</i> (L.) Caddick & Wilkin	12	676
PT0COI 1637*	<i>Tacca chantrieri</i> André	12	677

DORYANTHACEAE

PT0COI 2101	<i>Doryanthes palmeri</i> A. W. Hill. ex Benth.	11	678
-------------	---	----	-----

DROSERACEAE

PT0COI 579*	<i>Drosera intermedia</i> Hayne	12	679
PT0COI 580*	<i>D. rotundifolia</i> L.	12	680

DROSOPHYLLACEAE

PT0COI 581*	<i>Drosophyllum lusitanicum</i> (L.) Link	12	681
-------------	---	----	-----

EBENACEAE

PT0COI 582	<i>Diospyros lotus</i> L.	12	682
PT0COI 1977*	<i>D. virginiana</i> L.	12	683

ELAEAGNECEAE

PT0COI 583	<i>Elaeagnus multiflora</i> Thunb.	09	684
------------	------------------------------------	----	-----

ERICACEAE

PT0COI 585*	<i>Arbutus unedo</i> L.	12	685
PT0COI 1379*	<i>Calluna vulgaris</i> (L.) Hull	11	686
PT0COI 584*	<i>Corema album</i> (L.) D. Don subsp. <i>album</i>	12	687
PT0COI 586*	<i>Erica arborea</i> L.	12	688

PT0COI 587*	<i>E. australis</i> L.	12	689	
PT0COI 588*	<i>E. ciliaris</i> Loebl. ex L.	12	690	
PT0COI 589*	<i>E. cinerea</i> L.	12	691	
PT0COI 1703*	<i>E. erigena</i> R. Ross	012	692	
PT0COI 1856*	<i>E. scoparia</i> L. subsp. <i>scoparia</i>	12	693	
PT0COI 591*	<i>E. tetralix</i> L.	12	694	
PT0COI 592*	<i>E. umbellata</i> Loebl. Ex L.	12	695	
PT0COI 594	<i>Rhododendron ponticum</i> L.	10	696	

ESCALLONIACEAE

PT0COI 595	<i>Escallonia montevidensis</i> (Cham. & Schlecht.) DC.	10	697	
------------	---	----	-----	--

EUPHORBIACEAE

PT0COI 1704	<i>Acalypha rhomboidea</i> Raf.	12	698	
PT0COI 604*	<i>Chamaesyce maculata</i> (L.) Small	12	699	
PT0COI 605*	<i>C. nutans</i> (Lag.) Small	12	700	
PT0COI 609*	<i>C. prostrata</i> (Aiton) Small	12	701	
PT0COI 1994*	<i>Chrozophora tinctoria</i> (L.) A. Juss. Ex Sprengel	12	702	
PT0COI 599*	<i>Euphorbia characias</i> L. subsp. <i>characias</i>	10	703	
PT0COI 601*	<i>E. exigua</i> L.	10	704	
PT0COI 602*	<i>E. falcata</i> L. subsp. <i>falcata</i>	12	705	
PT0COI 1794	<i>E. Lathyris</i> L.	11	706	
PT0COI 2111*	<i>E. oxyphylla</i> Boiss.	12	707	
PT0COI 606*	<i>E. paralias</i> L.	12	708	
PT0COI 608*	<i>E. peplus</i> L. var. <i>peplus</i>	10	709	
PT0COI 1334*	<i>E. portlandica</i> L.	11	710	
PT0COI 611*	<i>E. segetalis</i> L.	12	711	
PT0COI 612*	<i>E. uliginosa</i> Welw. Ex Boiss.	12	712	
PT0COI 613	<i>Manihot palmata</i> Müll. Arg.	12	713	
PT0COI 614*	<i>Mercurialis ambigua</i> L. fil.	11	714	
PT0COI 1795*	<i>Ricinus communis</i> L.	12	715	

FABACEAE

PT0COI 1859	<i>Acacia auriculiformis</i> Cunn. ex Benth.	12	716	
PT0COI 1860*	<i>A. cultriformis</i> Cunn.	12	717	
PT0COI 728*	<i>A. dealbata</i> Link	12	718	
PT0COI 732*	<i>A. longifolia</i> (Andrews) Willd.	12	719	
PT0COI 733	<i>A. melanoxylon</i> R. Br.	12	720	
PT0COI 735*	<i>A. retinodes</i> Schottl.	12	721	
PT0COI 736*	<i>A. saligna</i> (Labill.) H. L. Wendl.	12	722	
PT0COI 737*	<i>A. verticillata</i> (L' Hér.) Willd.	12	723	
PT0COI 1979*	<i>Adenocarpus argyrophyllus</i> (Rivas Goday) Caball	11	724	
PT0COI 738*	<i>A. complicatus</i> (L.) J. Gay	12	725	
PT0COI 743	<i>Amorpha fruticosa</i> L.	12	726	
PT0COI 744*	<i>Anagyris foetida</i> L.	12	727	
PT0COI 750*	<i>Anthyllis vulneraria</i> L. subsp. <i>maura</i> (Beck) Maire	12	728	
PT0COI 2024*	<i>A. vulneraria</i> L. subsp. <i>sampaioana</i> (Rothm.) Vasc.	09	729	

PT0COI 752	<i>Astragalus boeticus</i> L.	12	730	
PT0COI 1710*	<i>A. cymbaearpos</i> Brot.	11	731	
PT0COI 753*	<i>A. epiglottis</i> L.	10	732	
PT0COI 1950*	<i>A. glycyphyllos</i> L.	10	733	
PT0COI 756*	<i>A. hamosus</i> L.	12	734	
PT0COI 2025*	<i>A. incanus</i> L. subsp. <i>nummularioides</i> (Desf.) Maire	11	735	
PT0COI 758*	<i>A. pelecinus</i> (L.) Barneby subsp. <i>pelecinus</i>	09	736	
PT0COI 836*	<i>Bituminaria bituminosa</i> (L.) C. H. Stirt.	11	737	
PT0COI 1711	<i>Camptosema rubicundum</i> Hook. & Arn.	11	738	
PT0COI 761	<i>Ceratonia siliqua</i> L.	10	739	
PT0COI 762	<i>Cercis siliquastrum</i> L.	11	740	
PT0COI 1712	<i>Colutea arborescens</i> L.	12	741	
PT0COI 766*	<i>Coronilla glauca</i> L.	12	742	
PT0COI 765*	<i>C. scorpioides</i> (L.) Koch	12	743	
PT0COI 768*	<i>Cytisus grandiflorus</i> (Brot.) DC.	12	744	
PT0COI 769*	<i>C. multiflorus</i> (L' Hér.) Sweet	12	745	
PT0COI 770*	<i>C. oromediterraneus</i> Rivas Mart.	12	746	
PT0COI 1713*	<i>C. scoparius</i> (L.) Link	12	747	
PT0COI 771*	<i>C. striatus</i> (Hill) Rothm.	12	748	
PT0COI 772	<i>Desmodium canadense</i> (L.) DC.	12	749	
PT0COI 773	<i>Desmodium elegans</i> DC.	12	750	
PT0COI 2154*	<i>Dorycnium hirsutum</i> (L.) Ser var. <i>prostratum</i> (Jord. & Fourr.) Cout.	12	751	
PT0COI 2026*	<i>D. pentaphyllum</i> Scop.	11	752	
PT0COI 776*	<i>D. rectum</i> (L.) Ser.	12	753	
PT0COI 746*	<i>Dorycnopsis gerardi</i> (L.) Boiss.	12	754	
PT0COI 777*	<i>Echinospartum ibericum</i> Rivas Mart., Sánchez Mata & Sancho	12	755	
PT0COI 757*	<i>Erophaca baetica</i> (L.) Boiss. subsp. <i>baetica</i>	12	756	
PT0COI 778	<i>Erythrina crista-galli</i> L.	12	757	
PT0COI 1714	<i>E. senegalensis</i> DC.	11	758	
PT0COI 779	<i>Galega officinalis</i> L.	09	759	
PT0COI 780*	<i>Genista anglica</i> L.	10	760	
PT0COI 782*	<i>G. cinerea</i> (Vill.) DC. subsp. <i>cinerea</i>	10	761	
PT0COI 783*	<i>G. falcata</i> Brot.	10	762	
PT0COI 784*	<i>G. florida</i> L.	12	763	
PT0COI 2027*	<i>G. hystrix</i> Lange	11	764	
PT0COI 1861*	<i>G. tournefortii</i> Spach subsp. <i>tournefortii</i>	12	765	
PT0COI 785*	<i>G. triacanthos</i> Brot.	12	766	
PT0COI 787	<i>Gleditsia aquatica</i> Marsh.	12	767	
PT0COI 788	<i>G. triacanthos</i> L.	12	768	
PT0COI 2137*	<i>Glycirrhiza glabra</i> L.	10	769	
PT0COI 747*	<i>Hymenocarpus lotoides</i> (L.) Vis.	10	770	
PT0COI 2028	<i>Indigofera dosua</i> Buch. Ham. ex D. Don	11	771	
PT0COI 2096	<i>Kennedia rubicunda</i> Schnuv. & Vent.	10	772	
PT0COI 791	<i>Laburnum anagyroides</i> Medik. subsp. <i>anagyroides</i>	12	773	
PT0COI 793*	<i>Lathyrus angulatus</i> L.	12	774	
PT0COI 795*	<i>Lathyrus aphaca</i> L.	12	775	
PT0COI 796*	<i>L. clymenum</i> L.	10	776	
PT0COI 2138*	<i>L. niger</i> (L.) Bernh.	11	777	
PT0COI 798	<i>L. odoratus</i> L.	12	778	

PT0COI 2155	L. sativus L.	12	779	
PT0COI 1715*	L. sphaericus Retz.	11	780	
PT0COI 799*	L. sylvestris L.	12	781	
PT0COI 801	Leucaena leucocephala (Lam.) de Wit	12		782
PT0COI 803*	Lotus creticus L.	12	783	
PT0COI 808*	L. pedunculatus (Cav.) Willk.	09		784
PT0COI 1917*	Lupinus albus L.	12	785	
PT0COI 1954*	L. gredensis Gand.	10	786	
PT0COI 1716*	L. hispanicus Boiss. & Reuter	10		787
PT0COI 812*	Medicago doliata Carmign.	11	788	
PT0COI 813*	M. littoralis Rohde ex Loisel. var. littoralis	12		789
PT0COI 814*	M. lupulina L. var. lupulina	11	790	
PT0COI 815*	M. marina L.	12	791	
PT0COI 817*	M. orbicularis (L.) Bartal. var. orbicularis	102		792
PT0COI 1862*	M. sativa L. subsp. sativa	10	793	
PT0COI 819*	M. truncatula Gaertn.	12	794	
PT0COI 820*	Melilotus indicus (L.) All.	11	795	
PT0COI 821*	M. italicus (L.) Lam.	10	796	
PT0COI 824	Mimosa aculeaticarpa Ortega	12	797	
PT0COI 825	M. pudica L.	09	798	
PT0COI 1803*	Ononis pubescens L.	12	799	
PT0COI 828*	O. ramosissima Desf.	12		800
PT0COI 830*	O. reclinata L.	11	801	
PT0COI 2075*	O. spinosa L. subsp. spinosa	12	802	
PT0COI 831*	O. viscosa L. subsp. breviflora (DC.) Nyman var. breviflora	12	803	
PT0COI 833*	Ornithopus perpusillus L.	12	804	
PT0COI 834*	O. pinnatus (Mill.) Druce	09	805	
PT0COI 740*	Paraserianthes lophantha Willd. I. C. Nielson	10		806
PT0COI 835	Parkinsonia aculeta L.	12	807	
PT0COI 786*	Pterospartum tridentatum (L.) Willk. subsp. tridentatum	12		808
PT0COI 837	Pueraria lobata (Willd.) Ohwi	09	809	
PT0COI 839*	Retama sphaerocarpa (L.) Boiss.	12		810
PT0COI 840	Rynchosia caribea (Jacq.) DC.	09	811	
PT0COI 841	R. phaseoloides (Sw.) DC.	10	812	
PT0COI 842	Robinia pseudacacia L.	09	813	
PT0COI 844	Scottia latifolia Jacq.	12	814	
PT0COI 845*	Scorpiurus muricatus L.	12		815
PT0COI 846*	S. vermiculatus L.	12	816	
PT0COI 847	Securigera securidaca (L.) Degen & Dörfl.	11		817
PT0COI 2127*	S. varia (L.) Lassen	12	818	
PT0COI 848	Sophora viciifolia Hance	12		819
PT0COI 849*	Spartium junceum L.	11	820	
PT0COI 850*	Stauracanthus genistoides (Brot.) Samp.	12		821
PT0COI 851	Teline monspessulana (L.) Koch	12		822
PT0COI 852	Tipuana tipu (Benth.) Kunze	12	823	
PT0COI 853*	Trifolium angustifolium L.	11	824	
PT0COI 854*	T. arvense L.	12	825	
PT0COI 856*	T. campestre Schreb.	12	826	
PT0COI 1719*	T. cherleri L.	09	827	

PT0COI 858*	<i>T. dubium</i> Sibth.	09	828	
PT0COI 1804*	<i>T. fragiferum</i> L.	12	829	
PT0COI 859*	<i>T. glomeratum</i> L.	09	830	
PT0COI 860*	<i>T. incarnatum</i> L. subsp. <i>incarnatum</i>	09		831
PT0COI 2147*	<i>T. medium</i> L. subsp. <i>medium</i>	11		832
PT0COI 1720*	<i>T. ochroleucum</i> Huds.	10	833	
PT0COI 864*	<i>T. physodes</i> L.	12	834	
PT0COI 865*	<i>T. pratense</i> L.	12	835	
PT0COI 1721*	<i>T. repens</i> L. subsp. <i>repens</i>	12		836
PT0COI 866*	<i>T. resupinatum</i> L.	11	837	
PT0COI 2128*	<i>T. spumosum</i> L.	09	838	
PT0COI 867*	<i>T. scabrum</i> L.	12	839	
PT0COI 869*	<i>T. stellatum</i> L.	12	840	
PT0COI 1723*	<i>T. strictum</i> L.	11	841	
PT0COI 871*	<i>T. subterraneum</i> L.	09	842	
PT0COI 873*	<i>T. tomentosum</i> L.	12	843	
PT0COI 1921*	<i>Trigonella foenum-graecum</i> L.	09		844
PT0COI 748*	<i>Tripodium tetraphyllum</i> (L.) Fourr.	12		845
PT0COI 874*	<i>Ulex europaeus</i> L.	12	846	
PT0COI 1984*	<i>U. micranthus</i> Lange	12	847	
PT0COI 875*	<i>U. minor</i> Roth.	12	848	
PT0COI 2129*	<i>Vicia benghalensis</i> L.	12	849	
PT0COI 880*	<i>V. faba</i> L.	12	850	
PT0COI 881*	<i>V. hirsuta</i> (L.) A. Gray	11		851
PT0COI 883*	<i>V. lutea</i> L. subsp. <i>lutea</i>	12	852	
PT0COI 882*	<i>V. parviflora</i> Cav.	09	853	
PT0COI 885*	<i>V. sativa</i> L.	12	854	
PT0COI 1863	<i>Vigna caracala</i> (L.) Verde.	12		855
PT0COI 887	<i>Wisteria sinensis</i> (Sims) Sweet	12		856

FAGACEAE

PT0COI 616**	<i>Quercus coccifera</i> L.	12	857	
PT0COI 617**	<i>Q. faginea</i> Lam. subsp. <i>broteroi</i> (Cout.) A. Camus	12		858
PT0COI 618**	<i>Q. ilex</i> L. subsp. <i>ballota</i> (Desf.) Samp.	12		859
PT0COI 619**	<i>Q. lusitanica</i> Lam.	12	860	
PT0COI 620**	<i>Q. robur</i> L.	12	861	
PT0COI 621**	<i>Q. suber</i> L.	12	862	

GARRYACEAE

PT0COI 506	<i>Aucuba japonica</i> Thunb.	12		863
------------	-------------------------------	----	--	-----

GENTIANACEAE

PT0COI 624*	<i>Blackstonia perfoliata</i> (L.) Huds. subsp. <i>perfoliata</i>	12		864
PT0COI 625*	<i>Centaurium erythraea</i> Rafin.	10	865	
PT0COI 626*	<i>C. maritimum</i>	11	866	
PT0COI 627*	<i>C. tenuiflorum</i> (Hoffmanns. & Link) Frithsch subsp. <i>tenuiflorum</i>	12		867
PT0COI 1796*	<i>Gentiana lutea</i> L. subsp. <i>lutea</i>	09	868	

PT0COI 630* *G. pneumonanthe* L. 12 869

GERANIACEAE

PT0COI 631* *Erodium botrys* (Cav.) Bertol. 12 870
PT0COI 632* *E. cicutarium* (L.) L'Hérit. 11 871
PT0COI 633* *E. malacoides* (L.) L'Hérit. 12 872
PT0COI 634* *E. moschatum* (L.) L'Hérit. 12 873
PT0COI 636* *Geranium columbinum* L. 12 874
PT0COI 637* *G. dissectum* L. 11 875
PT0COI 638* *G. lucidum* L. 12 876
PT0COI 639* *G. molle* L. 12 877
PT0COI 640* *G. purpurem* Vill. 12 878
PT0COI 641* *G. pyrenaicum* Burm. f. 12 879
PT0COI 642* *G. robertianum* L. 12 880
PT0COI 643* *G. rotundifolium* L. 12 881
PT0COI 2091* *G. sanguineum* L. 11 882

GESNERIACEAE

PT0COI 647 *Streptocarpus rexii* (Bowie ex Hook.) Lindl. 10 883

HALORAGACEAE

PT0COI 658 *Haloragis erecta* (Murray) Oken 11 884

HYDRANGEACEAE

PT0COI 662 *Deutzia scabra* Thunb. 12 885
PT0COI 663 *Philadelphus coronarius* L. 12 886
PT0COI 664 *P. incanus* Kohene 12 887

HYPERICACEAE

PT0COI 649* *Hypericum androsaemum* L. 09 888
PT0COI 650 *H. canariense* L. 12 889
PT0COI 651* *H. elodes* L. 12 890
PT0COI 652* *H. humifusum* L. 11 891
PT0COI 653* *H. linariifolium* Vahl. 11 892
PT0COI 2139* *H. perfoliatum* L. 10 893
PT0COI 654* *H. perforatum* L. 10 894
PT0COI 655* *H. pulchrum* L. 12 895
PT0COI 656* *H. tomentosum* L. 12 896
PT0COI 657* *H. undulatum* Schousb. ex Willd. 10 897

HYPOXIDACEAE

PT0COI 1349 *Hypoxis hemerocallidea* Fisch. & C. A. Mey 12 898

IRIDACEAE

PT0COI 1541	<i>Chasmanthe aethiopica</i> (L.) N. E. Br.	12	899
PT0COI 1542*	<i>Gladiolus illyricus</i> W. D. J. Koch	12	900
PT0COI 1543*	<i>G. italicus</i> Miller	12	901
PT0COI 1545	<i>Iris</i> `Shelforde Grant`	12	902
PT0COI 1546*	<i>I. foetidissima</i> L.	12	903
PT0COI 1548*	<i>I. planifolia</i> (Mill.) Fiori & Paol.	12	904
PT0COI 1549*	<i>I. pseudacorus</i> L.	12	905
PT0COI 1550*	<i>I. subbiflora</i> Brot.	12	906
PT0COI 1547*	<i>I. xyphium</i> L. var. <i>lusitanica</i> (Kar.-Gawl.) Franco	12	907
PT0COI 1552*	<i>Romulea bulbocodium</i> (L.) Sebast. & Mauri subsp. <i>bulbocodium</i>	10	908
PT0COI 1553	<i>Watsonia bulbilifera</i> H. B. Matthews & L. Bolus	12	909

JUGLANDACEAE

PT0COI 665	<i>Juglans nigra</i> l.	12	910
------------	-------------------------	----	-----

JUNCACEAE

PT0COI 1554*	<i>Juncus acutus</i> L. var. <i>acutus</i>	11	911
PT0COI 1555*	<i>J. bufonius</i> L.	12	912
PT0COI 1562*	<i>J. maritimus</i> Lam.	11	913
PT0COI 1833*	<i>J. Pygmeus</i> L. C. M. Richard	12	914
PT0COI 1563*	<i>J. squarrosus</i> L.	12	915
PT0COI 1564*	<i>J. tenageia</i> Ehrh. ex L. f.	12	916
PT0COI 1566*	<i>Luzula caespitosa</i> Gay	12	917
PT0COI 1567*	<i>Luzula campestris</i> (L.) DC.	12	918
PT0COI 1568*	<i>L. forsteri</i> (Sm.) DC. subsp. <i>forsteri</i>	11	919
PT0COI 1764*	<i>L. lactea</i> (Link) E. Mey.	12	920
PT0COI 1569*	<i>L. multiflora</i> (Retz.) Lej. Subsp. <i>multiflora</i>	12	921
PT0COI 1570*	<i>L. sylvatica</i> (Huds.) Gaudin subsp. <i>henriquesii</i> (Degen) P. Silva	12	922

JUNCAGINACEAE

PT0COI 1572*	<i>Triglochin maritima</i> L.	11	923
--------------	-------------------------------	----	-----

LAMIACEAE

PT0COI 1706*	<i>Acinos alpinos</i> (L.) Moench	12	924
PT0COI 666*	<i>Ajuga chamaepytis</i> (L.) Schreb.	12	925
PT0COI 668*	<i>Ajuga iva</i> (L.) Schreb. Var. <i>pseudo-iva</i> (Robill & Cast. ex DC.) Robill & Cast. Ex Benth.	10	926
PT0COI 669*	<i>A. pyramidalis</i> L. subsp. <i>meonantha</i> (Hoffmanns. & Link) R. Fern.	09	927
PT0COI 671	<i>Ballota acetabulosa</i> (L.) Benth.	12	928
PT0COI 672*	<i>B. nigra</i> L. subsp. <i>foetida</i> Hayek	12	929
PT0COI 673*	<i>Calamintha sylvatica</i> Bromf. Subsp. <i>ascendens</i> (Jord.) P. W. Ball	12	930
PT0COI 674*	<i>Cleonia lusitanica</i> (L.) L.	12	931

PT0COI 675*	<i>Clinopodium vulgare</i> L. subsp. <i>arundanum</i> (Boiss.) Nyman	12	932
PT0COI 676	<i>Coleus hybridus</i> Hort. Ex Cobeam	12	933
PT0COI 2068	<i>Hyssopus officinalis</i> L.	09	934
PT0COI 677*	<i>Lamium amplexicaule</i> L.	12	935
PT0COI 678*	<i>L. maculatum</i> L.	12	936
PT0COI 680*	<i>Lavandula latifolia</i> Medik	12	937
PT0COI 2114*	<i>L. multifida</i> L.	12	938
PT0COI 681*	<i>L. stoechas</i> L. subsp. <i>luisieri</i> (Rozeira) Rozeira	12	939
PT0COI 682*	<i>L. stoechas</i> L. subsp. <i>sampaioana</i> Rozeira	12	940
PT0COI 2156*	<i>L. viridis</i> L'Hér.	12	941
PT0COI 684*	<i>Lycopus europaeus</i> L.	12	942
PT0COI 685*	<i>Marrubium vulgare</i> L.	12	943
PT0COI 686*	<i>Melissa officinalis</i> L.	12	944
PT0COI 1707*	<i>Mellitis melissophyllum</i> L.	12	945
PT0COI 687*	<i>Mentha aquatica</i> L.	12	946
PT0COI 688*	<i>M. pulegium</i> L.	09	947
PT0COI 689*	<i>M. suaveolens</i> Ehrh.	12	948
PT0COI 690*	<i>Micromeria graeca</i> (L.) Rchb. subsp. <i>graeca</i>	12	949
PT0COI 691*	<i>M. juliana</i> (L.) Rchb.	12	950
PT0COI 2092*	<i>Nepeta caerulea</i> Aiton subsp. <i>sanabriensis</i> (Losa) Ubert & Valdés	11	951
PT0COI 1797	<i>N. cataria</i> L.	12	952
PT0COI 692*	<i>N. tuberosa</i> L.	12	953
PT0COI 693*	<i>Origanum virens</i> Hoffmanns. & Link	12	954
PT0COI 695*	<i>Phlomis lychnitis</i> L.	12	955
PT0COI 2115*	<i>P. purpurea</i> L.	12	956
PT0COI 1911	<i>Physostegia virginiana</i> (L.) Benth.	10	957
PT0COI 1708	<i>Plectranthus hereroensis</i> Engler	12	958
PT0COI 697*	<i>Prunella grandiflora</i> (L.) Scholler subsp. <i>pyrenaica</i> (Gren. & Godr.) A. & O. Bolòs	11	959
PT0COI 698*	<i>P. intermedia</i> Link	12	960
PT0COI 699*	<i>P. vulgaris</i> L.	10	961
PT0COI 700*	<i>Rosmarinus officinalis</i> L.	12	962
PT0COI 1949	<i>Salvia guaranitica</i> A. St. Hill ex Benth.	10	963
PT0COI 1799*	<i>S. officinalis</i> L.	09	964
PT0COI 702*	<i>S. sclareoides</i> Benth.	11	965
PT0COI 703	<i>S. splendens</i> Sellow ex Roem. & Schult.	12	966
PT0COI 704*	<i>S. verbenaca</i> L.	12	967
PT0COI 1978	<i>S. verticillata</i> L.	12	968
PT0COI 705*	<i>S. viridis</i> L.	12	969
PT0COI 1800	<i>Satureja juliana</i> L.	09	970
PT0COI 706*	<i>Scutellaria galericulata</i> L.	12	971
PT0COI 707*	<i>Sideritis hirsuta</i> L.	12	972
PT0COI 710*	<i>Stachys germanica</i> L.	12	973
PT0COI 711*	<i>S. ocymastrum</i> (L.) Briq.	12	974
PT0COI 712*	<i>S. officinalis</i> (L.) Trev.	09	975
PT0COI 714	<i>Teucrium flavum</i> L.	12	976
PT0COI 715*	<i>T. capitatum</i> L.	12	977
PT0COI 716*	<i>T. salviastrum</i> Schreb.	11	978
PT0COI 718*	<i>T. scorodonia</i> L. subsp. <i>scorodonia</i>	12	979
PT0COI 2157*	<i>T. vicentinum</i> Rouy	12	980

PT0COI 720*	Thymus caespititius Brot.	11	981
PT0COI 2158*	T. capitellatus Hoffmanns. & Link	12	982
PT0COI 721*	T. mastichina (L.) L.	12	983
PT0COI 2023*	T. pulegioides L.	11	984
PT0COI 722*	T. villosus L.	12	985
PT0COI 723*	T. zygis Loebl. ex L. subsp. sylvestris (Hoffmanns. & Link) Brot. ex Cout.	12	986

LARDIZABALACEAE

PT0COI 2093	Akebia quinata (Hout.) Dcne.	12	987
-------------	------------------------------	----	-----

LAURACEAE

PT0COI 724**	Apollonias barbuiana (Cav.) A. Br. subsp. barbuiana	12	988
PT0COI 725**	Cinnamomum camphora (L.) J. Presl.	12	989
PT0COI 726**	Laurus nobilis L.	12	990
PT0COI 727**	Persea indica (L.) Spreng.	12	991

LENTIBULARIACEAE

PT0COI 1806*	Pinguicula lusitanica L.	12	992
--------------	--------------------------	----	-----

LILIACEAE

PT0COI 2045*	Erythronium dens-canis L.	11	993
PT0COI 1599*	Fritillaria lusitanica Wikstr.	11	994
PT0COI 1894*	F. nervosa Willd. subsp. nervosa	12	995
PT0COI 1600*	Gagea soleirolii Schultz	11	996
PT0COI 1838*	Lilium martagon L.	11	997
PT0COI 1604	L. regale E. W. Wilson	11	998
PT0COI 1623*	Tulipa sylvestris L. subsp. australis (Link) Pamp.	11	999

LINACEAE

PT0COI 889*	Linum bienne Mil.	12	1000
PT0COI 890*	L. setaceum Brot.	12	1001
PT0COI 891*	L. strictum L.	12	1002
PT0COI 1957*	L. usitatissimum L.	12	1003
PT0COI 893*	Radiola linoides Roth.	12	1004

LYTHRACEAE

PT0COI 895*	Ammannia coccinea Rottb.	10	1005
PT0COI 897	Heimia myrtifolia Cham. & Schltr.	10	1006
PT0COI 1807	H. salicifolia (Humbl., Bomp. & Kunth) Link	09	1007
PT0COI 898	Lagerstroemia indica L.	09	1008
PT0COI 2140*	Lythrum borysthenianum (Schrank.) Litv.	10	1009

PT0COI 901* *L. salicaria* L. 12 1010

MAGNOLIACEAE

PT0COI 902***Magnolia grandiflora* L. 11 1011

PT0COI 903***M. soulangeana* Soul.-Bod var *lennei* Rehder 11 1012

MALVACEAE

PT0COI 904 *Abutilon grandifolium* (Willd.) Sweet 12 1013

PT0COI 1771 *Alcea rosea* L. 11 1014

PT0COI 907* *Althaea officinalis* L. 12 1015

PT0COI 1750 *Brachychiton acerifolius* (A. Cunn. ex G. Don) Macarthur 09 1016

PT0COI 1751 *B. discolor* F. Muell. 09 1017

PT0COI 1864 *Hibiscus pedunculatus* L. f. 09 1018

PT0COI 1726 *H. trionum* L. 10 1019

PT0COI 909 *H. syriacus* L. 12 1020

PT0COI 910 *Lagunaria pattersonii* (Andrews) G. Don 12 1021

PT0COI 911* *Lavatera arborea* L. 10 1022

PT0COI 913* *L. olbia* L. 12 1023

PT0COI 914* *L. trimestris* L. 12 1024

PT0COI 917* *Malva tournefortiana* L. 12 1025

PT0COI 919 *Pavonia hastata* Cav. 12 1026

PT0COI 920 *P. spinifex* (L.) Cav. 12 1027

PT0COI 1880 *Sparmannia Africana* l. f. 12 1028

PT0COI 1239 *S. recinicarpa* (Ekl. & Zeyh.) Kuntz 12 1029

PT0COI 1240 *Tilia x euchlora* K. Koch 12 1030

PT0COI 1241 *T. platyphyllos* Scop. 12 1031

PT0COI 1242 *T. tomentosa* Moench 12 1032

PT0COI 1243 *T. vulgaris* Heyne 12 1033

MELIACEAE

PT0COI 923 *Melia azedarach* L. 12 1034

MENISPERMACEAE

PT0COI 924 *Cocculus carolinus* (Roxb.) Dc. 12 1035

PT0COI 925 *C. laurifolius* DC. 12 1036

MONTIACEAE

PT0COI 1928**Claytonia perfoliata* Dnn ex Wild. 12 1037

PT0COI 1048**Montia fontana* L. subsp. *amporitana* Sennen 12 1038

MORACEAE

PT0COI 926 *Dorstenia contrajerva* l. 12 1039

PT0COI 927	<i>Maclura pomifera</i> (Raf.) K. C. Schneid.	12	1040
PT0COI 928	<i>Morus nigra</i> L.	12	1041

MYRICACEAE

PT0COI 931*	<i>Morella faya</i> (L.) Wilbur	12	1042
PT0COI 932*	<i>M. gale</i> L.	12	1043

MYRSINACEAE

PT0COI 1060	<i>Punica granatum</i> L.	12	1044
-------------	---------------------------	----	------

MYRTACEAE

PT0COI 943	<i>Acca sellowiana</i> (O. Berg) Burret	12	1045
PT0COI 1959	<i>Corymbia camaldulensis</i> Dehnh.	10	1046
PT0COI 937	<i>C. citriodora</i> (Hook.) K. Hill & L. Johnson	11	1047
PT0COI 939	<i>C. maculata</i> (Hook.) K. Hill & J. Johnson	12	1048
PT0COI 938	<i>Eucalyptus cornuta</i> Labill.	12	1049
PT0COI 1809	<i>E. globulus</i> Labill.	09	1050
PT0COI 940	<i>E. obliqua</i> L'Hér.	10	1051
PT0COI 941	<i>E. viminalis</i> Labill. Subsp. <i>viminalis</i>	09	1052
PT0COI 942	<i>Eugenia uniflora</i> L.	12	1053
PT0COI 950	<i>Lophostemon confertus</i> (R. Br.) Peter G. Wilson & J.T. Waterh.	12	1054
PT0COI 945	<i>Melaleuca genistifolia</i> Sm.	12	1055
PT0COI 946	<i>M. huegellii</i> Endl.	12	1056
PT0COI 947*	<i>Myrtus communis</i> L.	12	1057
PT0COI 1866	<i>M. ugni</i> Molina	11	1058
PT0COI 948	<i>Psidium guajava</i> L.	11	1059
PT0COI 949	<i>P. littorale</i> Raddi var. <i>littorale</i>	12	1060
PT0COI 1867	<i>P. littorale</i> Raddi var. <i>lucidum</i> Hort.	12	1061

NARTHECIACEAE

PT0COI 1971*	<i>Narthecium ossifragm</i> (L.) Hudson	09	1062
--------------	---	----	------

NYCTAGINACEAE

PT0COI 951	<i>Mirabilis jalapa</i> L.	12	1063
------------	----------------------------	----	------

OCHNACEAE

PT0COI 952	<i>Ochna multiflora</i> DC.	10	1064
------------	-----------------------------	----	------

OLEACEAE

PT0COI 954*	<i>Fraxinus angustifolia</i> Vahl subsp. <i>angustifolia</i>	12	1065
PT0COI 956	<i>F. pennsylvanica</i> Marsh.	12	1066

PT0COI 957* *Jasminum fruticans* L. 11 1067
PT0COI 958 *Ligustrum lucidum* W. T. Aiton 12 1068
PT0COI 960 *Olea chrysophylla* Lam. 11 1069
PT0COI 961* *Phyllirea angustifolia* L. 12 1070
PT0COI 962* *P. latifolia* L. 12 1071
PT0COI 963 *Syringa vulgaris* L. 12 1072

ONAGRACEAE

PT0COI 964* *Circaea lutetiana* L. subsp. *lutetiana* 12 1073
PT0COI 965* *Epilobium hirsutum* L. 11 1074
PT0COI 966* *E. lanceolatum* Sebast. & Mauri 11 1075
PT0COI 971* *Oenothera rosea* L'Hérit. ex Aiton 11 1076
PT0COI 972* *O. stricta* Ledeb. ex Link subsp. *stricta* 12 1077

OROBANCHACEAE

PT0COI 1744* *Bartsia aspera* (Brot.) Lange 09 1078
PT0COI 2002* *Melampyrum pratense* L. 11 1079
PT0COI 1182* *Odontitella virgata* (Link) Rothm. 10 1080
PT0COI 974* *Orobanche hederæ* Duby 12 1081
PT0COI 2076* *O. latisquama* (F. W. Schultz) Batt. 12 1082
PT0COI 1083* *Parentucellia latifolia* (L.) Caruel 11 1083
PT0COI 1184* *P. viscosa* (L.) Caruel 10 1084
PT0COI 1186* *Pedicularis sylvatica* L. subsp. *lusitanica* (Hoffmanns. & Link) Cout. 10 1085
PT0COI 1936* *Rhinanthus minor* L. 12 1086

OXALIDACEAE

PT0COI 977 *Oxalis articulata* Savigny 12 1087
PT0COI 978* *O. corniculata* L. 12 1088
PT0COI 979* *O. debilis* Kunth subsp. *corymbosa* (DC) O. Bolòs & Vigo 11 1089
PT0COI 980* *O. pes-caprae* L. 11 1090

PAEONIACEAE

PT0COI 981* *Paeonia broteroi* Boiss. & Reut. 12 1091
PT0COI 2130* *P. officinalis* L. subsp. *microcarpa* ((Boiss. & Reut.) Nyman 12 1092

PAPAVERACEAE

PT0COI 1812 *Argemone mexicana* L. 12 1093
PT0COI 982* *Ceratocarpus claviculata* (L.) Lidén 12 1094
PT0COI 983* *Chelidonium majus* L. 12 1095
PT0COI 2056* *Corydalis cava* (L.) Schweigger & Koerte 09 1096
PT0COI 984* *Eschscholtzia californica* Cham. 12 1097
PT0COI 986* *Fumaria capreolata* L. 12 1098
PT0COI 2131* *F. densiflora* DC. 11 1099
PT0COI 987* *F. muralis* Sonder ex Koch 11 1100

PT0COI 988* *F. parviflora* Lam. 12 1101
PT0COI 989* *Glaucium flavum* Crautz. 12 1102
PT0COI 2132* *Hypecoum imberbe* Sm. 10 1103
PT0COI 1731* *Papaver argemone* L. 10 1104
PT0COI 990* *P. dubium* L. 11 1105
PT0COI 991* *P. hybridum* L. 11 1106
PT0COI 992* *P. rhoeas* L. 11 1107
PT0COI 1813* *P. somniferum* L. subsp. *setigerum* (DC.) Arcang. 11 1108
PT0COI 1732* *Platycapnos spicatus* (L.) Berhn. 12 1109

PASSIFLORACEAE

PT0COI 1814 *Passiflora caerulea* l. 11 1110
PT0COI 993 *P. edulis* Sims 11 1011
PT0COI 994 *P. x exoniensis* L. H. Bailey 11 1012

PAULOWNIACEAE

PT0COI 1185 *Paulownia tomentosa* (Thunb.) Steud. 12 1113

PHYTOLACCACEAE

PT0COI 996* *Phytolacca americana* L. 12 1114
PT0COI 997 *P. dioica* L. 11 1115
PT0COI 999 *Rivina humilis* L. 12 1116

PIPERACEAE

PT0COI 1868 *Peperomia maculosa* (L.) Hook. 12 1117

PITTOSPORACEAE

PT0COI 1000 *Pittosporum crassifolium* Banks & Sol. ex A. Cunn. 12 1118
PT0COI 1001 *P. heterophyllum* Franch. 12 1119
PT0COI 1002 *P. tobira* (Thunb.) W. T. Aiton 12 1120
PT0COI 1003 *P. undulatum* Vent. 12 1121

PLANTAGINACEAE

PT0COI 1158* *Anarrhinum bellidifolium* (L.) Willd. 12 1122
PT0COI 2001* *A. duriminium* (Brot.) Pers. 12 1123
PT0COI 2039* *A. longipedicellatum* R. Fernandes 12 1124
PT0COI 1743* *Antirrhinum graniticum* Rothm. 12 1125
PT0COI 1159* *A. cirrhigerum* (Welw. Ex Ficalho) Rothm. 12 1126
PT0COI 1160* *A. linkianum* Boiss. & Reut. 12 1127
PT0COI 1161* *A. meonanthum* Hoffmanns. & Link 12 1128
PT0COI 1163* *Bartsia trixago* L. 12 1129

PT0COI 186*	<i>Callitriche brutia</i> Petagna	12	1130
PT0COI 187*	<i>C. truncata</i> Guss. Subsp. <i>occidentalis</i> (Rouy) Schotsman	12	1131
PT0COI 2143*	<i>Chaenorhinum origanifolium</i> (L.) Kostel. subsp. <i>origanifolium</i>	12	1132
PT0COI 1164*	<i>Cymbalaria muralis</i> P. Gaertn., B. Mey. & Scherb.	10	1133
PT0COI 1165*	<i>Digitalis purpurea</i> l. subsp. <i>purpurea</i>	12	1134
PT0COI 2119*	<i>D. purpurea</i> l. subsp. <i>mariana</i> (Boiss.) Rivas Goday	12	1135
PT0COI 1745*	<i>D. thapsi</i> L.	12	1136
PT0COI 1169*	<i>Kickxia cirrosa</i> (L.) Fritsch	12	1137
PT0COI 1170*	<i>K. spuria</i> (L.) Dumort. subsp. <i>integrifolia</i> (Brot.) R. Fernandes	10	1138
PT0COI 2079*	<i>Linaria aeruginea</i> (Gouan) Cav. Subsp. <i>aeruginea</i>	12	1139
PT0COI 1171*	<i>L. amethystea</i> (Vent.) Hoffmanns. & link subsp. <i>multipunctata</i> (Brot.) Chater & D. A. Webb	10	1140
PT0COI 1172*	<i>L. caesia</i> (Pers.) DC. ex Chav. subsp. <i>decumbens</i> (Lange) M. Laínz	12	1141
PT0COI 1173*	<i>L. diffusa</i> Hoffmanns. & Link	10	1142
PT0COI 2040*	<i>L. elegans</i> Cav.	10	1143
PT0COI 1174*	<i>L. incarnata</i> (Vent.) Spreng.	12	1144
PT0COI 1175*	<i>L. saxatilis</i> (L.) Chaz.	12	1145
PT0COI 1176*	<i>L. spartea</i> (L.) Willd. var. <i>spartea</i>	11	1146
PT0COI 1177*	<i>L. supina</i> (L.) Coz.	10	1147
PT0COI 1178*	<i>L. triornitophora</i> (L.) Willd.	11	1148
PT0COI 929	<i>Myoporum laetum</i> G. Forst.	12	1149
PT0COI 1005*	<i>Plantago afra</i> L.	12	1150
PT0COI 2141	<i>P. crassifolia</i> Forssk.	11	1151
PT0COI 1735	<i>P. leiopetala</i> Lowe	10	1152
PT0COI 2142*	<i>P. loeflingii</i> L.	10	1153
PT0COI 1010*	<i>P. major</i> L.	12	1154
PT0COI 1205*	<i>Veronica acinifolia</i> L.	12	1155
PT0COI 1206*	<i>V. anagallis-aquatica</i> L.	12	1156
PT0COI 1207*	<i>V. arvensis</i> L.	12	1157
PT0COI 1208*	<i>V. hederifolia</i> L.	12	1158
PT0COI 1209*	<i>V. micrantha</i> Hoffmanns. & Link	12	1159
PT0COI 1210*	<i>V. officinallis</i> L.	12	1160
PT0COI 1211*	<i>V. peregrina</i> L.	12	1161
PT0COI 1212*	<i>V. persica</i> Poir.	11	1162
PT0COI 1213*	<i>V. polita</i> Fries	11	1163

PLATANACEAE

PT0COI 1014	<i>Platanus orientalis</i> L. var. <i>acerifolia</i> Aiton	12	1164
-------------	--	----	------

PLUMBAGINACEAE

PT0COI 1015*	<i>Armeria beirana</i> Franco	12	1165
PT0COI 2033*	<i>A. langei</i> Boiss. subsp. <i>daveau</i> Pinto da Silva	11	1166
PT0COI 1016*	<i>A. transmontana</i> (Samp.) Lawr.	10	1167
PT0COI 1017*	<i>A. welwitschii</i> Boiss.	12	1168

PT0COI 1736**Limonium vulgare* Mill. 09 1169

POACEAE

- PT0COI 1405**Aegilops geniculata* Roth 12 1170
PT0COI 1406**A. truncialis* L. 12 1171
PT0COI 1407**Agrostis castellana* Boiss. & Reut. var. *mutica* Hack. 12 1172
PT0COI 1415**Alopecurus myosuroides* Huds. 09 1173
PT0COI 1416**Ammophila arenaria* L. subsp. *arundinacea* H. Lindb. Fil. 12 1174
PT0COI 1436**Anisantha madritensis* (L.) Nevski 11 1175
PT0COI 1418**Anthoxanthum amarum* Brot. 12 1176
PT0COI 1419**A. aristatum* Boiss. subsp. *aristatum* 11 1177
PT0COI 1422**Avena barbata* Pott. ex Link 12 1178
PT0COI 1423**A. sterilis* L. subsp. *ludoviciana* (Durieu) Gillet & Magne 12 1179
PT0COI 1424**Avenula lodunensis* (Delastre) Kerguélen subsp. *albinervis* (Boiss.) D. Rivera & M. A. Carreras 09 1180
PT0COI 1426**Brachypodium distachyon* (L.) P. Beauv. 12 1181
PT0COI 1429**Briza maxima* L. 12 1182
PT0COI 1430 *B. media* L. 12 1183
PT0COI 1431**B. minor* L. 12 1184
PT0COI 1439**Bromus catharticus* Vahl 11 1185
PT0COI 1434**B. hordeaceus* L. 12 1186
PT0COI 1533**Celtica gigantea* (Link.) F. M. Vásquez & E. M. Barkwoth 12 1187
PT0COI 1891 *Coix lacrima-jobi* L. 09 1188
PT0COI 1440**Corynephorus canescens* (L.) P. Beauv. 11 1189
PT0COI 1443**Cynodon dactylon* (L.) Pers. 12 1190
PT0COI 1446**Cynosurus elegans* Desf. 12 1191
PT0COI 1447**Dactylis glomerata* L. subsp. *Hispanica* (Roth) Nyman 11 1192
PT0COI 1448**Danthonia decumbens* (L.) DC. 12 1193
PT0COI 1449**Deschampsia flexuosa* (L.) Trin. 12 1194
PT0COI 1759**D. cespitosa* (L.) P. Beauv. Subsp. *cespitosa* 11 1195
PT0COI 1451**Desmazeria rigida* (L.) Tutin subsp. *rigida* 11 1196
PT0COI 1452**Digitaria sanguinalis* (L.) Scop. 09 1197
PT0COI 1453**Echinochloa crus-galli* (L.) P. Beauv. 12 1198
PT0COI 1454**Ehrharta erecta* Lam. 12 1199
PT0COI 1456**Elymus farctus* (Viv.) Runemark ex Melderis subsp. *boreali-atlanticus* (Simonet & Guin.) Melderis 12 1200
PT0COI 1460**Eragrostis cilianensis* (All.) F. T. Hubb. 09 1201
PT0COI 1461**E. pilosa* (L.) P. Beauv. 09 1202
PT0COI 1462**Festuca ampla* Hackel subsp. *ampla* 10 1203
PT0COI 2061**F. brigantina* (Markgr.-Dannenb.) Markgr.-Dannenb. Subsp. *brigantina* 11 1204
PT0COI 1466**F. elegans* Boiss. 12 1205
PT0COI 2083**F. paniculata* (L.) Schinz & Thell. Subsp. *multispiculata* Rivas Ponce & Cebolla 11 1206
PT0COI 1470**Gastridium ventricosum* (Gouan) Schinz & Thell. 09 1207 PT0COI
1471**Gaudinia fragilis* (L.) Beauv. 12 1208
PT0COI 1474**Holcus gayanus* Boiss. 11 1209
PT0COI 1475**H. lanatus* L. 09 1210
PT0COI 1477**Hordeum geniculatum* Al. 12 1211

PT0COI 1478*	<i>H. murinum</i> L.	12	1212	
PT0COI 1480*	<i>Hyparrhenia sinaica</i> (Delile) Llaurodó ex G. López	12		1213
PT0COI 1481*	<i>Koeleria caudata</i> (Link) Stud.	11	1214	
PT0COI 1482*	<i>Lagurus ovatus</i> L.	11	1215	
PT0COI 1483*	<i>Lamarckia aurea</i> (L.) Moench	12	1216	
PT0COI 1488*	<i>Melica ciliata</i> L. subsp. <i>magnolii</i> (Gren. & Godr.) Husnot	12		1217
PT0COI 1489*	<i>M. minuta</i> L. subsp. <i>minuta</i>	12	1218	
PT0COI 1490*	<i>M. uniflora</i> Retz.	12	1219	
PT0COI 2062*	<i>Mibora minima</i> (L.) Desv.	11	1220	
PT0COI 1492*	<i>Micropyrum tenellum</i> (L.) Link	12	1221	
PT0COI 1493	<i>Miscanthus sinensis</i> N. J. Anderson	11		1222
PT0COI 1496*	<i>Nardus stricta</i> L.	11	1223	
PT0COI 1409*	<i>Neoschischkinia pourretii</i> (Parl.) Valdés & Scholtz subsp. <i>duriae</i> (Willk.) Valdés & Scholtz	11	1224	
PT0COI 1411*	<i>N. truncatula</i> (Parl.) Valdés & scholtz	12		1225
PT0COI 1836*	<i>Oryza sativa</i> L.	12	1226	
PT0COI 1834*	<i>Panicum capillare</i> L.	12	1227	
PT0COI 1497	<i>P. prionitis</i> Nees	12	1228	
PT0COI 1498*	<i>P. repens</i> L.	12	1229	
PT0COI 1499*	<i>Parapholis incurva</i> (L.) C. E. Hubbard	11		1230
PT0COI 1500*	<i>P. strigosa</i> (Dumort.) C. E. Hubbard	09		1231
PT0COI 1503*	<i>Paspalum urvillei</i> Steud.	12	1232	
PT0COI 1505*	<i>Pennisetum villosum</i> R. Br. ex Fresen	12		1233
PT0 COI 1506*	<i>Phalaris aquatica</i> L.	12	1234	
PT0COI 1940*	<i>P. canariensis</i> L.	12	1235	
PT0COI 2063*	<i>Phleum phleoides</i> Karsten	11	1236	
PT0COI 1511*	<i>P. pratense</i> L. subsp. <i>pratense</i>	11	1237	
PT0COI 1513*	<i>Piptatherum miliaceum</i> (L.) Coss.	11	1138	
PT0COI 1514*	<i>Poa annua</i> L.	12	1239	
PT0COI 1515*	<i>P. bulbosa</i> L.	11	1240	
PT0COI 1518*	<i>Polypogon maritimus</i> Willd. subsp. <i>maritimus</i>	11		1241
PT0COI 1520*	<i>P. viridis</i> (Gouan) Breistr.	12	1242	
PT0COI 1521*	<i>Pseudarrhenatherum longifolium</i> (Thore) Rouy	12		1243
PT0COI 1527*	<i>Setaria verticillata</i> (L.) P. Beauv.	10		1244
PT0COI 1528*	<i>S. viridis</i> (L.) P. Beauv.	12	1245	
PT0COI 1835	<i>Sorghum bicolor</i> (L.) Moench.	12	1246	
PT0COI 1529	<i>S. halepense</i> (L.) Pers.	12	1247	
PT0COI 1531*	<i>Sporolobus indicus</i> (L.) R. Br.	12	1248	
PT0COI 1762*	<i>Taeniantherum caput-medusae</i> (L.) Nevski	12		1249

POLYGALACEAE

PT0COI 1021*	<i>Polygala microphylla</i> L.	11	1250	
PT0COI 1927*	<i>P. monspeliaca</i> L.	12	1251	
PT0COI 1815*	<i>P. vulgaris</i> L.	12	1252	

POLYGONACEAE

PT0COI 1025	<i>Fallopia baldschuanica</i> (Regel) Holub	10		1253
PT0COI 1026*	<i>F. convolvulus</i> (L.) A. Löve	12	1254	

PT0COI 1027*	<i>F. dumetorum</i> (L.) Holub	10	1255
PT0COI 1028*	<i>Polygonum aviculare</i> L.	10	1256
PT0COI 1029*	<i>P. capitatum</i> Buch.-Ham. ex D. Don	12	1257
PT0COI 1030*	<i>P. equisetiforme</i> Sm.	11	1258
PT0COI 1031*	<i>P. hydropiper</i> L.	12	1259
PT0COI 1032*	<i>P. lapathifolium</i> L.	12	1260
PT0COI 1034*	<i>P. persicaria</i> L.	12	1261
PT0COI 1036*	<i>Rumex acetosa</i> L. subsp. <i>acetosa</i>	12	1262
PT0COI 1037*	<i>R. acetosella</i> L. subsp. <i>pyrenaicus</i> (Pourr. ex Lapeyr.) Akeroyd	11	1263
PT0COI 1038*	<i>R. bucephalophorus</i> L. subsp. <i>gallicus</i> (Steinh.) Rech. f.	10	1264
PT0COI 1040*	<i>R. crispus</i> L.	09	1265
PT0COI 1041*	<i>R. induratus</i> Boiss. & Reuter	12	1266
PT0COI 1737*	<i>R. papillaris</i> Boiss. & Reuter	12	1267
PT0COI 1044	<i>R. patientia</i> L.	10	1268
PT0COI 1046*	<i>R. suffruticosus</i> Gay ex Meissner	12	1269

PONTEDERIACEAE

PT0COI 1635	<i>Pontederia cordata</i> L.	12	1270
-------------	------------------------------	----	------

PORTULACACEAE

PT0COI 1049	<i>Portulaca grandiflora</i> Kook	11	1271
PT0COI1050*	<i>P. oleracea</i> L. subsp. <i>granulatosetellata</i> (Poelln.) Danin	12	1272

PRIMULACEAE

PT0COI 1052*	<i>Anagallis arvensis</i> L.	12	1273
PT0COI 1053*	<i>A. monelli</i> L.	10	1274
PT0COI 933	<i>Ardisia crenata</i> Sims	11	1275
PT0COI 934	<i>A. humilis</i> Vahl	11	1276
PT0COI 1054*	<i>Asterolinon linum-stellatum</i> (L.) Duby	10	1277
PT0COI 1055*	<i>Lysimachia vulgaris</i> L.	12	1278
PT0COI 1057*	<i>Primula acaulis</i> L. subsp. <i>acaulis</i>	11	1279
PT0COI 1058*	<i>Samolus valerandi</i> L.	12	1280

PROTEACEAE

PT0COI 1059	<i>Grevillea robusta</i> A. Cunn. ex R. Br.	12	1281
PT0COI 1817*	<i>Hakea salicifolia</i> (Vent) B. L. Burt	10	1282
PT0COI1816*	<i>H. sericea</i> Schrad.	10	1283

RANUNCULACEAE

PT0COI 1063*	<i>Anemone palmata</i> L.	10	1284
PT0COI 1931*	<i>A. trifolia</i> L. subsp. <i>albida</i> (Mariz) Ulbr.	11	1285
PT0COI 1066	<i>Aquilegia canadensis</i> L.	11	1286
PT0COI 1068*	<i>A. vulgaris</i> L. subsp. <i>dichroa</i> (Freyn) T. E. Díaz	10	1287

PT0COI 1069*	<i>A. vulgaris</i> L. subsp. <i>vulgaris</i>	11	1288
PT0COI 2034*	<i>Caltha palustris</i> L.	10	1289
PT0COI 1070*	<i>Clematis campaniflora</i> Brot.	11	1290
PT0COI 1819	<i>Consolida ajacis</i> (L.) Schur.	11	1291
PT0COI 1932*	<i>Delphinium halteratum</i> Sm. Subsp. <i>halteratum</i>	10	1292
PT0COI 1870*	<i>D. pentagynum</i> Lam.	12	1293
PT0COI 1869*	<i>D. halteratum</i> Sm. Subsp. <i>verdunense</i> (Balb.) Graebn. & Graebn. Fil.	12	1294
PT0COI 1871*	<i>D. staphysagria</i> L.	11	1295
PT0COI 1072*	<i>Helleborus foetidus</i> L.	12	1296
PT0COI 1073*	<i>Nigella damascena</i> L.	12	1297
PT0COI 1074*	<i>Ranunculus arvensis</i> L.	12	1298
PT0COI 1076*	<i>R. bulbosus</i> L. var. <i>adscendens</i> (Brot.) Pinto da Silva	11	1299
PT0COI 1077*	<i>R. bullatus</i> L.	10	1300
PT0COI 1986*	<i>R. bupleroides</i> Brot.	11	1301
PT0COI 1818*	<i>R. ficaria</i> L.	10	1302
PT0COI 1078*	<i>R. gregarius</i> Brot.	11	1303
PT0COI 2058*	<i>R. nigrescens</i> Freyn	11	1304
PT0COI 2035*	<i>R. olissiponensis</i> Pers. Subsp. <i>olissiponensis</i>	12	1305
PT0COI 1871*	<i>R. ophioglossifolius</i> Vill.	12	1306
PT0COI 1934*	<i>R. paludosus</i> Poir.	10	1307
PT0COI 1083*	<i>R. trilobus</i> Desf.	12	1308
PT0COI 1084*	<i>Thalictrum speciosissimum</i> L.	10	1309

RESEDACEAE

PT0COI1085*	<i>Reseda gredensis</i> Cutanda & Willk.	12	1310
PT0COI 1086*	<i>R. luteola</i> L.	12	1311
PT0COI 1740*	<i>R. media</i> Lag.	12	1312
PT0COI 2036*	<i>R. virgata</i> Boiss. & Reuter	11	1313
PT0COI 1087*	<i>Sesamoides purpurascens</i> (L.) G. López	12	1314

RHAMNACEAE

PT0COI 1088*	<i>Frangula alnus</i> Mill. subsp. <i>alnus</i>	12	1315
PT0COI 1089	<i>Hovenia dulcis</i> Thunb.	10	1316
PT0COI 1090	<i>Paliurus spina-christi</i> Mill.	12	1317
PT0COI 1091	<i>Pomaderris apetala</i> Labill.	10	1318
PT0COI 1092*	<i>Rhamnus alaternus</i> L.	12	1319

ROSACEAE

PT0COI 1094*	<i>Agrimonia eupatoria</i> L.	09	1320
PT0COI 1095*	<i>Aphanes arvensis</i> L.	11	1321
PT0COI 1873	<i>Chaenomeles japonica</i> (Thunb.) Lindl.	12	1322
PT0COI 1097	<i>Cotoneaster lacteus</i> W. W. Sm.	12	1323
PT0COI 1099*	<i>Crataegus monogyna</i> Jacq.	10	1324
PT0COI 2037*	<i>Filipendula ulmaria</i> (L.) Maxim.	11	1325

PT0COI 2038*	<i>F. vulgaris</i> Moench	12	1326
PT0COI 1102*	<i>Geum sylvaticum</i> Pourr.	12	1327
PT0COI 1103*	<i>G. urbanum</i> L.	12	1328
PT0COI 1104*	<i>Potentilla erecta</i> (L.) Raeusch.	11	1329
PT0COI 1100	<i>P. indica</i> (Jacks.) Focke	09	1330
PT0COI 1105	<i>Prunus laurocerasus</i> L.	12	1331
PT0COI 1106*	<i>P. lusitanica</i> L. subsp. <i>lusitanica</i>	12	1332
PT0COI 1107*	<i>P. spinosa</i> L.	12	1333
PT0COI 1108	<i>Pyracantha angustifolia</i> (Franch.) C. K. Schneid.	12	1334
PT0COI 1109	<i>P. crenulata</i> (Roxb.) Roem	012	1335
PT0COI 1110	<i>Raphiolepis umbellata</i> (Thunb.) Makino	12	1336
PT0COI 1111	<i>R. umbellata</i> (Thunb.) Makino fa. <i>ovata</i> (Briot) Schneid.	12	1337
PT0COI 1113*	<i>Rosa canina</i> L.	12	1338
PT0COI 1820	<i>R. rugosa</i> Thunb.	10	1339
PT0COI 1115	<i>Rubus idaeus</i> L.	12	1340
PT0COI 1116*	<i>Sanguisorba hybrida</i> (L.) Font Quer	09	1341
PT0COI 1117*	<i>S. verrucosa</i> (Link ex G. Don) Ces.	12	1342
PT0COI 1118	<i>Sorbaria sorbifolia</i> (L.) A. Braun	12	1343
PT0COI 1119*	<i>Sorbus aucuparia</i> L.	11	1344
PT0COI 1875*	<i>S. latifolia</i> (Lam.) Pers.	11	1345
PT0COI 1120	<i>Spiraea japonica</i> L. f.	12	1346

RUBIACEAE

PT0COI 2078*	<i>Asperula aristata</i> L.	11	1347
PT0COI 1121	<i>Coprosma robusta</i> Raoul	12	1348
PT0COI 1741*	<i>Crucianella angustifolia</i> L.	12	1349
PT0COI 1122*	<i>C. maritima</i> L.	12	1350
PT0COI 1123*	<i>Cruciata laevipes</i> Opiz	12	1351
PT0COI 2098*	<i>C. pedemontana</i> (Bellardi) Ehrend.	10	1352
PT0COI 1125*	<i>Gallium aparine</i> L.	11	1353
PT0COI 1130*	<i>G. rotundifolium</i> L.	12	1354
PT0COI 1134*	<i>G. tricornutum</i> Dandy	12	1355
PT0COI 1135*	<i>G. verrucosum</i> Huds.	12	1356
PT0COI 1935	<i>Phyllis nobla</i> L.	11	1357
PT0COI 1136*	<i>Rubia peregrina</i> L.	11	1358
PT0COI 1138*	<i>Sherardia arvensis</i> L.	12	1359
PT0COI 1235*	<i>Theligonum cynocrambe</i> L.	12	1360
PT0COI 1139*	<i>Valantia muralis</i> L.	12	1361

RUTACEAE

PT0COI 1742	<i>Atalantia buxifolia</i> (Poir.) Oliv.	12	1362
PT0COI 1140	<i>Citrus myrtifolia</i> Raf.	12	1363
PT0COI 1142	<i>C. trifoliatum</i> (L.) Raf.	12	1364
PT0COI 1143*	<i>Ruta chalepensis</i> L.	11	1365
PT0COI 1144*	<i>R. montana</i> (L.) L.	11	1366
PT0COI 1145	<i>Zanthoxylum armatum</i> DC.	12	1367

SALICACEAE

PT0COI 1857 *Dovyalis caffra* (Hook. F. & Harv.) Hook. F. 10 1368

SANTALACEAE

PT0COI 1147**Osyris alba* L. 12 1369

PT0COI 1148**Thesium humifusum* DC. 12 1370

PT0COI 2118**T. pyrenaicum* Pourr. subsp. *pyrenaicum* 12 1371

SAPINDACEAE

PT0COI 92 *Acer campestre* L. 09 1372

PT0COI 99 *A. pseudoplatanus* L. fa. *purpureum* (Loud.) Rehder 12 1373

PT0COI 1645 *A. saccharinum* L. 09 1374

PT0COI 1646 *A. monspessulanum* L. 11 1375

PT0COI 94 *A. negundo* L. 12 1376

PT0COI 96 *A. palmatum* Thunb. fa. *roseo-marginatum* (C. Koch) Schwer. 12 1377

PT0COI 97 *A. platanoides* L. 12 1378

PT0COI 98* *A. pseudoplatanus* L. 09 1379

PT0COI 93 *A. shirasawanum* Koidz. 12 1380

PT0COI 661* *Aesculus hippocastanum* L. 11 1381

PT0COI 2159 *Cardiospermum halicacabum* L. 12 1382

PT0COI 1150 *Dodonaea viscosa* Jacq. 12 1383

PT0COI 1151 *Koelreuteria paniculata* Laxm. 12 1384

SARURACEAE

PT0COI 1152 *Saururus cernuus* L. 12 1385

SAXIFRAGACEAE

PT0COI 1154**Saxifraga fragosoi* Sennen 12 1386

PT0COI 1155**S. granulata* L. 11 1387

PT0COI 2099**S. lepismigena* Planellas 10 1388

PT0COI 1156**S. spathularis* Brot. 11 1389

PT0COI 1157**S. stellaris* L. 11 1390

PT0COI 1877 *S. stolonifera* Curtis 10 1391

SCROPHULARIACEAE

PT0COI 1162 *Asarina erubescens* (D. Don) Permel 12 1392

PT0COI 894 *Chilianthus oleraceus* Burch. 12 1393

PT0COI 1190**Scrophularia frutescens* L. 11 1394

PT0COI 1191**S. grandiflora* DC. subsp. *grandiflora* 10 1395

PT0COI 1192**S. herminii* Hoffmanns. & Link 11 1396

PT0COI 1193**S. sambucifolia* L. subsp. *sambucifolia* 12 1397

PT0COI 1200**Verbascum levanticum* I. K. Ferguson 11 1398

PT0COI 1201**V. litigiosum* Samp. 10 1399

SIMAROUBACEAE

PT0COI 1214**Ailanthus altissima* (Mill.) Swingle 12 1400

SMILACACEAE

PT0COI 1772**Smilax aspera* L. var. *aspera* 10 1401

SOLANACEAE

PT0COI 1228 *Browallia jamesonii* Benth. 11 1402

PT0COI 1215 *Brunfelsia latifolia* Benth. 11 1403

PT0COI 1217**Datura stramonium* L. 10 1404

PT0COI 1218**Hyosciamus albus* L. 12 1405

PT0COI 2043**H. niger* L. 09 1406

PT0COI 1965 *Iochroma coccinea* Schneid. 11 1407

PT0COI 2005 *Lycium afrum* L. 12 1408

PT0COI 1748**Nicotiana glauca* Graham 11 1409

PT0COI 1839 *N. tabacum* L. 12 1410

PT0COI 1747 *Petunia hybrida* Vilm. 11 1411

PT0COI 1219**Physalis ixocarpa* Brot. ex Hornem. 10 1412

PT0COI 1216 *Solanum betaceum* Cav. 12 1413

PT0COI 1226**S. chenopodioides* Lam. 12 1414

PT0COI 1220**S. dulcamara* L. 12 1415

PT0COI 1222 *S. mauritianum* Scop. 11 1416

PT0COI 1223**S. nigrum* L. subsp. *nigrum* 10 1417

PT0COI 1224 *S. pseudocapsicum* L. 11 1418

PT0COI 1225 *S. rantonnetii* Carrière ex Lesc. 11 1419

PT0COI 1227**S. villosum* Mill. 12 1420

PT0COI 1229 *Withania somnifera* (L.) Dunal 12 1421

STILBACEAE

PT0COI 1167 *Halleria lucida* L. 12 1422

THEACEAE

PT0COI 1988 *Camellia sinensis* (L.) Kuntze 11 1423

THYMELAEACEAE

PT0COI 1879**Daphne gnidium* L. 10 1424

TYPHACEAE

PT0COI 1636**Sparganium erectum* L. subsp. *erectum* 11 1425

PT0COI 1638**Typha angustifolia* L. 12 1426

PT0COI 1639**T. latifolia* L. 12 1427

TROPAEOLACEAE

PT0COI 1244 *Tropaeolum majus* L. 12 1428

URTICACEAE

PT0COI 1309 *Boehmeria cylindrica* (L.) Swartz 12 1429
 PT0COI 1311**Parietaria judaica* L. 12 1430
 PT0COI 1312**P. lusitanica* L. subsp. *lusitanica* 11 1431
 PT0COI 1315 *Soleirolia soleirolii* (Req.) Dandy 11 1432
 PT0COI 1316**Urtica dioica* L. 12 1433
 PT0COI 1317**U. membranacea* Poir. 12 1434
 PT0COI 1757**U. pilulifera* L. 11 1435
 PT0COI 1318**U. urens* L. 12 1436

VERBENACEAE

PT0COI 1326 *Duranta repens* L. 11 1437
 PT0COI 1327 *Lantana camara* L. 12 1438
 PT0COI 1329 *Verbena bonariensis* L. 10 1439
 PT0COI 1330**V. officinalis* L. 12 1440
 PT0COI 2160**V. rigida* Spreng. 12 1441
 PT0COI 1331 *Vitex agnus-castus* L. 12 1442
 PT0COI 1332 *V. negundo* L. 12 1443

VIOLACEAE

PT0COI 1333**Viola arvensis* Murray 11 1444
 PT0COI 1823**V. kitaibeliana* Schult. 12 1445
 PT0COI 1335**V. lactea* Sm. 11 1446
 PT0COI 1822**V. langeana* Valentine 12 1447
 PT0COI 1336**V. odorata* L. 12 1448
 PT0COI 1337**V. palustris* L. subsp. *palustris* 11 1449
 PT0COI 1338**V. riviniana* Reichenb. 12 1450

VITACEAE

PT0COI 1340 *Ampelopsis aconitifolia* Bunge var. *glabra* Diels 12 1451
 PT0COI 1341 *Parthenocissus quinquefolia* (L.) Planch. 12 1452
 PT0COI 1342 *P. tricuspidata* (Siebold. & Zucc.) Planch. 12 1453
 PT0COI 1824 *Vitis vinifera* L. 12 1454

XANTHORRHOEACEAE

PT0COI 2084 *Aloe arborescens* Miller 11 1455
 PT0COI 1766 *A. maculata* All. 10 1456
 PT0COI 1592**Asphodelus aestivus* Brot. 12 1457
 PT0COI 1593**Asphodelus fistulosus* L. 11 1458
 PT0COI 1594**A. ramosus* L. 11 1459

PT0COI 1616*	<i>Paradisea lusitanica</i> (Cout.) Samp. 11	1460
PT0COI 1345	<i>Phormium tenax</i> J. R. & G. Forst. 12	1461
PT0COI 1622*	<i>Simethis matiazzi</i> (Vand.) Sacc. 10	1462

ZYGOPHYLLACEAE

PT0COI 1343*	<i>Tribulus terrestris</i> L. 12	1463
--------------	----------------------------------	------

REFERENCES

- APG III
2009 An update of the Angiosperm Phylogeny Group classification for the 47amigli and 47amiglie of flowering plants: APG III. The Angiosperm Phylogeny Group. Botanical Journal of the Linnean Society 161: 105-121
- Castroviejo, S. et al.
1986-2003 Flora Iberica, vol. 1 – 8, 10, 14. Real Jardín Botánico, C.S.I.C. Madrid.
- Cronquist, A.
1981 An integrated system of classification of flowering plants. Columbia University Press. New York.
- eFloras
2010 Published on the Internet <http://www.efloras.org> . Missouri Botanical Garden, St Louis, MO & Harvard University Herbaria, Cambridge, MA
- Ferrarini, E., Ciampolini, F. R. , Pichi-Sermolli, G. & Marchetti, D.
1986 Iconographia Palynologica Pteridophytum Italiae. *Webbia* 40(1): 1-202, tav. 71
- Franco, J. A.
1971 Nova Flora de Portugal (Continente e Açores). Vol. I, Lycopodiaceae-Umbelliferae. Sociedade Astória, Lda. Lisboa
1984 Nova Flora de Portugal (Continente e Açores). Vol. II. Clethraceae-Compositae. Sociedade Astória, Lda. Lisboa
- Franco, J. A. & Rocha-Afonso, M. L.
1994 Nova Flora de Portugal (Continente e Açores). Vol. III, fasc. I, Alismataceae-Iridaceae. XIII pp. + 1-181 + 2 mapas. Escolar Editora. Lisboa
1998 Nova Flora de Portugal (Continente e Açores). Vol. III, fasc. II, Gramineae. Escolar Editora. Lisboa
2003 Nova Flora de Portugal (Continente e Açores). Vol. III, fasc. III, Juncaeeae-Orchidaceae. Escolar Editora. Lisboa
- Greuter, W., Burdet, H. M. & Long, G. (eds.)
1986 Med-Checklist. A critical inventory of vascular plants of the circum-mediterranean countries. 1. Pteridophyta (ed.2). Gymnospermae. Dicotyledones /Acanthaceae-Cneoraceae).. Conservatoire et Jardin Botaniques, Ville de Genève. Med-Checklist Trust of OPTIMA, Genève. 458 + cxxix p.
2008 Med-Checklist. A critical inventory of vascular plants of the circum-mediterranean countries. 3. Dicotyledones (Lauraceae-Rhamnaceae). Conservatoire et Jardin Botaniques, Ville de Genève. Med-Checklist Trust of OPTIMA, Genève. 458 + cxxix p.
- Greuter, W. & von Raab-Straube, E. (eds.)
2008 Med-Checklist. A critical inventory of vascular plants of the circum-mediterranean countries. 2. Dicotyledones (Compositae). Palermo, Genève & Berlin. Cclxxxvii + 798 p.
- GRIN. Germoplasm Resources Information Network. GRIN Taxonomy for Plants. United States Department of Agriculture. Agriculture Research Service, Beltsville Area. <http://www.ars-grin.gov/>
- Hansen, A. & Sunding, P.
1993 Flora of Macaronesia. Checklist of Vascular Plants. 4. Revised ed. *Sommerfeltia* 17: 1-295.
- IPNI: IPNI. The International Plant Names Index. <http://ipni.org>
- Mabberley, D. J.
2008. Mabberley's Plant-Book. A portable dictionary of the vascular plants. Third edition. Cambridge University Press. 1021 p.
- Pichi-Sermolli, R. E. G.
1977 Tentamen Pteridophytorum genera in taxonomicum ordinem redigendi. *Webbia* 31(2): 313-512.
- Press, J. R. & Short, M. J. (ed.)
1994 Flora of Madeira. Ed. J. R. Press – HMSO Bookshops. London.
- Tutin, T. G., J. R., Heywood, Burges, N. A., V. H., Moore, D. M., Valentine, D. H., Walters, S. M. & Webb, D. A.
1964-1980 Flora Europaea, vol. 2 – 5. Cambridge University Press.
- Tutin, T. G., Burges, N. A., Chater, A. O., Edmondson, J. R., Heywood, V. H., Moore, D. M., Valentine, D. H., Walters, S. M. & Webb, D. A.
1993 Flora Europaea, vol. 1, Psilotaceae to Platanaceae, second ed., XLV pp., Cambridge University Press.
- USDA, United States Department of Agriculture / Natural Resources Conservation Service (<http://plants.usda.gov/>)
- Valdés, B., Talavera, S. & Fernández-Galiano, E. (ed.)
1987 Flora Vascular de Andalucía Occidental 1-3. Ketres Editora. Barcelona
- Wu, Z. & Raven, P. H. (eds.)
1994 Flora of China. Sciences Press, Beijing; Missouri Botanical Garden Press, St. Louis.

INDEX SEMINUM — DESIDERATA 2013

JARDIM BOTÂNICO DA UNIVERSIDADE DE COIMBRA CALÇADA MARTIM DE FREITAS 3000-456 COIMBRA PORTUGAL REG° _____ DE ____/____/____ Nº PEDIDOS ____ • SATISFEITOS ____ DATA ____/____/____ • PESO _____ _____ (FOR OUR PRIVATE USE)	Cód. INST. (PLEASE WRITE YOUR FULL ADDRESS)
--	---

- PLEASE LIMIT YOUR REQUEST TO 30 TAXA.
- BITTE NICHT MEHR ALS 30 TAXA BESTELLEN.
- S'IL VOUS PLAÎT NE COMMANDEZ PAS PLUS DE 30 TAXA.

Numbers:

**PLEASE RETURN YOUR REQUEST BEFORE
THE 31TH DECEMBER 2013**

**TEL.: 00 351 239 855233
FAX.: 00 351 239 855211
E-MAIL: jardim.botanico@uc.pt**

URL: WWW.UC.PT/JARDIMBOTANICO

**JARDIM BOTÂNICO DA
UNIVERSIDADE DE COIMBRA**

**ARCOS DO JARDIM
CALÇADA MARTIM DE FREITAS**

3000-456 COIMBRA PORTUGAL