

Figure 3.16: System Comparison – Performance evaluation of the TPC-H benchmark in Vector, HyPer, and Peloton with and without our ROF model.

additional optimizations that may not exist across all three DBMSs. Thus, we tried to ensure the query plans generated in each system are equivalent or at least do not differ too greatly. We warm up each DBMS first by executing all of the TPC-H queries without taking measurements.

The results of this experiment are shown in Figure 3.16. We now provide an analysis of the eight TPC-H queries:

Q1: HyPer performs the best in Q1, completing almost $1.38\times$ faster than Peloton, and more than $6.5\times$ faster than Vector. This is because HyPer uses fixed-point decimal arithmetic rather than more computationally expensive floating point arithmetic.

Q3: Peloton with our ROF technique outperforms Vector and HyPer by $1.8\times$ and $1.5\times$, respectively. Additionally, we see that Peloton without our ROF technique is comparable to HyPer since they both use the same push-based compiled queries. Q3 contains two joins, both of which access a hash-table that does not fit in cache if the join is not partitioned using early materialization. This means that every access to the hash-table is a cache-miss. Our ROF technique hides this cache-miss latency by overlapping computation and memory accesses of different tuples. While (radix) partitioning-based joins is another strategy to solve this problem, previous work has shown that the subsequent overhead of gathering attributes necessary for operators following the join negates the benefits of gained by in-cache joins [133]. Second, Vector executes the LINEITEM predicate using a SIMD scan. This version of HyPer does not implement SIMD scans, though this is addressed in later work [88].

Q4: Peloton with our ROF technique outperforms both Vector and HyPer by $1.8\times$ and $1.2\times$, respectively. Peloton without ROF has performance comparable to Vector, but is outperformed by HyPer. The primary reason for this is because HyPer uses CRC32 for hashing, implemented using SIMD (SSE4), whereas Peloton uses the more computationally intensive MurmurHash3. Thus, the

cache benefits afforded by prefetching with ROF are slightly offset by the higher instruction overhead (in comparison to HyPer) due to a more complex hash function. In general, Peloton with ROF improves performance over the baseline by more than $2\times$.

Q5: Peloton with ROF is roughly $3.4\times$ faster than Vector and $1.1\times$ faster than HyPer. Q5 stresses join performance as it contains a five-way join between the largest tables in the benchmark. Hence, prefetching plays an important role as materialized join-tables will exceed the size of cache. Peloton with ROF (and prefetching) improves baseline performance by over $2\times$, but only offers a small improvement over HyPer. As in Q4, this is due to the simpler CRC32 hash function employed by HyPer. The scan over `LINEITEM` contains no restrictions before probing the hash-table on `ORDERS`, hence the majority of time is spent performing hash computations in Peloton. This higher instruction count in comparison to HyPer offsets the benefits of prefetching.

Q6: Peloton with ROF outperforms Vector by $5.4\times$ and HyPer by $2.3\times$. Q6 is a sequential scan with a highly selective predicate (1.2%). Hence, leveraging SIMD predicate evaluation yields significant performance improvements, more than $2\times$ in Peloton. The version of HyPer we use does not include the SIMD optimizations [88], but we believe it will also enjoy similar benefits of SIMD.

Q13: In Q13, we see that Peloton without ROF performs worse than Vector, but when we enable ROF to remove the cache miss penalties incurred during the join it performs roughly $1.4\times$ faster than Vector. We note here that the majority of time spent in executing this query is in the scan of the `ORDERS` table. This is because the scan involves a `LIKE` clause and thus the query's performance hinges on the performance this evaluation. We note that Peloton uses a simple comparison for the `LIKE` function that assumes clean input data. The slower results for Vector and HyPer suggest to us that they are likely using more sophisticated implementations that are able to handle problematic data better (e.g., broken UTF encodings).

Q14: This query contains a highly selective scan on `LINEITEM` that benefits from a SIMD implementation. Peloton and Vector are able to take advantage of this optimization, but HyPer (in this version) and Peloton without ROF must execute a scalar scan. We note that both Peloton and Vector implement Q14 with a hash-join, whereas HyPer uses an index nested-loop join. This is the reason why Peloton without ROF is slower than HyPer since the probe phase of the join will incur the additional overhead of duplicate chain traversal. But with the addition of SIMD scan and prefetching over the build- and probe-phase of the join, Peloton with ROF performs $3.9\times$ and $1.35\times$ faster than Vector and HyPer, respectively.

Q19: Similar to Q14, Q19 also contains a highly selective scan on `LINEITEM`. But Peloton uses dictionary-encoding for the filtered attributes because their cardinalities are sufficiently small. With dictionary-encoding enabled, Peloton with ROF converts the scalar scan over `LINEITEM` into vectorized scan using SIMD. Vector also automatically compresses strings. With the addition of prefetching and staging, Peloton with ROF executes this query $6\times$ faster than Vector and $8\times$ faster than HyPer.

3.4 Conclusion

We presented the relaxed operator fusion query processing model for in-memory OLAP DBMSs. With ROF, the DBMS introduces staging points in a query plan where intermediate results are temporarily materialized to cache-resident buffers. Such buffers enables the DBMS to employ various optimizations to exploit inter-tuple parallelism using a combination of vectorization and software prefetching. This allows a DBMS to support faster OLAP query execution and to support vectorization optimizations that were previously not possible when data sets exceed the size of CPU-level caches. We implemented our ROF model in the Peloton in-memory DBMS and showed that it reduces the execution time of OLAP queries by up to $2.2\times$. We also compared Peloton with ROF against two other in-memory DBMSs (HyPer and Actian Vector) and showed that it achieves $1.8\times$ lower execution times.

Chapter 4

Permutable Compiled Queries


Although query compilation can accelerate the execution of a query plan, existing compilation techniques cannot overcome poor choices made by the DBMS's optimizer when constructing that plan. Sub-optimal choices by the optimizer arise for several reasons, including: (1) the search spaces are exponential (hence the optimal plan might not even be considered), and (2) the cost models that optimizers use to estimate the quality of a query plan are notoriously inaccurate [91].

One approach to overcoming poor choices by the optimizer is *adaptive query processing* (AQP) [46], which introduces a dynamic feedback loop into the optimization process. While effective in interpreter-based DBMSs, AQP is infeasible in DBMSs that use JIT query compilation for two reasons. First, compiling a new query plan is expensive: often on the order of several hundreds of milliseconds for complex queries [82]. Second, the conditions of the DBMS's operating environment may change throughout the execution of a query. Thus, achieving the best performance is not a matter of recompiling once; the DBMS may need to make adjustments repeatedly throughout the query's lifetime.


Although there are clear benefits to AQP, generating a new plan or including alternative pipelines in a query is not ideal for compilation-based systems. Foremost is that compiling a new plan from scratch is expensive. But even if the DBMS's optimizer pre-computed all variations of a pipeline before compiling the query, including extra pipelines in a plan increases the compilation time. The DBMS could compile these pipelines in the background [82], but then it is using CPU resources for compilation instead of query execution.

There are also fine-grained optimizations where it is infeasible to use either of the two above AQP methods. For example, suppose the DBMS wants to find an ordering of predicates in a table scan such that the most selective predicates are evaluated first. Since the number of possible orderings is combinatorial, the DBMS has to generate a separate scan pipeline for each ordering. The number of pipelines is so high that the computation requirements to compile them would dominate the system. Even if the DBMS compiled alternative plans on-the-fly, it still may not adapt quickly enough if both the data and operating environment change during execution.

To help motivate the need for low-overhead AQP in compilation-based DBMSs, we present an experiment that measures the performance of evaluating a `WHERE` clause during a sequential scan



(a) Execution Time



(b) Code-Generation Time

Figure 4.1: Reoptimizing Compiled Queries – PCQ enables near-optimal execution through adaptivity with minimal compilation overhead.

on a single table (A) composed of six 64-bit integer columns (`col1–col6`) that has 10m tuples. The workload is comprised of a single query:

```
SELECT * FROM A
WHERE col1 =  $\delta_1$  AND col2 =  $\delta_2$  AND ... AND col6 =  $\delta_6$ 
```

We generate each column’s data and choose each filtering constant (δ_i) so that the overall selectivity is fixed, but each predicate term’s selectivity changes for different blocks of the table. We defer the description of our experimental setup to Section 5.4.

We first measure the time the DBMS takes to execute the above query using the best “static” plan (i.e., one with a fixed evaluation order chosen by the DBMS optimizer). We also execute an “optimal” plan that is provided the best filter ordering for each data block a priori. The optimal plan is as if the DBMS compiled all possible pipelines for the query and represents the theoretical lower bound execution time. Lastly, we also execute the query using permutable filters that the DBMS reorders based on selectivities.




Figure 4.2: System Overview – The DBMS translates the SQL query into a DSL that contains indirection layers to enable permutability. Next, the system compiles the DSL into a compact bytecode representation. Lastly, an interpreter executes the bytecode. During execution, the DBMS collects statistics for each predicate, analyzes this information, and permutes the ordering to improve performance.

The results in Figure 4.1a show that the static plan is up to $4.4\times$ slower than the optimal plan when selectivity is low. As selectivity increases, the performance gap gradually reduces since more tuples must be processed. Our second observation is that PCQ is consistently within 10% of the optimal execution time across all selectivities. This is because it periodically reorders the predicate terms based on real-time data distributions.

Next, we measure the code-generation time for each of the three approaches as we vary the number of filter terms. In this experiment, we add an additional filter term on `col1` to form a range predicate. The results in Figure 4.1b reveal that when there are fewer than three filter terms, the code-generation time for all approaches is similar. However, beyond three terms, the optimal approach becomes impractical as there are $O(n!)$ possible plans to generate. In contrast, the code-generation time for the permutable query increases by $\sim 20\%$ from one to seven terms.

Given these results, what is needed is the ability for a compilation-based DBMS to dynamically permute and adapt a query plan *without* having to recompile it, or eagerly generate alternative plans.

4.1 Overview

To overcome the gap between the rigid nature of compilation and fine-grained adaptivity, this chapter presents a system architecture and AQP method for JIT-based DBMSs to support **Permutable Compiled Queries** (PCQ). The key insight in PCQ is our novel compile-once approach: rather than invoking expensive compilation multiple times or pre-compiling multiple physical plans, with PCQ we compile a single physical query plan. But we design this single plan so that the DBMS can easily permute it later without significant recompilation to support fine-grained adaptivity.

The goal of PCQ is to enable a JIT-based DBMS to modify a compiled query’s execution strategy while it is running without (1) restarting the query, (2) performing redundant work, or (3) pre-compiling alternative pipelines. A key insight behind PCQ is to *compile once* in such a way that the query can be permuted later while retaining compiled performance. At a high-level, PCQ is similar to proactive reoptimization [24] as both approaches modify the execution behavior of a query without returning to the optimizer for a new plan or processing tuples multiple times. The key difference, however, is that PCQ facilitates these modifications for compiled queries without pre-computing every possible alternative sub-plan or pre-defining thresholds for switching sub-plans. PCQ is a dy-

dynamic approach where the DBMS explores alternative sub-plans at runtime to discover execution strategies that improve a target objective function (e.g., latency, resource utilization). This adaptivity enables fine-grained modifications to plans based on data distribution, hardware characteristics, and system performance.

In this section, we present an overview of PCQ using the example query shown in Figure 4.2. As we discuss below, the life-cycle of a query is broken up into three stages.

Stage #1 - Translator After the DBMS's optimizer generates a physical plan for the query, the *Translator* converts the plan into a domain-specific language (DSL), called TPL, that decomposes the plan into pipelines. Using TPL enables the DBMS to reason about and apply database-specific optimizations more easily than a general-purpose language (e.g., C/C++). As we will describe later, another benefit of using this restricted DSL is that it has low-latency compilation times.

TPL mixes Vectorwise-style pre-compiled primitives [29] with HyPer's JIT query compilation through pipelines [108]. It provides pre-compiled and vectorized builtin functions. The Translator generates these vectorized calls whenever possible (e.g., for vectorizable predicates), and reverts to tuple-at-a-time processing otherwise (e.g., for predicates involving complex arithmetic). Leveraging both techniques enables the DBMS to reduce or hide the overhead incurred in supporting PCQ, while achieving high performance.

Additionally, the Translator augments the query's TPL program with additional PCQ constructs to facilitate permutations. The first is *hooks for collecting runtime performance metrics* for low-level operations in a pipeline. For example, the DBMS adds hooks to the generated program in Figure 4.2 to collect metrics for evaluating **WHERE** clause predicates. The DBMS can toggle this collection on and off depending on whether it needs data to guide its decision-making policies on how to optimize the query's program.

The second type of PCQ constructs are parameterized runtime structures in the program that use *indirection to enable the substitution of execution strategies* within a pipeline. The DBMS parameterizes all relational operators in this way. This design choice follows naturally from the observation that operator logic is comprised of query-agnostic and query-specific sections. Since the DBMS generates the query-specific sections, it is able to generate different versions uses indirection to switch at runtime. We define two classifications of indirection. The first level is when operators are unaware or unconcerned with the specific implementation of query-specific code. The second level of indirection requires coordination between the runtime and the code-generator.

In the example query in Figure 4.2, the Translator organizes the predicates in an array with hooks that allow the DBMS to rearrange their evaluation order. For example, the DBMS could choose to switch the first predicate it evaluates to be on attribute `foo.C` if it is the most selective. Each entry in the indirection array is a pointer to the generated code. Thus, permuting the execution strategy for this part of the query only involves lightweight pointer swapping.

Stage #2 - Compilation In the second stage, the *Compiler* converts the DSL query program (including both its hooks for collecting runtime performance metrics and its use of indirection to support dynamic permutation) into a compact bytecode representation. This bytecode is a CISC instruction set composed of arithmetic, memory, and branching instructions, as well as database-

level instructions, such as for comparing SQL values with NULL semantics, constructing iterators over tables and indexes, building hash tables, and spawning parallel tasks.

In Figure 4.2, the query’s bytecode contains instructions to construct a permutable filter to evaluate the **WHERE** clause. The permutable filter stores an array of function pointers to implementations of the filter’s component. The order the functions appear in the array is the order that the DBMS executes them when it evaluates the filter.

Stage #3 - Execution After converting the query plan to bytecode, the DBMS uses adaptive execution modes to achieve low-latency query processing [82]. The DBMS begins execution using a virtual machine interpreter. Simultaneously, a background thread compiles the bytecode into native machine code using LLVM. Once the background compilation terminates, the function pointers (shown in Figure 4.2) are atomically swapped to point to compiled code. Thus, different versions of a function may run simultaneously during query processing by different threads, or between consecutive invocations in a single thread. Although this mechanism is not strictly necessary to support PCQ, it reduces the latency of short running queries.

During execution, the plan’s runtime data structures use policies to selectively enable lightweight metric sampling. In Figure 4.2, the DBMS collects selectivity and timing data for each filtering term periodically with a fixed probability. It uses this information to construct a ranking metric that orders the filters to achieve the smallest execution time given the current data distribution. Each execution thread makes an independent decision since they operate on distinct segments of the table and potentially observe different data distributions. All permutable components use a library of *policies* to decide (1) when to enable metric collection and (2) what adaptive policy to apply given new runtime metric data. The execution engine continuously performs this cyclic behavior over the course of a query. Since JIT code is faster than bytecode, the DBMS may observe varying runtimes between invocations of the same function when it switches from interpreted mode to compiled mode assuming similar data characteristics.


The DBMS uses a pull-based batch-oriented engine that combines vectorized and tuple-at-a-time execution in the same spirit as Relaxed Operator Fusion (ROF) [101]. Batch-based execution allows the DBMS to amortize the cost of expensive auxiliary operations related to PCQ, including those to collect statistics, perform permutations, and execute non-inlined function calls. It uses ROF to implement hash table operations for joins and aggregations with prefetch-enabled code paths. Likewise, the DBMS uses ROF to support vectorized predicate evaluation with SIMD.

4.2 Supported Query Optimizations

We now present the optimization categories that are possible with PCQ. As described above, the DBMS generates execution code for a query in a manner that allows it to modify its behavior at runtime. The core idea underlying PCQ is that the generated code supports the ability to permute or selectively enable operations within a pipeline whenever there could be a difference in performance of those operations. These operations can be either short-running, fine-grained steps (e.g., a single predicate) or more expensive relational operators (e.g., joins). These optimizations are independent of each other and do not influence the behavior of other optimizations in either the same pipeline or other pipelines for the query.

```
SELECT * FROM A WHERE col1 * 3 = col2 + col3 AND col4 < 44
```

(a) Example Input SQL Query



(b) Generated Code and Execution of Permutable Filter

Figure 4.3: Filter Reordering – An example depicting PCQ permutable filters. The Translator converts the query in (a) to the program on the left side of (b). This program uses a data structure template with query-specific filter logic for each filter clause. The right side of (b) shows how the policy collects metrics and then permutes the ordering.

For each category, we describe the steps for supporting PCQ. We first discuss what changes (if any) the DBMS’s optimizer makes to a query’s plan and how the Translator organizes the code to support runtime permutations. We also discuss how the DBMS collects metrics about each optimization that it uses for policy decisions.

4.2.1 Filter Reordering

The first optimization is the ability to modify the evaluation order of predicates during a scan operation. The optimal ordering strikes a balance between selectivity and evaluation time: applying a more selective filter first will discard more tuples, but it may be expensive to run. Likewise, the fastest filter may discard too few tuples, causing the DBMS to waste cycles applying subsequent filters. We use Figure 4.3 as a running example through this discussion.

Preparation / Code-Gen: Consider the SQL query in Figure 4.3a. The first step is to prepare the physical plan to support reordering. The DBMS normalizes filter expressions into their disjunctive normal form (DNF). An expression in DNF is composed of a disjunction of summands, $s_1 \vee s_2 \vee \dots s_M$. Each summand, s_i , is a conjunction of factors, $f_1 \wedge f_2 \wedge \dots f_N$. Each factor constitutes a single predicate in the larger filter expression (e.g., $col4 < 44$). The DBMS can reorder factors within a summand, as well as summands within a DNF expression. Thus, there are $R = M!N!$ possible overall orderings of a filter in DNF.

Decomposing and structuring filters as functions has two benefits. First, it allows the DBMS to explore different orderings without having to recompile the query. Re-arranging two factors incurs

negligible overhead as it involves a function pointer swap. The second benefit is that the DBMS utilizes both code-generation and vectorization where each is best suited. The system implements complex arithmetic expressions in generated code to remove the overhead of materializing intermediate results, while simpler predicates fall back to a library of ~ 250 vectorized primitives.

Since the `WHERE` clause in Figure 4.3a is in DNF, the query requires no further modification. Next, the Translator generates a function for each factor in the filter that accepts a tuple vector as input. In Figure 4.3b, p1 (lines 6–7) and p2 (lines 8–12) are generated functions for the query’s conjunctive filter. p1 calls on a builtin vectorized selection primitive, while p2 uses fused tuple-at-a-time logic directly in TPL. We note that LLVM will automatically vectorize p2 using SIMD instructions.

Lastly, line 2 in Figure 4.3b initializes a runtime data structure with a list of filter functions. This structure encapsulates the filtering and permutation logic. A sequential scan is generated over `A` on line 3 using a batch-oriented iteration loop, and the filter is applied to each tuple batch in the table on line 4.

Runtime Permutation: Given the array of filter functions created previously during code-generation, this optimization seeks to order them to minimize the filter’s evaluation time. This process is illustrated in Figure 4.3b. When the DBMS invokes the permutable filter on an input batch, it decides whether to recollect statistics on each filter component. The frequency of collection and precisely what data to collect are configurable policies. A simple approach, and the one employed in this work, is to sample selectivities and runtimes randomly with a fixed probability p . There are more sophisticated policies, and we wish to pursue them as part of this thesis.

If the policy chooses not to sample selectivities, the DBMS invokes the filtering functions in their current order on the tuple batch. Functions within a summand incrementally filter tuples out, and each summand’s results are combined together to produce the result of the filter. If the policy chooses to re-sample statistics, the DBMS executes each predicate on all input tuples and tracks their selectivity and invocation time to construct a *profile*. The DBMS uses a predicate’s *rank* as the metric by which to order predicate terms. The rank of a predicate accounts for both its selectivity and its evaluation costs, and is computed as $\frac{1-s}{c}$, where s specifies the selectivity of the factor, and c specifies the per-tuple evaluation cost. After rank computation, the DBMS stores the refreshed statistics in an in-memory statistics table. It then reorders the predicates using both their new rank values and the filter’s permutation policy.

When the policy recollects statistics, the DBMS evaluates all filters to capture their true selectivities (i.e., no short-circuiting). This means the DBMS performs redundant work that impacts query performance. Therefore, policies must balance unnecessary work with the ability to respond to shifting data skew quickly.

4.2.2 Adaptive Aggregations

The next optimization is to extract “hot” group-by keys in hash-based aggregations and generate a separate code path for maintaining their values that do no probe the hash table. Hash aggregations are composed of five batch-oriented steps: (1) hashing, (2) probing, (3) key-equality check, (4) initialization, and (5) update. Parallel aggregations require an additional sixth step to merge thread-local partial aggregates into a global aggregation hash table. Each step takes in a vector of




Figure 4.4: Adaptive Aggregations – The input query in (a) is translated into TPL on the left side of (b). The generated TPL uses a runtime aggregation data structure that is templated with query-specific logic in addition to new customized functions to handle heavy-hitter groups. The right side of (b) steps through one execution of a batched aggregation.

input tuples and potentially extra intermediate data vectors. The Translator generates custom code for aggregate initialization, update, and merging because these are often computationally heavy and query-specific. The other steps rely on vectorized primitives.

We now present PCQ adaptive aggregations that exploit skew in the grouping keys. We use Figure 4.4 as a running example in this section.

Preparation / Code-Gen: The Translator first creates a specialized function to handle the hot keys. This function, `aggregateHot` on lines 10–16 in Figure 4.4, takes a batch of input tuples and an array of N aggregate payload structures for the extracted hot keys. Each element in the array stores both the grouping key and the running aggregate value. The policy determines the size of N . For ease of illustration, we choose to extract two heavy-hitter keys. The Translator generates a loop to iterate over each tuple in the batch and checks for a key-equality match against one of the keys in the hot array. As N is a query compile-time constant, the Translator generates N conditional branches. Tuples that find a match update their aggregates according to the query; others fall through to the “cold” key code path.

Next, the Translator generates a merge function, `aggregateMerge` on lines 17–19, that takes a list of partially computed aggregates and merges them into the hash table. As before, because N is a

compile-time constant, the Translator unrolls and inlines the merge logic for the N aggregates into the function.

Finally, in the main query processing function, the Translator creates the data structure (aggregator) on lines 2–6 and injects it with pointers to generated functions encapsulating each step in the aggregation, including the new functions to exploit key skew. The program then scans table A in batches on lines 7–9, and processes the aggregation for batch on line 8. After scanning all tuples, the algorithm adds the hot keys into the main hash table. For this, the Translator generates a merge function, `aggregateMerge` on lines 17–19, that takes a list of partial aggregates and adds them to the hash tables. As before, because N is a compile-time constant, the Translator unrolls and inlines the merge logic for the N aggregates into the function.

Since the array of heavy-hitter aggregates is provided uninitialized, the first step is to initialize them with what we believe to be the “hottest” keys in the current batch. This process also relies on the policies available to the DBMS. One simple policy is to use the first N unique keys in the batch as the “hot” set. Another option is to randomly sample from within the current batch until N unique keys are found. A more sophisticated policy is one that tracks the temperature of keys and inserts them in the array by decreasing key temperature.

Once the heavy-hitter set has been initialized with N keys, the translator generates a loop that iterates over each tuple in the batch and checks for a key equality match against one of the aggregate elements in the heavy-hitter set. This is done by generating N conditional branches in the body of the loop. Tuples that find a match update their aggregates according to the query. Those that don’t will fall through to the normal process.

Runtime Permutation: Aggregation proceeds similarly as it would without any optimization, but with one adjustment. While computing the hash values of grouping keys in a batch, the DBMS also tracks an approximate distinct key count using HyperLogLog (HLL) [53]. Collecting this metric is inexpensive since HLLs have a compact representation and incur minimal computational overhead in comparison to the more complex aggregation processing logic. After hashing all tuples, if the HLL estimates fewer than N unique grouping keys in the input batch, we follow the optimized pipeline.

In the optimized flow, the DBMS first allocates an array of aggregate values. It initializes this array with the hottest keys in the current batch. The method for identifying these keys is defined by the system’s configured policy. A simple policy is to use the first N unique keys in the batch. A more sophisticated option is to randomly sample from within the current batch until N unique keys are found. In this work, we use the former as we found it offers the best performance versus cost trade-off.

After initializing the hot aggregates array, the DBMS invokes the optimized aggregation function. On return, partially aggregated data is merged back into the hash table using the merging function. Since HLL estimations have errors, it is possible for some tuples to not find a match in the hot set. In this case, the batch is processed using the cold path as well. Thus, there is a risk of an additional pass, but the DBMS mitigates this by tuning the HLL estimation error. Supporting parallel aggregation requires neither a modification to the algorithm described earlier, or the generation of additional code. Each execution thread performs thread-local aggregation as before.

4.2.3 Adaptive Joins

A PCQ DBMS optimizes hash joins by (1) tailoring the hash table implementation based on runtime information and (2) reordering the application of joins in right- or left-deep query plans. We discuss data structure specialization before describing the steps required during code-generation and runtime to implement join reordering. We use the convention that the left input to a hash join is the build side, and the right input is the probe side.

Hash table construction proceeds in two phases. First, the DBMS materializes the tuples from the left join input into a thread-local memory buffer in row-wise format along with the computed hash of the join columns. The DBMS also tracks an approximate count of unique keys using an HLL estimator. Once the left join input is exhausted, the DBMS uses HLL to estimate the hash table size. If the estimated size is smaller than the CPU's L3 cache capacity, the DBMS constructs a *concise hash table* (CHT [113]); otherwise, it constructs a bucket-chained hash table with pointer-tagging [90]. With this, the DBMS is able to perfectly size the hash table, thereby eliminating the need to resize during construction. Furthermore, deferring the choice of table implementation to runtime allows the DBMS to tune itself according to the data distribution. In the second phase, each execution thread scans its memory buffers to build a global hash table. If a bucket-chained hash table was selected, pointers to thread-local tuples are inserted using atomic compare-and-swap instructions. If a CHT was selected, a partitioned build is performed as described in [113]. We now describe how to implement permutable joins using Figure 4.5 as the running example.

Preparation / Code-Gen: The DBMS's optimizer supports permutable joins in right-deep query plans containing consecutive joins, as in Figure 5.3a. The system designates one table as the “driver” that it joins with one or more tables (i.e., one per join). The DBMS may use either hash or index joins depending on the selected access method. The DBMS applies the joins in any order regardless of the join type (i.e., inner vs. outer) since each driver tuple is independent of other tuples in the table and intermediate iteration state is transient for a batch of tuples. In Figure 4.5b, the DBMS can join the tuples in A either against C or B first. The best ordering may change over the duration of a query on a per-block basis due to variations in data distributions. Our implementation in NoisePage has an additional requirement that the driver table contains all key columns required across all joins.

During code generation, the Translator first generates one key-check function per join. In Figure 4.5c, `joinB` (lines 9–12) and `joinC` (lines 13–14) are the key-check functions for joining tuples from A against tables B and C, respectively. These functions take in a vector of input tuples and a vector of potential join candidates, and then evaluates the join predicate for each tuple. As described earlier, the DBMS may implement these functions either by dispatching to vectorized primitives or using tuple-at-a-time logic directly in bytecode. In the example, `joinC` uses a built-in primitive to perform a fused gather and select operation with SIMD instructions.

Next, the Translator constructs a data structure (`joinExec` on lines 3–5) in the pipeline to manage the join and permutation logic. This structure requires three inputs for each join: (1) a pointer to the hash table to probe, (2) a list of attribute indexes forming the join key, and (3) a pointer to the join's key-check function. Finally, the Translator generates the scan code for A on lines 6–8 and the invocation of the join executor for each tuple batch on line 7.




Figure 4.5: Adaptive Joins – The DBMS translates the query in (a) to the program in (c). The right side of (c) illustrates one execution of a permutable join that includes a metric collection step.

Runtime Permutation: The objective of the DBMS is to dynamically order the joins so as to minimize the overall execution time. This process is depicted in Figure 4.5c. During execution, the DBMS first computes a hash value for each tuple in the input batch. The attribute indexes provided earlier during initialization identify the columns to hash and their order. Next, a policy decision is made whether to recollect statistics on each join. Assuming the affirmative, the DBMS then probes each hash table.

The probing process is decomposed into two steps. Since hash tables embed Bloom filters, the DBMS performs the combined lookup and filter operation using only the hash values computed in the previous step. The second step invokes each join’s key-equality function to resolve false positives from the first step. The DBMS ensures that only tuples that pass previous joins are processed in the remaining joins. After completion, the system creates a profile that captures selectivity and timing information for each join step. Similar to filters, the DBMS saves the profile to its internal catalog and then permutes the join according to the policy.

4.3 Experimental Evaluation

We now present a brief analysis of the PCQ method and corresponding system architecture. We implemented our PCQ framework and execution engine in the NoisePage DBMS [9]. NoisePage is

a PostgreSQL-compatible HTAP DBMS that uses HyPer-style MVCC [110] over the Apache Arrow in-memory columnar data [93]. Each Arrow block of tuples is 1 MB allocated using `jmalloc`. It uses LLVM (v9) to JIT compile our bytecode into machine code.

We performed our evaluation on machine with 2×10 -core Intel Xeon Silver 4114 CPUs (2.2GHz, 25 MB L3 cache per-core) and 128 GB of DRAM. This processor supports AVX512 instructions and contains ten line-fill buffer (LFB) slots that each support one outstanding memory prefetch request. We implemented our microbenchmarks using the Google Benchmark [5] library; it runs each experiment a sufficient number of iterations to get a statistically stable execution time results.

We begin by describing the workloads that we use in our evaluation. We then measure PCQ's ability to improve the performance of compiled queries. We execute these first experiments using a single thread to minimize scheduling interference. Lastly, we present a comparison of NoisePage on multi-threaded queries with PCQ against two state-of-the-art OLAP DBMSs.

4.3.1 Workloads

We first describe the three workloads that we use in our evaluation:

Microbenchmark: We created a synthetic benchmark to isolate and measure aspects of the DBMS's runtime behavior. The database contains six tables (A–F) that each contain six 64-bit signed integer columns (`col1–col6`). Each table contains 3m tuples and occupies 144 MB of memory. For each experiment that uses this benchmark, we vary the distributions and correlations of the database's columns' values to highlight a specific component. The workload contains three query types that each target a separate optimization from Section 4.2: (1) a scan query with three predicates, (2) an aggregation query with groupings, and (3) a multi-way join query.

TPC-H: This is a decision support system workload that simulates an OLAP environment [146]. It contains eight tables in 3NF schema. We use a scale factor of 10 (~ 10 GB). To better represent real-world applications, we use a skewed version of the TPC-H generator [12]. We select nine queries that cover the TPC-H choke-point categories [28] that vary from compute- to memory/join-intensive queries. Thus, we expect our results to generalize and extend to the remaining queries in the benchmark.

Star Schema Benchmark (SSB): This workload simulates a data warehousing environment [112]. It is based on TPC-H, but with three differences: (1) it denormalizes the two largest tables (i.e., `LINEITEM` and `ORDERS`) into a single new fact table (i.e., `LINEORDER`), (2) it drops the `PARTSUPP` table, and (3) it creates a new `DATE` dimension table. SSB consists of thirteen queries and is characterized by its join complexity. We use a scale factor of 10 (~ 10 GB) using the default uniformly random data generator.

4.3.2 Filter Adaptivity

In this experiment, we measure PCQ's ability to optimize and permute filter ordering in response to shifting data distributions. As the query executes, the selectivity of its predicates changes over




Figure 4.6: Performance Over Time – Execution time of three static filter orderings and the PCQ filter as we perform a sequential scan over a table.

time, thereby changing the optimal order. We use the microbenchmark workload with a **SELECT** query that performs a sequential scan over a single table:

```
SELECT * FROM A
WHERE col1 < C1 AND col3 < C2 AND col3 < C3
```

The constant values in the **WHERE** clause’s predicates enable the data generators in each experiment to target a specific selectivity.

Performance Over Time: The first experiment evaluates the performance of PCQ filters during a table scan as we vary the selectivity of individual predicates. We populate each column such that one of the predicates has a selectivity of $\sim 2\%$ while the remaining two have 98% selectivity each. We alternate which predicate is the most selective over disjoint sections of the table. That is, for the first 500 blocks of tuples, the predicate on `col1` is the most selective. Then for the next 500 blocks, the predicate on `col2` is the most selective. Thus, each predicate is optimal for only $\frac{1}{3}$ of the entire table.

We execute this query with the filter reordering optimization using a 10% sampling rate policy (i.e., the DBMS collects performance metrics per block with a probability of 0.1). We also execute the query using three static orderings that each evaluate a different predicate first. These static orderings represent how existing JIT compilation-based DBMSs execute queries without permutability.

The results in Figure 4.6 show the processing time per block during the scan. Each of the static orderings is only optimal for a portion of the table, while PCQ discovers new optimal orderings after each transition. The performance of PCQ is suboptimal in the beginning because it is initially configured with a random ordering. However, within ten blocks of data, PCQ re-samples its selectivity metrics and permutes itself to the optimal ordering. During the transition periods after the distribution changes at blocks #500 and #1000, PCQ incurs some jitter in performance. This variance is because the DBMS is executing the previously superior ordering. After re-collecting statistics, however, the DBMS changes the ordering to find the new optimal configuration in about 10–15 blocks. As such, the PCQ query is $\sim 2.5\times$ faster than any of the static orderings.




Figure 4.7: Varying Predicate Selectivity – Performance of the static, optimal, and permutable orderings when varying the overall query selectivity.

Varying Predicate Selectivity: We next analyze the permutable filter optimization across a range of selectivities to measure its robustness. For this experiment, we modify the table’s data distribution for the above query such that the filters’ combined selectivity varies from 0% (i.e., no tuples are selected) to 100% (i.e., all tuples are selected). As before, the DBMS uses a 10% sampling rate policy. We compare against a “static” ordering as chosen by the DBMS’s query optimizer based on collected statistics. We also execute an “optimal” configuration where we provide the DBMS with the best ordering of the filters on a per-block basis. This optimal plan represents the upper bound in performance that the DBMS could achieve without the re-sampling overhead.

The results in Figure 4.7 show that PCQ is competitive (within 20%) of the optimal configuration across all selectivities. Our second observation is that both optimal and PCQ consistently outperform the static ordering provided by the DBMS below 100% selectivity. At 0%, PCQ and optimal are $2.7\times$ and $3.6\times$ faster than static, respectively. This is because each is able to place the most selective term (i.e., the one yielding fewest output tuples) first in the evaluation order. As the filter selectivity increases, the execution times of all configurations also increase since the DBMS must process more tuples. At 100% selectivity, the PCQ filter performs the worst because it suffers from sampling overhead; if all tuples are selected, adaptivity is not required. Finally, all orderings perform better at 100% selectivity than at 90% because the DBMS has optimizations that it only enables when vectors are full.

Filter Permutation Overhead: As described in Section 4.2, there is a balance between the DBMS’s metric collection frequency and its impact on runtime performance. To better understand this trade-off, we next execute the `SELECT` query with different re-sampling frequencies. We vary the frequency from 0.0 (i.e., no sampling) to 1.0 (i.e., the DBMS samples and re-ranks predicates after accessing each block). We fix the combined selectivity of all the filters to 2% and vary which filter is the most selective at blocks #500 and #1000 as in Figure 4.6. The query starts with the Order-3 plan from Figure 4.6 as this was the static ordering with the best overall performance. We instrument the DBMS to measure the time spent in collecting the performance metric data versus query execution.




Figure 4.8: Filter Permutation Overhead – Performance of the permutable filter when varying the policy’s re-sampling frequency and fixing the overall predicate selectivity to 2%.

The results, shown Figure 4.8, demonstrate the non-linear relationship between metric collection frequency and performance. Disabling sampling removes any overhead, but incurs a $\sim 1.7\times$ slow-down compared to permutable filters because the DBMS cannot react to fluctuations in data distributions. Sampling on every block (i.e., 100% sampling rate) adds 15% overhead to execution time. The DBMS performs best with a 0.1 (i.e., 10%) sampling rate and thus, we use this setting for the remaining experiments.

4.3.3 Aggregation Adaptivity

We next evaluate PCQ’s ability to exploit skew when performing hash aggregations. Unless otherwise specified, the experiments in this section use the microbenchmark workload with a **SELECT** query that performs a hash aggregation over a single table:

```
SELECT col1, SUM(col2), SUM(col3), SUM(col4)
FROM A
GROUP BY col1
```

We modified the workload’s data generator to skew the grouping key (col1) to highlight a specific component of the system.

Varying Number of Aggregates: We first measure the performance of PCQ aggregations as we vary the total number of unique aggregate keys in the benchmark table. We populate the grouping key column (col1) with values from a random distribution to control the number of unique keys per trial. The data for the columns that are used in the aggregation functions (col2–col4) are chosen randomly (uniform) from their respective value domains.

We configured the PCQ framework to use five heavy-hitter keys. The choice of five is tunable for the DBMS, but fixed in this experiment. We also execute a static plan that fuses the table scan with the aggregation using a data-centric approach [108]. The static plan represents how existing JIT-based DBMSs execute the query.




Figure 4.9: Varying Number of Aggregates – Performance of the adaptive aggregation as we vary the total number unique aggregate keys.

The results are shown in Figure 4.9. When the number of aggregates is small (i.e., <16k keys), the hash table fits in the CPU cache and PCQ outperforms the static configuration. When there are fewer than five keys, PCQ routes updates through the “hot” path yielding a $1.5\times$ improvement. Beyond this threshold, PCQ falls back to its hybrid vectorized and JIT implementation, outperforming the static plan by $1.6\times$. PCQ fares well even at high cardinality because (1) it performs data-independent random accesses into the hash table and (2) both pre-compiled and generated aggregation steps are auto-vectorized. The benefits of data-independent memory access and auto-vectorization are most pronounced when the hash table exceeds the CPU’s LLC. Figure 4.9 shows that this occurs at $\sim 256k$ keys where PCQ is $3\times$ faster than the static plan.

Varying Aggregation Skew: The DBMS must be careful when deciding how many heavy-hitter keys to extract into specialized JIT code for permutable aggregations. Extracting more keys (1) introduces the possibility of branch mispredictions that increase runtime, and (2) generates larger functions that increase compilation time.

To explore the relationship between the size of the heavy-hitter key set and performance, we execute the same `SELECT` query as before, but fix the total number of unique grouping keys to 200k. We use a skewed Zipfian distribution for the grouping keys and execute the query using PCQ in configurations that extract zero to eight heavy-hitter keys from the aggregation hash table. We measure both the query execution time and the percentage of tuples that hit one of the conditional branches for an extracted key.

The results in Figure 4.10a show that the configurations are within 3% of each other for low skew values (i.e., less than one). None performs the best since the others introduce untaken branch instructions due to the uniformity in the key distribution. As skew increases, the versions that extract keys perform better. At skew level 1.0, None performs $1.15\times$ worse than all other configurations. The benefit of this optimization plateaus with increasing skew as the DBMS hits the memory bandwidth limits of the system. None uses the bucket-chained hash table while other versions update aggregates stored in plain arrays. At a skew level of 2.4, the Hot-8 configuration is $18\times$ faster than None.




Figure 4.10: Varying Aggregation Skew – Performance of PCQ’s adaptive aggregation when increasing skew in aggregate keys with a fixed number of keys. (a) shows the total execution time to perform the aggregation. (b) shows the percentage of input tuples that hit a heavy-hitter branch.

Figure 4.10b shows the percentage of tuples that match a hot key in the optimized aggregation function. With low skew (i.e., below 1.0), 10% of the tuples take a heavy-hitter branch; the remaining suffer the branch misprediction and fall back to the cold key path. Cost mispredictions are the reason why the optimized plans perform worse at a lower skew. At a higher skew the optimized versions absorb more updates that bypass the hash table, resulting in fewer cycles-per-tuple. At skew level 1.6, Hot-1 incurs a 45% hit rate, while Hot-8’s rate is 82%. At the highest skew (2.4), the min/max hit rates are 72% and 98%, respectively; this explains the performance improvements in the optimized plans.

4.3.4 Join Adaptivity

We evaluate PCQ’s ability to optimize hash join operations in response to changing data distributions. Each experiment constructs a right-deep join tree that builds hash tables in separate pipelines and probes them in the final pipeline. The experiments customize the data generation for each join key to target a specific join selectivity across any pair of tables, along with the overall selectivity.




Figure 4.11: Varying Join Selectivity – Execution time to perform three hash-joins while varying overall join selectivity.

Varying Join Selectivity: This experiment performs two inner hash joins between three microbenchmark workload tables:

```
SELECT * FROM A
INNER JOIN B ON A.col1 = B.col1
INNER JOIN C ON A.col2 = C.col1
```

We tailor the data generation for the above join attributes to achieve a desired selectivity from 0% (i.e., no tuples find join partners) to 100% (i.e., all tuples find join partners). We execute the join using a static ordering that reflects the join order provided by the DBMS. Moreover, the implementation uses a fused tuple-at-a-time processing model as would be generated by HyPer’s JIT compilation-based engine [108]. We also execute the PCQ join with a 10% re-sampling rate policy. The PCQ variant starts with the same initial join ordering as provided to the static option.

Figure 4.11 shows that at 0% selectivity, the PCQ join performs $\sim 14\times$ better than the static join. This is because PCQ discovers and permutes the joins into their optimal order within ten blocks of processing the probe input. As the selectivity of the join increases, the need for permutability decreases since the DBMS must process more tuples. At 100% selectivity, PCQ betters the static plan since it vectorizes the hashing, probing, and key-equality steps. Some of the benefits of this vectorization, however, are negated by the sampling overhead incurred to support permutability.

Varying Number of Joins: We now evaluate PCQ’s performance executing a multi-step join. For this experiment, we vary the number of join operations (i.e., one to five hash joins) in the query, but keep the overall query selectivity at 10%. Although permutability is unnecessary with only a single join, we include it here for completeness. The NoisePage engine elides permutable joins in such scenarios. We execute a similar `SELECT` query as in the previous experiment, but append additional join clauses and project in all table columns.

The results in Figure 4.12 show that PCQ performs $1.15\times$ faster than the static plan even with a single join. This is because PCQ employs vectorized hash and probe routines, and benefits from LLVM’s auto-vectorization of the key-equality check function. Although the overall selectivity is




Figure 4.12: Varying Number of Joins – Execution time to perform a multi-step join while keeping the overall join selectivity at 10%.

constant, as the number of joins increase, PCQ outperforms the static plan by discovering the most selective joins and dynamically reordering them earlier in processing. Beyond two joins, PCQ outperforms the static plan even though the overall selectivity is constant. As before, this difference is due to the harmonized combination of vectorized and JIT code used in NoisePage’s join processor. PCQ is $3\times$ faster than static when performing two joins, and $2.5\times$ faster when performing greater than three joins.

4.3.5 System Comparison

Lastly, we compare NoisePage with and without PCQ against two state-of-the-art in-memory databases: Actian Vector (v5.1) and Tableau HyPer (v2019.2.18). Vector [1] is a columnar DBMS based on MonetDB/x100 [29] that uses a vectorized execution engine comprised of SIMD-optimized primitives. We modified Vector’s configuration to fully utilize system memory and CPU threads for parallel execution. HyPer [6] is a columnar DBMS that uses the LLVM to generate tuple-at-a-time query plans that are either interpreted or JIT compiled. The version of HyPer we use also supports SIMD predicate evaluation. After consulting with Tableau’s engineers, we did not modify any configuration options for HyPer.

In this section we evaluate the TPC-H and Star Schema Benchmark benchmarks. After loading the data into each system, we run their requisite statistics collection and optimization operations. We warm each DBMS by running the workload queries once before reporting the average execution time over five consecutive runs. We make a good faith effort to ensure the DBMSs execute equivalent query plans by manually inspecting them. We note, however, that the DBMSs include additional optimizations that are not present in all systems. For NoisePage, we use the query plan generated by HyPer’s optimizer.

Skewed TPC-H

We evaluate the TPC-H benchmark using Microsoft’s skewed data generator [12], using a skew of 2.0 (i.e., high-skew). We load the data into each system, warm system and DBMS caches, and take the average over five consecutive executions after dropping the first. The results are shown




Figure 4.13: System Comparison on Skewed TPC-H – Evaluation of NoisePage, HyPer, and Vector on the *skewed* TPC-H benchmark.

Query	+Filters (§4.2.1)	+Aggregations (§4.2.2)	+Joins (§4.2.3)
Q1	–	1.71	–
Q4	1.05	1.54	–
Q5	1.08	1.33	1.00
Q6	0.96	–	–
Q7	1.02	1.40	1.00
Q11	–	1.02	–
Q16	1.18	1.00	1.00
Q18	–	1.00	1.19
Q19	1.21	–	–

Table 4.1: TPC-H Speedup – The speedup achieved when incrementally applying each PCQ optimization to TPC-H queries.

Figure 4.13. We also show the effect of each optimization in Table 4.1. Each cell shows the relative speedup of enabling the associated optimization atop all previous optimizations. Numbers close to 1.0 mean the optimization had little impact, while large numbers indicate greater impact. Gray (i.e., blank) entries signify that the optimization was not applied.

Q1: This query computes five aggregates over four group-by keys in a single table. Increased skew affects the distribution among the four grouping keys. The hottest grouping key pair receives 49% of the updates when there is no skew, and 86% with significant skew. NoisePage’s PCQ aggregation optimization is triggered resulting in a $1.7\times$ improvement since the bulk of processing time is spent performing the aggregation. Although NoisePage with PCQ is $4.8\times$ faster than Vector, it is $1.2\times$ slower than HyPer. We believe this is due to HyPer’s use of fixed-point arithmetic which is faster than the floating-point math used in NoisePage.

Q4: This query computes a single aggregate over five group-by keys (triggering the PCQ aggregation optimization), and contains a permutable filter on `ORDERS`. The selectivity of the range predicate on `o_orderdate` is 0.08% with high skew. NoisePage with PCQ flips the range predicate and

applies the aggregation optimization resulting in a $2\times$ improvement over both NoisePage without PCQ and commercial systems. Table 4.1 shows that the bulk of the benefit is attributed to the optimized aggregation. Overall, NoisePage with PCQ is $1.8\times$ and $2.3\times$ faster than HyPer and Vector, respectively.

Q5: This query joins six tables, but contains only two permutable joins. The final aggregation computes one summation on two group-by keys, which triggers the PCQ aggregation optimization. This query also contains vectorizable predicates that are supported by all DBMSs. In NoisePage, the benefit of permutable filters is modest, while the optimized aggregation leads to a $1.33\times$ improvement over the baseline. The two permutable joins are never rearranged, hence there is no improvement from PCQ joins. Overall, NoisePage with PCQ is $3\times$ faster than HyPer and $5\times$ faster than Vector.

Q6: The performance of Q6 depends on the DBMS's implementation of the highly selective (0.05%) filter over LINEITEM. We note that increased skew does not affect the ordering of the LINEITEM predicate. Thus, NoisePage's PCQ permutable filter adds minor overhead resulting in 4% slowdown over the baseline. This is a direct result of resampling with a fixed probability, and can be remedied by using a more advanced sampling policy. All systems leverage SIMD filter evaluation with comparable performance.

Q7: This is a join-heavy query where HyPer chooses a bushy join plan that is $4\times$ slower than a right-deep plan. Although no tuples reach the final aggregation, PCQ flips the application order of the range predicate on `l_shipdate` resulting in a $1.2\times$ improvement.

Q11: This query also contains five joins, but none are permutable. It also contains two separate aggregations, but whose cardinalities never trigger the PCQ optimizations. Finally, it contains multiple vectorizable predicates, but all have single terms making permutation unnecessary. Thus, Q11 represents a query where none of the PCQ optimizations are tripped. We include it to show that PCQ incurs negligible overhead, and to serve as an example of where an optimizer can assist in identifying better plans in the presence of data skew. NoisePage (with an without PCQ) offers comparable performance to HyPer, and is $4\times$ faster than Vector.

Q16: This query has a right-deep join pipeline using PARTSUPP as the driver, a multi-part filter on PART and a hash aggregation. The cardinality of the aggregation exceeds the optimization threshold (i.e., five). PCQ reorders the PART filters, to run the highest rank term first (i.e., the IN-clause on `p_size`), yielding a boost of almost $1.2\times$. Next, PCQ reorders the join to use SIMD gathers due to the size of the build table, which improves performance by $1.2\times$. NoisePage with PCQ is $7.4\times$ and $3\times$ faster than HyPer and Vector, respectively. HyPer chooses a worse plan at high-skew: it decides on a left anti-join rather than a right anti-join. We believe that HyPer's performance would improve with a better plan.

Q18: Like Q16, this query also contains a right-deep join pipeline using ORDERS as the driver. Additionally, there is an aggregation, but whose cardinality exceeds the optimization's threshold.




Figure 4.14: System Comparison on the Star-Schema Benchmark – Evaluation of NoisePage, HyPer, and Vector on the Star Schema Benchmark.

Query	+Filters (§4.2.1)	+Aggregations (§4.2.2)	+Joins (§4.2.3)
Q1.1	1.00	1.00	1.00
Q1.2	1.02	1.00	1.00
Q1.3	1.06	1.00	1.00
Q2.1	0.96	1.00	1.32
Q2.2	0.99	1.00	1.56
Q2.3	1.00	1.00	1.60
Q3.1	1.00	1.00	1.20
Q3.2	1.01	1.00	1.42
Q3.3	1.03	1.00	1.69
Q3.4	1.00	1.00	0.92
Q4.1	1.03	1.00	1.19
Q4.2	1.02	1.00	1.33
Q4.3	1.02	1.00	0.98

Table 4.2: Star Schema Benchmark Speedup – The speedup achieved when incrementally applying each PCQ optimization to Star Schema Benchmark queries.

PCQ reorders the joins in order to utilize SIMD gathers on the smaller table resulting in a $1.19\times$ improvement over the baseline. Interestingly, HyPer chooses a worse query plan at high skew, using a right-semi join instead of a left semi-join, resulting in a $2.6\times$ slowdown compared to PCQ.

Star Schema Benchmark

This experiment evaluates all systems on the Star Schema Benchmark [112]. We use the default uniformly random data generator and plot the average execution time of each query over five consecutive executions after discarding the first. The overall results are shown Figure 4.14 along with the benefit breakdown in Table 4.2. The thirteen SSB queries are grouped into four categories. Each category contains structurally equivalent queries, but differ in their filtering and aggregating terms. Thus, we discuss the results by groups since the behavior of one query generalizes to all queries in the same category. Unlike the previous evaluation with TPC-H, we execute NoisePage with PCQ

using a random initial plan to demonstrate the benefit of our approach; NoisePage without PCQ uses the optimal plan generated by HyPer.

Q1.*: All queries in this category contain a single join between the smallest and largest tables in the database, and contain selective multi-part filters on both tables. Since there is a single join, PCQ joins yield no benefit. However, PCQ rearranges some of the filtering terms resulting in a minor performance benefit. HyPer performs the best, running $1.7\times$ and $3.7\times$ faster than NoisePage and Vector, respectively. This is because it performs SIMD vectorized filter evaluation on compressed data, achieving a better overall CPI.

Q2.*: These queries contain three joins and an aggregation. Although starting with a random join order, PCQ permutes joins during execution based on observed selectivities and runtime conditions resulting in a mean improvement of $\sim 1.5\times$ over the baseline. We observe a minor performance degradation when applying the PCQ filter optimization due to the overhead of exploration. Since the optimal filter order is unchanged during the query's lifetime, exploring alternate orders is unnecessary. We believe a more sophisticated adaptive policy that adjusts sampling frequency avoids this problem. Overall, NoisePage with PCQ is $1.4\times$ and $2.2\times$ faster than HyPer and Vector, which use fixed query plans.

Q3.*: Similar to Q2, these queries contain three joins and an aggregation, but swaps in one different base table. Only one query (i.e., Q3.4) triggers the PCQ aggregation optimization. As in Q2, PCQ periodically explores the join order space to discover the optimal ordering resulting in an average performance improvement of $1.3\times$ over the baseline. Since the majority of query processing time is spent performing joins, PCQ's aggregation optimization provides limited benefit. Finally, we note that PCQ joins are slower specifically in Q3.4. In this case, the DBMS periodically explores different join orderings (despite observing consistent optimal join rankings), but the overhead of this exploration outweighs the performance benefits. We believe better policy design can ameliorate this problem. Overall, NoisePage with PCQ results in an improvement of $1.3\times$ over the baseline and HyPer, and $3.2\times$ over Vector.

Q4.*: Queries in this category join all five tables in the database. In all but Q4.3, NoisePage with PCQ finds an optimal join and filtering ordering resulting in a $\sim 1.26\times$ improvement over the baseline. Q4.3 sees reduced performance for the same reason as in Q3.4: the PCQ policy forces exploration assuming the benefit is greater than the overhead. That assumption, however, is invalid in Q4.3. Although HyPer and Vector implement filters on compressed data, the bulk of processing time is spent execution joins. Hence, PCQ produces an average improvement of $1.2\times$ over the baseline, and $1.9\times$, and $3.4\times$ over HyPer, and Vector, respectively.

4.4 Conclusion

We presented PCQ, a query processing architecture that bridges the gap between JIT compilation and AQP. With PCQ, the DBMS structures generated code to utilize dynamic runtime structures with a layer of indirection that enables the DBMS to safely and atomically switch between

plans while running the query. To amortize the overhead of switching, generated code relies on batch-oriented processing. We proposed three optimizations using PCQ that improve different relational operators. For scans, we proposed an adaptive filter that efficiently discovers an optimal ordering to reduce execution times. For hash-based aggregations, we proposed a dynamic optimization that identifies and exploits skew by extracting heavy-hitter keys out of the hash table. Lastly, we proposed an optimization for left- or right-deep joins that enables the DBMS to reorder their application to maximize performance. Our evaluation showed that NoisePage with PCQ enabled delivers up to $4\times$ higher performance on a synthetic workload and up to $2\times$ higher performance on TPC-H and Star Schema Benchmark benchmark workloads.

Chapter 5

Progressive Code Generation

Chapters 3 and 4 presented techniques to improve robustness during query processing. However, like existing compilation approaches, our techniques share a key characteristic: the DBMS generates all the code necessary for a query before execution. We refer to this strategy as *one-shot* code generation. One-shot generation maximizes the compiler’s optimization capabilities since all query code is present at the same time. However, such an approach is limited in its ability to exploit features of the underlying data that a query accesses since the DBMS can only learn this information during execution after compilation has completed. For example, compressing intermediate data structures may be possible to reduce the DBMS’s memory requirements. To do this using a one-shot approach requires the query engine to either (1) generate all possible encoding and decoding schemes a priori, (2) fall back to an interpreted code path, or (3) recompiling the query from scratch. None of these options are desirable [102].

A better approach is for the DBMS to adapt generated code based on the data the query reads. But query compilation and runtime adaptivity have conflicting goals. Compilation seeks to specialize code as much as possible, while AQP strives for flexibility.

Previous proposals have sought to bridge this divide between query compilation and AQP, but are limited in their scope and applicability. Most existing approaches require the generation of *all* query code prior to execution [21, 48, 65, 102, 108, 115, 134, 145, 152]; some initially generate instrumented code and recompile based on the observed data distributions [62]; and others target use-cases such as CSV parsing [132] or filter reordering [62]. These previous techniques are insufficient to enable dynamic, low-latency HTAP workloads.

To overcome these limitations, we now present an incremental query compilation method called **Progressive Code Generation** (PCG). PCG draws inspiration from JIT-compiled dynamic language runtimes to optimize generated code for both the SQL query *and* the data it operates on. This resembles how language JITs (e.g., JVM) optimize a program at runtime based on the data that it accesses. Unlike language JITs, a PCG-enabled DBMS need not perform speculative optimization and deoptimization. Rather, the DBMS generates query code only once, but divides the query plan into fragments that are incrementally generated and executed on demand. The DBMS leverages this step-wise execution pattern to inject custom code to analyze intermediate state produced by the query. It uses this information to fine-tune the code it generates for later parts of the query

without the need for “bail-out” paths (as a conventional JIT) since it definitively knows what the data looks like.

5.1 Knowing the Future

Although there are benefits to code generation, existing techniques fail to tailor generated code to the data a query reads at runtime. This flavor of specialization has historically been the hallmark of modern JIT language runtimes. AQP attempts to bring adaptivity to the database community, but previously proposed techniques target interpretation-based DBMSs. An interpretation-based DBMS can adapt with low overhead by splicing new operators into a physical plan, or embedding multiple sub-plans that it can select dynamically based on runtime conditions. However, a compilation-based DBMS must either pay the cost of compiling new code before it can begin execution, or pre-generate alternative code paths for all possible re-optimization scenarios. Neither option is feasible as it leads to intractable compilation times [102]. These overheads prohibit the use of traditional AQP techniques in compilation-based DBMSs.

In contrast to one-shot generation (i.e., the approach used by most JIT-based DBMSs), PCG interleaves code generation and execution. Deferring code generation as late as possible allows the DBMS to learn properties about the data in earlier parts of the query that it uses to tune the code it generates for later parts of the query. Thus, PCG generates code progressively on demand.

To motivate the benefits of progressive code generation, we conduct an experiment evaluating its performance on a traditional data-warehouse query. Consider a database containing two tables, A and B, composed of six 64-bit NULL-able integer columns (col1–col6). Table A has 500k tuples and table B has 7.5m tuples. The workload contains a single query:

```
SELECT COUNT(*),SUM(A.col2),SUM(A.col3),SUM(A.col4),
       SUM(A.col2*(1-A.col3)),
       SUM(A.col2*(1-A.col3)*(1+A.col4))
FROM A JOIN B ON A.col1 = B.col1
WHERE A.col5 =  $\delta_1$  GROUP BY A.col6
```

We generate data such that the filtering constant (δ_1) is 95% selective, arranging A on the build side of the join. Although the schema declares all columns as potentially containing NULL values, the filtering term also happens to filter them all out. Lastly, we ensure that none of the aggregates can overflow a 64-bit integer. We defer a full description of our experimental setup to Section 5.4.

We measure the time the DBMS takes to execute the above query using three code generation variants: (1) Branch, (2) Flag, and (3) Bit. They differ only in how they handle arithmetic overflows when performing the aggregation. Branch relies on “checked” arithmetic instructions that, in addition to performing the operation, expose CPU flags indicating if a numeric overflow occurred:

```

1 // Perform a checked 128-bit addition.
2 bool AddWithOverflow(i128 a, i128 b, i128 *result);
3
4 i128 sum = 0;
5 for (u64 id = 0; id < batch->size(); id++) {
6     const auto a = batch->a[id];
7     if (AddWithOverflow(sum, a, &sum)) throw OverflowError();
8     // More operations ...
9 }

```

Branch generates all arithmetic using checked operations and guards against overflows by conditionally branching to code that raises an error. Most compilation-based engines use this approach. Flag implements a slightly optimized method by continuing execution despite potential overflow, collecting all flags into a single boolean flag using a logical OR. The DBMS checks the overflow flag only at the end of a batch and raises an error if required.

```

1 bool overflow = false;
2 i128 sum = 0;
3 for (u64 id = 0; id < batch->size(); id++) {
4     const auto a = batch->a[id];
5     overflow = overflow || AddWithOverflow(sum, a, &sum);
6     // More operations ...
7 }
8 if (overflow) throw OverflowError();

```

This approach amortizes the overhead of overflow checking across all tuples in a batch. Bit uses a similar approach but uses a single bit to track if any operation overflows. Bits are collected using a bit-wise OR. The difference here is that a logical OR can benefit from short-circuiting, whereas a bit-wise operation cannot. Since all table columns are declared NULL-able, all versions must include NULL checking code, but we also evaluate variants that skip these checks for completeness. Lastly, we evaluate our PCG technique that learns the value domains of columns (through a lightweight analysis) to elide NULL checking and overflow logic.

The results in Figure 5.1 show that PCG is $2\times$ faster than all other variants. The non-PCG versions *must* generate code to handle arithmetic overflows and NULL values because the DBMS cannot know otherwise at query compilation time. In contrast, PCG learns this by decoupling the generation and execution of the left and right side of the join, and injecting a lightweight analysis phase that executes in between. This analysis adds $\sim 3\%$ overhead to the execution time, but yields a non-negligible speed improvement. Hence, we contend that eschewing one-shot code generation in favor of an incremental approach offers is the better approach for compilation-based DBMS.

The goal of PCG is to enable a DBMS to dynamically tailor a query's generated code to the data it reads without (1) recompiling any part of a query, (2) discarding partial results, or (3) compiling speculative code. PCG decomposes and stages code generation in a manner that allows earlier parts of the query plan to inform and optimize the generation of later parts of the query. By deferring code generation, the DBMS learns the shape and characteristics of the data a query reads to better




Figure 5.1: Knowing the Future – Deferring code generation enables dynamically specializing instructions to data the query has actually processed.

tailor the code it generates to achieve the desired target objective (e.g., performance or memory consumption).

PCG takes inspiration from JIT-based dynamic language runtimes but differs in two novel ways. First, most JIT runtimes observe the data that a function processes at runtime to specialize only that function for the common case [56]. In contrast, a PCG-enabled DBMS observes and tracks the data a query reads in earlier parts of execution to later tune a *different* part of the query. Second, a JIT runtime must compile both an optimized code path for the case it speculates to be common and a “bail-out” path for exceptional data [155, 156]. The runtime checks all function inputs to guide control flow down the correct path. With PCG, the DBMS *guarantees* that inputs will only ever take the optimized path, thereby eliminating the need to check inputs or generate a “bail-out” path.

5.2 Overview

This section presents an overview of PCG, shown in Figure 5.2. We use the same SQL query from Section 5.1 as a running example. Although we designed the framework for NoisePage’s custom DSL-based architecture based on the LLVM, it works with any DBMS execution engine that supports query compilation.

5.2.1 Decomposition

The first step in the compilation pipeline is to decompose a physical query plan into its pipeline components. In the produce-consume code generation model, a pipeline represents a sequence of operators that pass data from child to parent without copying or materializing that data [108]. Pipelines “fuse” their operators’ logic and end in a pipeline-breaking operator (i.e., one that fully materializes all intermediate results before continuing processing).

The query in Figure 5.2 contains three pipelines. We assume (1) all joins and aggregations are hash-based and (2) that the left input to a hash join is the build side, and the right input is the probe side. Pipeline **P1** scans table A, applies a filter, and builds the hash table, $\bowtie_{A.col_1=B.col_1}$. Pipeline **P2** scans table B, probes the join hash table, and performs a grouping using the hash table $\Gamma_{A.col_6}$ while computing all necessary aggregations. Lastly, pipeline **P3** scans the final aggregated tuples and emits them to the desired output.




Figure 5.2: System Overview – An overview of the PCG query compilation and execution pipeline. The DBMS first decomposes a physical plan into pipelines to build a pipeline execution graph. Next, the DBMS schedules pipeline fragments for code generation and execution. Each fragment is compiled into a executable bytecode and run adaptively using either an interpreter or native code. In addition to computing query results, fragments collect detailed statistics that are available to subsequent fragments to tune their code.

5.2.2 Scheduling

After decomposing a physical plan into pipelines, a conventional query compiler generates and compiles all code to execute the query. Instead, PCG relies on the observation that pipelines only share state, not code. For example, both $P1$ and $P2$ require the hash table ($\bowtie_{A.col_1=B.col_1}$), but the logic in $P1$ never references $P2$, nor vice versa; this is by design. For a binary operator that materializes its left input (e.g., hash join), the build-side input tuple’s schema is different from the probe-side, requiring different code on either side. Most pipeline code fragments are independent, which means that the DBMS can compile and execute them independently¹.

Although PCG decouples the compilation of pipelines, the physical plan still imposes an execution order. Thus, the next step is to determine a valid schedule of pipeline fragments. Before constructing a schedule, the DBMS builds a *pipeline graph* based on their dependencies. A pipeline, P_i , has a directed edge to pipeline, P_j , if P_i can execute before P_j . For example, a join operator consumes its left input and builds the hash table before the right pipeline can run; thus, the left pipeline induces a directed edge to the right pipeline in the graph. After the DBMS builds the pipeline graph, it uses a topological sort to determine a valid execution order. Unconnected components in the pipeline graph represent pipelines that can run in parallel, but PCG does not currently exploit this optimization. In Figure 5.2, the order of compilation and execution is $P1$, $P2$, and $P3$. The system then inserts these fragments into a code generation queue based on their execution order.

5.2.3 Code Generation and Execution

We now describe how the DBMS interleaves code generation and execution with PCG.

Code Generation: The DBMS processes pipelines in the order they appear in the queue. For each pipeline, the DBMS generates one function encapsulating the fused logic of all operators it contains

¹Exceptions include set-based relational operator (e.g., `UNION`). NoisePage supports these by nesting their logic within a parent pipeline. In this case, the code generator extracts the nested pipeline’s logic into a separate function available across pipelines.

using the data-centric code generation model [108]. PCG extends the model by introducing pre- and post-pipeline functions that execute before a pipeline begins and after it finishes, respectively. We refer to these functions as *bracket functions* to reflect their execution order relative to their associated pipeline. Bracket functions do not implement core query logic. Instead, they can only read the materialized state their pipeline scans or produces after it completes. Some bracket functions may construct a new (reorganized) version of the state that replaces the original before the pipeline runs. At most one pair of bracket functions exist for a pipeline, and is generated only at the request of any contained operators. PCG uses bracket functions to inject custom utility code to achieve a desired query- or operator-specific objective. As we show in Section 5.3, this simple extension is sufficient to enable a wide array of optimizations.

An important post-pipeline function in PCG is the *analysis function*. An analysis function scans and inspects the intermediate state produced by a pipeline after it completes to derive properties about data the query has partially processed. Analysis functions collect information per attribute including domain bounds (i.e., min and max values), approximate distinct value counts, and NULL value counts. We limit the types of statistics we collect to these three because the DBMS can collect them with negligible runtime overhead, but PCG allows pipeline operators to generate arbitrary analysis code. Analysis metrics are collected in parallel by partitioning the materialized state across available execution threads and persisting in an in-memory data structure available throughout query processing. Analysis functions are analogous to incrementally running a lightweight ANALYZE during query processing.

Analysis functions play a critical role in the PCG framework because they supply the DBMS with fine-grained, specific, and accurate statistics about data the query has actually seen. This differs from the statistics that are available to the DBMS optimizer, which are often coarse-grained at the leaves of the query plan, and inaccurate otherwise [91]. PCG leverages these statistics to rule out certain runtime conditions and specialize code further than a conventional one-shot query compiler.

In Figure 5.2, **P1** wraps all pipeline logic in function `pipeline1()`. The DBMS also generates an analysis function, `analyze1()`, that executes after the pipeline completes. The hash join operator initiated this request to determine whether it can compress the tuples it materialized in its hash table. The results of the analysis, which are available during the generation of **P2**, indicate that the contents of the hash table are indeed amenable to compression. Thus, the join operator generates a pre-pipeline function, `compress2()`, to reorganize tuple data in the hash table to reduce memory overhead. Next, the main logic for **P2** is generated in `pipeline2()`, taking into account the new physical sizes of tuple attributes after compression. Finally, the pipeline breaker in **P2** (i.e., the hash aggregation) also requests an analysis function, `analyze2()`, to examine the tuples in its own hash table.

Compilation: The target of code generation in NoisePage is a custom domain-specific language (DSL), called TPL. TPL combines Vectorwise-style pre-compiled primitives [29] with HyPer’s data-centric code generation [108]. It contains familiar data types and imperative constructs, including variable and structure declarations, loops, conditional control-flow, and functions. TPL also provides first-class support for SQL types and the operations they support. Using TPL eases the effort required in implementing database-specific optimizations in comparison to a general-purpose lan-

guage (e.g., C/C++). TPL integrates with existing software development tooling like debuggers (e.g., gdb), enabling DBMS engineers to step through code, set breakpoints, and print variable values.

The DBMS next compiles TPL into a compact bytecode representation. This bytecode is a CISC instruction set composed of arithmetic, memory, and branching instructions, combined with more complex database-level instructions. After compilation, the DBMS can immediately begin execution of the bytecode using a bytecode interpreter. The NoisePage compilation pipeline is optimized for query latency. Compiling pipeline fragments into executable bytecode takes 10–50 μ s, and is not more than 2–3 \times slower than native code. NoisePage also supports HyPer-style adaptive execution by asynchronously compiling the bytecode into native machine code using LLVM [82]. On completion, native code is seamlessly swapped in at runtime to further improve query performance.

Execution: After the DBMS compiles the pipeline into bytecode it begins execution using an interpreter. If a pre-pipeline function is available, it is executed first to prepare the state for the pipeline. This step is almost always run in parallel by partitioning the input state across available threads. Once complete, the core pipeline logic is run to generate the next intermediate state. Finally, any post-pipeline function is executed on the output.

In Figure 5.2, the analysis function in **P1**, `analyze1()`, collects detailed statistics on each of the attributes that are materialized in the hash table during the build phase of the hash join. During code generation for **P2**, the hash aggregation operator uses this information to make two important inferences. First, it can guarantee that overflows for aggregates it computes are impossible given the size of `B` and the inputs' value domains. Second, it knows that all `NULL` values have been filtered out and do not need to be specially handled when updating its aggregates. Thus, during the generation of `pipeline2()`, it safely removes `NULL` checks and uses simple 32-bit addition (rather than “checked” addition) for the aggregation.

5.3 Adaptive Optimizations

This section presents query execution optimizations that are possible using PCG. A PCG-enabled DBMS exploits the independence between a query's pipelines by generating code, compiling, and executing them separately, not simultaneously. Such decoupling exposes well-defined boundaries where the DBMS installs bracket functions that augment query execution to improve robustness.

As mentioned in Section 5.2.3, a crucial post-pipeline bracket function is the analysis function. We, thus, begin this section with a description of how analysis functions operate. We then discuss optimizations that leverage the statistics garnered through periodic analysis to improve performance or reduce memory pressure. We describe how the DBMS organizes generated code with these optimizations and how that code executes at runtime. Where appropriate, we distinguish when pipeline code fragments are generated and when they run.

5.3.1 Analyzing State

An analysis function is generated after its associated pipelines' logic function, but only if requested by any operator within the pipeline. We use Figure 5.3 to aid in our discussion and assume that the (hash) join requested an analysis of its materialized hash table.




Figure 5.3: Analyzing State Example – This example shows the interaction of query logic and post-pipeline analysis logic. The DBMS first executes **P1** to produce some intermediate state. Next, the DBMS inspects this state using a pre-generated analysis function that is composed of custom code that calls pre-compiled primitives. This analysis then produces statistics stored that is available to later pipelines during their code generation.

Code Generation: Figure 5.3a shows an example query and Figure 5.3b shows the code the DBMS query compiler generated for the build side of the hash join. The primary pipeline logic resides in the pipeline() function on lines 3–8. It scans table A using a tuple-at-a-time loop (line 4), allocates memory from the query’s assigned hash table (line 5), and copies all the input tuples’ attributes unmodified into the allocated space (line 6 onward). The tuples are stored row-wise in main memory to maximize cache locality.

Next, a second traversal of the pipeline’s operators generates the body of the analysis function, analyze() (lines 9–14). All analysis functions accept a vector of pointers to materialized tuples and a statistics data structure. The former is a read-only batch of input rows to be analyzed, and the latter is where the results of the analysis are persisted on completion. With PCG, pipeline operators can generate arbitrary analysis code. We require metric values to be “combinable” through a commutative and associative reduction operation. This constraint exists because the DBMS may invoke an analysis function multiple times, but on disjoint chunks of materialized state. Thus, the DBMS needs to merge partial metrics to build an overall view of the state.

There is a balance between the degree of statistical detail collected during analysis and the run-time overhead. Analysis functions must be fast to execute so as not to negate any potential benefits it affords. In our example, the DBMS dispatches to pre-compiled vectorized builtins to collect the min value (line 10), the max value (line 11), and NULL count (line 12) for each attribute in the batch, storing the results into the output statistics parameter (the second argument). It is also possible

to generate fused tuple-at-a-time logic to collect these metrics. PCG is agnostic to the chosen approach; it only requires the analysis function to abide by API. As we showed earlier in Section 5.1 and will show again in Section 5.4, the DBMS can collect these metrics with minimal overhead.

Execution: The DBMS first executes the pipeline function, which constructs the hash table in Figure 5.3b. At this point, the hash table becomes immutable. The DBMS divides the hash table into fixed-size partitions and invokes the analysis function on each partition in parallel. Partition-local statistics are then collected and combined to form a global view of the hash table’s data, shown in the figure’s bottom right side. This information is persisted in an in-memory data structure accessible to all operators further in the query plan.

The DBMS takes special care when executing analysis functions. Ideally, the DBMS should skip the analysis step if it would not impact the code structure of later pipelines. We address this by first running the function on a sample of tuples. For this step, the DBMS selects $k \log n$ tuples at random, where n is the total number of tuples, and k is a configurable oversampling factor. The DBMS invokes the analysis function on the sample, and only if this smaller analysis shows promise does it proceed with a full analysis.

5.3.2 Compressing State

Many relational operators rely on in-memory data structures in their implementation. Hash joins and hash aggregations use hash tables. Order-by operators use large sequential buffers to store tuple data before sorting them. In complex OLAP workloads, these structures are often large and easily exceed even the newest CPUs’ cache capacity. Moreover, some query plans require these intermediate structures to exist for their entire lifetime, contributing to peak memory usage. Therefore, it is desirable to minimize each operator’s memory footprint to maximize the likelihood that requisite data fits in the CPU’s cache and making queries better “citizens” by using resources more frugally.

We now describe an approach to reduce the memory space of ephemeral data structures produced during query processing (e.g., hash tables or buffers) by applying a lightweight compression. It is agnostic to the encoding of the underlying data, and relies solely on runtime analysis. The technique is applicable to any relational operator with only minor differences per operator on when the DBMS applies the compression. For instance, the DBMS compresses data for order-by operations *before* sorting the tuples, which requires the tuple comparison function to operate on compressed tuples. We use the same example query and resulting analysis in Figure 5.3, but now describe how PCG uses the discovered statistics to compress the hash table and alter the probe side of the hash join.

Analysis: PCG supports any compression technique, but in this work, the DBMS applies frame-of-reference (FOR) encoding on tuple attributes [59]. FOR encoding requires knowing only the minimum and maximum (i.e., the range) of all input values. For instance, if the range of values for an attribute is $R = [v_{min}, v_{max}]$, a FOR encoding requires $B = \lceil \log_2(v_{max} - v_{min}) \rceil$ bits to represent any value $v \in R$. Operators obtain this information by leveraging analysis functions (see




Figure 5.4: Compressing State – The hash join operator uses the results of the analysis in (a) to generate the compression function and adjust the probing logic to account for the packed layout in (c).

Section 5.3.1). The DBMS then encodes each attribute separately and greedily bit-packs all attributes into as few machine words as possible to minimize space.

The achievable compression depends on the range of values in each attribute. Although techniques exist to optimize FOR compression, they often incur overheads that preclude their use during query processing [19, 44, 161]. Analysis adds overhead because it complicates the compression process and subsequent data access methods. To strike a balance between compression ratio and performance, PCG supports compressing a subset of a tuple’s attributes.

The results of the analysis in Figure 5.4a indicate that the DBMS can shrink all four columns’ values from their original 16-byte size into just three bytes, $5\times$ reduction; col1 and col2 require $\lceil \log_2 4 \rceil = 2$ and $\lceil \log_2 44 \rceil = 6$ bits, respectively. Likewise, col3 and col4 require one byte each. The resulting bit-packed tuple layout is depicted in Figure 5.4b. Although PCG uses its analysis to collect statistics that guide compression, the DBMS may still decide to not compress the data. Since our

example demonstrates a high compression factor, the hash join registers a pre-pipeline compression function during the second pipeline's generation.

Code Generation: Figure 5.4c shows the code for the second probe pipeline. First, the DBMS generates the compression function on lines 3–8. It relies on two data structures (`Row`, `ComprRow`) that represent the original and compressed tuple layouts, respectively. The function iterates over each tuple (line 4) and writes a bit-packed version to the output tuple (line 5–6). In the example, the DBMS blends the first two columns, placing `col1` in the higher two bits of the first byte, and `col2` in the lower six bits. It also uses the min value in each attribute's domain range as the zero value. Although our example generates tuple-at-a-time code, PCG allows operators to invoke any code including dispatching into pre-compiled SIMD-optimized vectorized primitives, or mixing both techniques. The input batches are 1–4k in size to ensure cache-resident processing.

Next, the DBMS generates the core logic for the second pipeline on lines 9–15. It begins by scanning table B using a tuple-at-a-time loop (line 10) and then hashing the join key column, `col1`, on line 11. The DBMS then probes the join hash table on line 12 using the computed hash value, which returns a pointer to a compressed row. This is the first instance where the existence of compression has altered the logic in the pipeline. Next, the DBMS encodes the probe key to validate equality to the build key on line 13 to resolve hash collisions. The DBMS masks off a portion of the retrieved build key because it contains non-key data. We compress the probe key to minimize the number of accesses cache lines. This is useful when dealing with multi-component keys that may span cache lines.

Execution: Recall from Section 5.2.3 that the DBMS executes pre-pipeline functions before the core pipeline logic. Also, recall from Section 5.3.1 that any intermediate state is immutable after the pipeline that produced it finishes running. To perform the compression, the hash join operator allocates a new perfectly sized hash table to store the compressed tuples. It then divides the original and new hash table into disjoint partitions and invokes the compression function on each in parallel. In this way, the DBMS executes custom compression code using multiple execution threads. When compression completes, the DBMS runs the pipeline function to evaluate the probe side of the join. All probe tuples that find one or more join matches are emitted. The existence of compression has required the key equality logic to change slightly; the DBMS must mask off non-key bits, and encodes the probe key into the domain of the (potentially) FOR-compressed build data.

5.3.3 Eliding Overflow Checks

We next present an optimization to skip arithmetic overflow handling normally required when dealing with SQL math. To aid in our discussion, we use the following query:

```
SELECT B.col2, COUNT(*), SUM(A.col2)
FROM A INNER JOIN B ON A.col1 = B.col1
GROUP BY B.col2
```

We first describe how the DBMS identifies if it can apply the optimization, and then its code generation and runtime behavior.

Analysis: If an input query contains an aggregation, the DBMS installs analysis functions at points in the query plan that materialize any attribute the aggregation requires. Such periodic analysis enables the DBMS to build a more accurate and finer-grained view of the data a query is processing compared to what the DBMS optimizer has at optimization time. To simplify our discussion, we use the statistics in the example in Figure 5.3b. Recall that the schema for tables A and B declare all columns as 64-bit signed integers. The results from the analysis indicate that the range of values for A.col2 is $[0, 44]$, which is representable using fewer than 64 bits. The DBMS also infers that the max value of the summation aggregate (i.e., $\text{SUM}(A.\text{col2})$) is $n_B \times 44$ when the cardinality is one and where table B has n_B tuples. Thus, it requires an integer data type with at least $\lceil \log_2(n_B \times 44) \rceil$ bits, and safely elides generating any overflow handling logic. Similarly, the max value of the count-star aggregate is n_B , requiring at least $\lceil \log_2 n_B \rceil$ bits.

The analysis above assumed a foreign-key join, a common occurrence in warehouse workloads. If the query involves a generic join, then the DBMS employs more conservative analysis. In this case, the worst-case max value of the summation aggregate is $n_{HT} \times n_B \times 44$, where n_{HT} is the number of tuples (size) in the hash table. The revised max value may require a larger underlying data type for the aggregate. This information is still available to the DBMS before it generates the aggregation logic, enabling it to make a strictly more accurate decision compared to a one-shot code generation DBMS.

Code Generation: A conventional query compiler will blindly implement the behavior dictated by the operator chosen by the DBMS optimizer. Focusing on the aggregation in the second pipeline, the code generator would assemble code that resembles:

```

1 // The structure holding one group's aggregate information.
2 // Both elements must be 128-bit integers.
3 struct Aggregates { var count, sum_col2 : i128 }
4
5 fun pipeline2(state: *State) {
6   var ht: *AggregationHashTable = &state.ht // 'ht' stores the aggregates.
7   for (t in B) { // The table scan.
8     var agg: Aggregates = @lookup(ht, t.col2) // Initial lookup.
9     if (agg == nil) agg = @allocate(ht, t.col2) // Did we find a group?
10    if (@addOverflow(agg.count, 1, &agg.count) or
11        @addOverflow(agg.sum_col2, t.col2, &agg.sum_col2))
12        @overflowError();
13  } }

```

`Aggregates` is the structure capturing information for one group. It relies on two 128-bit integer types for the total count and summation aggregates. The core pipeline logic, `pipeline2()` listed on lines 5–13, accepts a `state` argument (not shown for brevity) containing all state required for the entire query. The pipeline begins with a sequential scan of table B on lines 7–13, then a standard grouping aggregation on lines 8–12. Our interest here are the “checked” additions on lines 10–12 that ensure the DBMS recognizes if an overflow occurs and throws an error.

In contrast, based on the results of the analysis, a PCG-enabled DBMS can instead use a $B = \lceil \log_2(7.5 \times 10^6 \times 44) \rceil = 32$ -bit integer values for the count and summation aggregates and skip the overflow handling logic altogether:

```

1 // The structure holding one group's aggregate information.
2 struct Aggregates { var count, sum_col2 : i32 }
3 fun pipeline2(state: *State) {
4   var ht: *AggregationHashTable = &state.ht      // 'ht' stores the aggregates.
5   for (t in B) {                                  // The table scan.
6     var agg: Aggregates = @lookup(ht, t.col2)    // Initial lookup.
7     if (agg == nil) agg = @allocate(ht, t.col2) // Did we find a group?
8     aggr.count++                                  // Simple native addition.
9     aggr.sum_col2 += t.col2
10  } }

```

Thus, the generated aggregation on lines 8–9 use a smaller 32-bit integer without any explicit overflow guard. The optimization is guaranteed to be safe based on the statistics gleaned during the analysis. The resulting code is (1) quicker to compile because it contains fewer instructions, (2) faster to execute, and (3) requires $4\times$ less storage space for all aggregates by using small data types.

5.3.4 Eliding NULL Checks

Existing DBMSs handle NULL values in different ways. One approach is to dedicate a special value for it from the domain of the type it represents. For example, the NULL value for a SMALLINT (i.e., 16-bit signed integer) attribute is the max value in that domain ($2^{15} - 1$). Another approach is to attach each SQL value with a boolean (bit) flag indicating whether it is NULL. NoisePage uses the NULL-indication flag method for tuple-at-a-time processing.

When using NULL-indicators, SQL operations must explicitly check if their inputs are NULL. For instance, to perform the addition of two NULL-able INTEGER (i.e., 32-bit signed integers) values, a and b , a conventional query compiler would generate:

```

1 var a, b, ret: i32 = ...           // Raw values.
2 var a_null, b_null, ret_null: bool = ... // NULL flags.
3 if (a_null or b_null) {
4   ret_null = true      // Skip addition & set flag.
5 } else {
6   ret_null = false    // Set flag.
7   ret = a + b        // Native addition.
8 }

```

The “simple” addition is guarded by a conditional branch to ensure neither input is NULL on line 3, and performed on line 4 otherwise. PCG enables the DBMS to elide these checks if the data the query reads does not have NULL values despite the schema declaring them otherwise. It does this in a manner similar to overflow checking in the previous section: it relies on strategically placing analysis functions at materialization points in the query plan. During analysis, in addition to other




Figure 5.5: Specializing Join Probing Logic – If the DBMS detects join key skew, it samples the input to collect a representative set of “hot” keys, probes the hash table once before generating the probe logic, then generates explicit checks for each key, embedding the address of the result if successful.

metrics collected for materialized attributes, the DBMS also tracks NULL counts with the goal of detecting when these checks can be safely removed. If analysis concludes that NULL values do not exist in the input, the generation of subsequent pipelines that operate on these attributes can skip NULL handling code (i.e., lines 3-4 in the previous example) to save on compilation time and improve query performance.

5.3.5 Value Specialization

Lastly, we discuss an adaptive technique that exploits data skew to optimize hash join performance. Using the example SQL query in Figure 5.3a, we describe how the collected statistics are used to customize the probing logic in the second pipeline.

Analysis: The aim of this optimization is to recognize skew in join keys, extract the N “hottest” keys (where N is configurable), and inline logic for them in the generated code for the probe side of the join. The intuition behind this approach is that skew on the build side translates to skew on the probe side. As this assumption is not always valid, the DBMS selectively enables this optimization based on the joined tables. In this work, we enable it for anti- or semi-joins because the overhead is negligible in these cases.

NoisePage identifies skew using either a histogram- or approximation-based approach. In the former case, the join operator generates analysis code constructing a histogram of the join keys. In the latter case, it uses a HyperLogLog (HLL) estimator to acquire an approximation of the number of distinct keys [53]. Then, if n_{HT} is the total number of tuples in the hash table, and n_D is the (approximate) count of distinct keys, the DBMS applies the optimization if $\frac{n_{HT}}{n_D} > T$, where T is a configurable parameter.

If the DBMS chooses to apply the optimization, the next step is to select the set of N keys, $K = \{k_1, k_2, \dots, k_N\}$, to extract and inline into the next pipeline’s code. If a histogram is used, the first N keys are selected. If an approximate count is used, the DBMS samples N random keys without repetition from the input.

Code Generation: Figure 5.5 shows an example where the DBMS samples three build keys and modifies the generated probing code. The second pipeline’s code is contained in the function `pipeline2()` (lines 1–10). It begins with a sequential tuple-at-a-time scan of table B (line 2) and contains the modified probing logic. On lines 4–6, the hash join operator explicitly generates a comparison of the current probe key against each key from the set K . If the hash table was previously compressed, the check is modified to encode the probe key and mask the build key appropriately. If any of the specialized key comparisons are successful, the matching tuple’s address is written to `row` which stores the current tuple’s join partner. The hash join operator computes these memory addresses by performing the lookup of all keys in K *before* generating code. Thus, for the “hot” set of keys, the probe is only performed once at query compilation time rather than query runtime. Finally, a generic hash table lookup is generated on line 7 to handle the fallback case, and a tuple is output on line 8 if the probe is valid.

5.4 Evaluation

To evaluate our method, we implemented our PCG framework and execution engine in the NoisePage DBMS [9]. NoisePage is a PostgreSQL-compatible HTAP DBMS that uses HyPer-style MVCC [110] over the Apache Arrow in-memory columnar data [93]. It uses LLVM (v11) to JIT compile our bytecode into machine code.

Our benchmark machine contains two 20-core Intel Xeon Gold 5218R CPUs clocked at 2.1GHz and 192 GB of DRAM. The CPU is $2\times$ hyper-threaded, supports AVX512 SIMD, and contains ten line-fill buffer (LFB) slots supporting at most one outstanding memory prefetch request. For all experiments, we ensure that the DBMS loads the entire database into the same NUMA region using `numactl`. We implemented our microbenchmarks using the Google Benchmark [5] library which runs each experiment a sufficient number of iterations to acquire statistically stable execution times.

We begin with a description of the workloads we use in our evaluation. We then evaluate PCG’s ability to improve query performance in comparison to conventional one-shot query compilers.

Microbenchmark: We created a synthetic benchmark to isolate and measure aspects of the DBMS’s runtime behavior. The database contains two tables (A and B) that contain 16×64 -bit signed integer columns (`col1–col16`). Each table contains 16m tuples and occupies ~ 3.8 GB of memory. Each experiment that uses this benchmark states how it varies the distributions and correlations of the database’s columns’ values to highlight a specific component.

TPC-H: This is a popular decision support system (DSS) workload that simulates an OLAP environment [146]. It contains eight tables in 3NF schema. We use a scale factor of 10 (~ 10 GB).

5.4.1 State Compression

We begin with evaluating PCG’s ability to compress intermediate state. We explore compression in the context of hash joins and order-by queries. For each case, we isolate and investigate a different aspect of compression (e.g., tuple size, compression ratio etc.) by adjusting the workload query we use and the data we generate.




Figure 5.6: Compression with Varying Tuple Size – A breakdown of the time to perform a hash join with and without PCG compression when varying the number of non-key attributes in the build-side tuple.

Performance with Varying Payload Size: The first experiment evaluates the performance of NoisePage’s hash join as we vary the payload size (i.e., non-key attributes) of the tuples it stores in the join’s hash table. The workload consists of a single query:

```
SELECT A.col1, A.col2, ..., A.colk
FROM A INNER JOIN B ON A.col1 = B.col1
```

The query plan arranges tables A and B on the build- and probe-side of the join, respectively. Since there is no filter, the DBMS materializes all tuples from A in the hash table. We populate the columns A.col1 and B.col1 to simulate a foreign-key join with 100% join selectivity; every tuple in table A joins with exactly one tuple in B, but the keys have a random ordering in both tables. We also generate the data for all materialized attributes from table A to achieve a compression factor of $8\times$. We investigate the effect of compression ratio in a later experiment.

We execute this query with and without PCG’s compression, and vary the number of payload attributes from 1–16 to reflect realistic data warehouse queries. Disabling PCG represents how existing JIT compilation-based DBMSs execute this query without compression.

The results in Figure 5.6 show that when the size of the build-side tuple is small, PCG offers a small 1–2% performance improvement over the non-PCG version, but consumes $8\times$ less overall memory because it compresses the hash table. The time that the DBMS spends in both the analysis and compression phases increases with the size of the tuple. This is because wider tuples require collecting more statistics (for analysis) and copying more data (for compression). However, the phases scale at different rates; the overhead of analysis expands by $3\times$ from one to 16 attributes, contributing at most a 3% overhead. Compression time increases by almost $25\times$ and accounts for $\sim 14\%$ of the overall time when the tuple contains 16 non-key attributes. For wide tuples, PCG compression is feasible to reduce intermediate data sizes with a modest overhead. We leave this decision to the DBMS based on runtime operating conditions.




Figure 5.7: Compression with Increasing Tuple Counts – Measuring hash join performance with PCG compression when varying the size of the materialized hash table but with a fixed compression factor and tuple size.

Performance with Varying Table Sizes: We next analyze the performance of NoisePage’s hash joins as we vary the size of the intermediate state. We evaluate the following workload query:

```
SELECT A.col1, A.col2, A.col3, B.col1
FROM A JOIN B ON A.col1 = B.col1
WHERE A.col1 =  $\delta$ 
```

As before, table A is on the build side of the join and the DBMS populates all columns but only materialize three columns from table A. We adjust the value of the filtering term, δ , to achieve the desired selectivity to control the size of the hash table materialized in the join. Thus, this experiment fixes the compression ratio and tuple size, but varies the compressed intermediate state size.

The results in Figure 5.7a show that enabling compression when the hash table contains fewer than 1m tuples adds up to a $2.5\times$ overhead. In this range, the constructed hash table fits in the CPU’s cache. Thus, compression imposes unnecessary work to analyze, compress, and copy tuples into a new hash table that is also cache-resident. NoisePage performs hash joins in a two-phase manner where it can recognize if this situation arises and skips performing compression altogether (see Chapter 4). But we include the results here for the purpose of exposition.

In Figure 5.7b, we see that when the hash table size exceeds the CPU’s cache (i.e., more than 1m tuples), the compression overhead falls to 10% over the baseline. This is because the DBMS’s execution time is dominated by cache misses while probing the hash table. Compressing the hash table may not guarantee that it fits in CPU cache, but it increases the percentage of tuples that do fit. In this experiment, compression fits $8\times$ more tuples, but still falls out of cache when there are more than 2m tuples. In addition to requiring less memory, compression is beneficial in the presence of




Figure 5.8: Compression with Varying Compression Factors – Measuring hash join performance with PCG compression when varying compression factor but with fixed tuple and hash table sizes.

skew since it increases the likelihood that the most frequently accessed (compressed) tuples fit in cache.

Impact of Compression Factor: We next examine the impact of the compression ratio on hash join performance. We perform a join on tables A and B as before, but we (1) fix the schema of the build tuple to one key and two payload attributes, and (2) fix the size of the materialized hash table to 2m tuples. We populate all key and payload attributes in table A to achieve a specific compression ratio, and measure the join with and without PCG compression. Although NoisePage skips compression if its analysis concludes it to be unnecessary, we include the results here for completeness.

Figure 5.8 shows that PCG compression adds up to a 10% overhead over the baseline to achieve a $2\times$ memory reduction. This is because although the hash table occupies less memory after compression, its total size still exceeds the CPU’s cache capacity. Thus, probing the hash table still incurs costly cache misses that dominates overall execution time. We use randomly generated keys (rather than skewed keys) to highlight this effect. However, as the compression ratio increases, the overhead of performing compression is outweighed by the improvement in join’s probe phase. At an $8\times$ ratio, the compressed hash table is 48 MB and fits in the CPU cache; this improves the probe phase by $\sim 20\%$. In this experiment, the DBMS implemented the probe pipeline using a fused tuple-at-a-time approach. The DBMS could optimize the probe phase by recognizing the cache residency of the hash table in the first pipeline to generate a hybrid vectorized approach with pre-fetching [101].

We also observe that the time that the DBMS spends for compression and analysis is unaffected by this ratio. This is because the total data set size is constant across each configuration. The DBMS collects the same statistics during its analysis for all three attributes in the hash table, and executes the same number of instructions during compression. The analysis phase contributes $\sim 1\%$ of the runtime and uses vectorized primitives. In contrast, compression is a consistent $\sim 5\%$ overhead and uses fused loops.

Multi-Component Join Keys: Recall from Section 5.3.2 that when probing a compressed hash table, the DBMS encodes the probe key(s) first. We now investigate the impact of this design choice




Figure 5.9: Multi-Component Join Keys – Breakdown of time to perform a hash join with a varying number of keys components. The analysis phase is plotted, but not visible.

using the same join query as earlier, but vary the number of join keys between 1–8. We populate the columns `col1–col8` in tables A and B to simulate a 100% selective foreign-key join. We also control data generation for table A to achieve an $8\times$ compression ratio, reducing key size from 64-bits to 8-bits. The DBMS materializes all tuples in A into the join’s hash table.

The results in Figure 5.9 show that PCG adds a 6–8% overhead over the baseline despite reducing total space by $8\times$. Across all configurations, the build and probe times of both versions are within 1% of each other. Thus, encoding probe keys using the FOR compression scheme adds only a modest overhead. Both versions also issue the same number of random memory accesses when performing the initial lookup into the hash table. In the baseline, the uncompressed tuple has at most eight 8-byte keys, which fills one cache line. In the PCG version, the compressed tuple requires at most only one byte (eight 1-byte keys), but still incurs a full cache-line retrieval due to the machine architecture’s granularity of memory access.

We attribute all the observed overhead to the analysis and compression phases. The analysis phase is never more than $\sim 2\%$ of the total runtime, but it does rise by $2\times$ with increased key complexity. This is because analysis relies on vectorized primitives to reduce instruction counts and maximize cycles-per-instruction. In contrast, the compression phase accounts for 14–16% overhead and increases by $3.8\times$ from one to eight keys because it not only compresses the source data, but also copies that data into a new memory space.

Multi-Component Sort Keys: NoisePage with PCG compression executes order-by queries by first materializing tuple data into a buffer and then analyzes them to determine their suitability for compression. The DBMS then generates a compression-aware tuple comparison function for the sort algorithm. The resulting scan over the sorted tuples processes them in their compressed form. To investigate the impact of compression when sorting data, we evaluate the following workload query that scans table A, projects a varying number of columns, and sorts on these columns:




Figure 5.10: Compression During Sort – Breakdown of sorting time when using a multi-component key. The analysis phase is plotted, but not visible.

```

SELECT A.col1, A.col2, ..., A.colk
FROM A
ORDER BY A.col1, A.col2, ..., A.colk

```

We populate the columns in *A* with random data that guarantees a $4\times$ compression ratio. We measure the query’s execution time and provide a breakdown of its phases.

Figure 5.10 shows that compressing input tuples before sorting yields a $\sim 30\%$ performance improvement over the baseline for simple keys. However, the gap closes with increasing key complexity. With eight key attributes, PCG offers a modest 4% improvement. In all cases, PCG reduces the order-by operator’s memory consumption by $4\times$ and never degrades performance. As in previous experiments, we also observe that analysis adds a constant (negligible) overhead of $\sim 1\%$. We attribute this to the use of parallel execution and vectorized primitives. The time taken in the compression phase increases with key complexity growing from 4% to 7% with one to eight attributes, respectively. This is because the DBMS has to read and write more data as the number of attributes in the key grows.

5.4.2 Overflow Checking

We now examine aggregations in NoisePage when employing PCG to learn when to elide arithmetic overflow checking. For this experiment, we use the same query as in Section 5.1, but we vary the total number of computed aggregates. As before, the filtering term is fixed at 95%. The DBMS generates the probe pipeline after analyzing and compressing the join’s hash table, and uses a standard fused tuple-at-a-time loop. We include analysis time when the DBMS uses PCG. With PCG, the DBMS uses a smaller 32-bit signed integer type, and elides overflow and null checks in the probe pipeline. The non-PCG versions use 128-bit signed integers for the aggregates.

The results in Figure 5.11 show that PCG-optimized aggregation performs $2.5\times$ over the baselines. Recall that Branch represents how existing one-shot compilation-based DBMSs generate the aggregation logic. Branch is slower because it executes more branching instructions (i.e., the overflow guards) and uses slower 128-bit arithmetic. Flag converts the control dependency from the




Figure 5.11: Overflow Checking – Performance measurements during aggregation when varying the number of aggregates in the query.

conditional branch into a data dependency, resulting in a $\sim 13\%$ improvement over Branch. However, it too still requires 128-bit operations. Bit-Flag resembles Flag, but replaces boolean logic data dependencies into bit-wise operations resulting in poorer performance. Bit-Flag is 15–20% slower than the other non-PCG variants because it always executes both sides of the operation regardless if an overflow occurred; thus it cannot benefit from short-circuit evaluation.

5.4.3 Join Key Specialization

We next evaluate PCG’s ability to exploit data skew in hash joins. As described in Section 5.3.5, NoisePage executes hash joins by injecting an analysis phase between the execution of the first (build) pipeline and the generation of the second (probe) pipeline. Analysis enables the DBMS to identify if skew exists and directly embed explicit key checks in the probe pipeline. It does this by performing the lookup at query compilation time once rather than at query runtime.

To examine this optimization’s impact on join performance, we evaluate the same query as in Figure 5.3a. We populate the joining columns `A.col1` and `B.col1` according to a Zipfian distribution and vary the skew factor. We also vary the number of keys we embed (N) to explore when the optimization is most suitable. A configuration $N=n$ embeds n keys in n branches into the probe pipeline. The baseline is to embed no keys (Disabled); this represents how existing compilation-based DBMSs execute the query. We measure both the execution time and the fraction of hash table probes that hit one of the special cases generated in the PCG versions.

Figure 5.12a shows that all PCG versions perform worse than the baseline when there is low (to no) skew in the join keys. For example, embedding only one join key ($N=1$) adds 8% overhead. This is because PCG introduces many untaken branches that, although predicted correctly, still execute more instructions than the baseline. Figure 5.12b shows that some of the PCG variants gradually outperform the baseline as skew increases. The performance of the optimized versions plateaus as the DBMS approaches the absolute min number of executed instructions to implement the join. $N=16$ executes half the number of instructions as Disabled, and is more than $2.5\times$ faster.

We also observe that not all PCG variants perform better than the baseline at higher skews and those that do occur at different skews. $N=1$ never better than Disabled, but $N=2$, $N=4$, $N=8$, and $N=16$ outperform the baseline at skews 2.2, 1.8, 1.6, and 1.4, respectively. These transfer points correspond




Figure 5.12: Varying Join Key Skew – Performance of PCG’s join key specialization when increasing skew in the join keys. (a) and (b) plot the total execution time when the skew is low and high, respectively; (c) shows the percentage of hash table probes that hit a heavy-hitter branch.




Figure 5.13: TPC-H Performance – Evaluation of a selection of TPC-H queries with and without memory compression enabled using PCG. (a) and (b) show the query performance and memory reduction ratio, respectively.

to points in Figure 5.12c where more than 75% of the hash table probes hit one of the special case branches. When the branches are taken less frequently, the CPU cannot correctly predict their outcome, leading to costly mispredictions. For instance, $N=1$ is $1.5\times$ slower than Disabled at skew 2.4, but incurs $25\times$ more branch mispredictions. CPU architectures employ different branch prediction techniques, making N machine-dependent. Although the threshold depends on the machine the DBMS is running on, it does not change over its lifetime. The DBMS can derive this bias threshold value on startup using microbenchmarks.

5.4.4 TPC-H

Lastly, we evaluate NoisePage with and without PCG on the TPC-H benchmark. We load a scale factor 10 (~ 10 GB) data set and first warm the system caches by running all queries three times. We then evaluate all queries and report the average over five consecutive executions. We also report the reduction in each query’s total memory footprint when applying PCG compared to when it is disabled.

The first observation of the results in Figure 5.13 is that the DBMS’s performance with PCG is never worse than the baseline. Unlike the previous experiments, we allow the DBMS to bypass compression if it deems it unbeneficial. Since PCG’s analysis captures perfect information, the decision

on whether to apply an optimization is always correct. For example, Q1 uses a hash table to store aggregates, but the DBMS does not compress it because it uses four group-by keys and already fits in CPU cache. In contrast, Q5 is $\sim 25\%$ faster with PCG because it uses smaller data types in its five hash tables. Similarly, Q18 is 10% faster with PCG for the same reason.

Our second observation is that not all queries benefit from compression, but PCG is able to achieve up to a $4\times$ reduction in total memory for some queries. As mentioned, Q1's hash table and sort buffers fit in cache and, thus, do not benefit from compression. As a counter point, all five hash joins' hash tables in Q1 are compressed; but, the aggregation and sorting buffers are untouched because they are cache-resident.

PCG's compression is not meant to always improve performance. Still, we emphasize that it can also reduce memory consumption through its lightweight analysis and custom code generation. In general, we observe that the hash table data structure often consumes the largest amount of memory in a query. Thus, we expect greater benefit from PCG compression with increasing data sizes and query complexity.

5.5 Related Work

Compression: Westmann et al. explore integrating lightweight compression holistically throughout all database components, and evaluate its impact on query performance in a row-store DBMS [153]. The authors show that using lightweight compression methods like FOR [59] or null suppression [130] for integers, and dictionary compression [130] for strings, yields up to a 55% reduction in query response times. Abadi et al. present an evaluation on compression in column-stores DBMSs [13]. The authors integrate five compressed schemes into a DBMS by abstracting access to base and intermediate column data behind an API. This API hides how a column is formatted and instead exposes properties about the underlying data (e.g., sortedness) that compression-unaware operators exploit. However, both these works focus compression only on storing and processing base table data.

Chen et al. are one of the first to compress intermediate results for disk-centric row-stores [39]. They introduce transient decompression wherein operators incapable of processing compressed data temporarily decompress their inputs and retain the original input as well. The DBMS then processes the data, and then recompresses and combines the output with the original compressed input data. Thus, subsequent operators still benefit from compression.

MorphStore [43] presents the design of a column-store query engine that implements continuous compression for both base table data and all intermediates. Built atop MonetDB [30], MorphStore operators consume compressed inputs and produce compressed output in potentially different formats. Operators rely on a library of SIMD-optimized vectorized wrappers to *morph* data in one scheme into different scheme without decompressing. Instead, wrappers deliver small vector register-resident chunks of data to operators. The engine also dynamically selects a suitable compression format for an operator's output based on its characteristics. PCG only compresses data at pipeline boundaries rather than after each operator.

Gubner et al. describe an approach to compress intermediate hash tables using domain-guided prefix suppression [64]. Before execution, the DBMS determines a suitable encoding of the attributes materialized in a hash table by inferring their domain bounds and truncating unused prefix bits. During execution, the DBMS dispatches to pre-compiled vectorized primitives to encode and

decode tuple data when writing to and reading from the hash table. PCG supports any compression technique, determines suitability for compression dynamically at runtime, and relies on generating custom TPL compression code.

5.6 Conclusion

We presented PCG, a framework that interleaves code generation and query execution. With PCG, the DBMS decomposes queries into smaller pipelines compiled and executed independently. In this manner, PCG enables the DBMS to hyper-optimize code to both the input query and the data the query reads but do so safely without the need for a fallback path. It does this by strategically injecting custom utility code between pipelines to observe data and uses this data to specialize how later parts of the query are generated. We present four optimizations built on top of PCG that target performance and memory reduction through compression. Our evaluation shows that PCG incurs a modest (tunable) overhead but can achieve up to a $4\times$ decrease in memory and $2\times$ boost in performance in both synthetic and TPC-H benchmarks.

Chapter 6

Related Work

The techniques developed in this dissertation span several areas of research: (1) query compilation, (2) adaptive query processing, and (3) dynamic compiler optimizations outside the database community. This chapter highlights the projects, systems, and techniques from these areas that are most relevant.

6.1 Query Compilation

A primitive form of code generation was developed for IBM System R in 1970s [34]. System R directly compiled SQL statements into assembly code by selecting pre-defined code templates for each operator. Query compilation is performed for both both OLTP-style queries and ad-hoc queries. The authors later remarked that though compiling repetitive queries had obvious benefits by avoiding the cost of parsing and optimization, the benefits of compiling ad-hoc queries were less clear. Interestingly, they conclude that the generated code was often more efficient than its interpreted counterpart and thus additional latency due to code generation was worth it. Ultimately, IBM abandoned this approach in the early 1980s because of the high cost of external function calls, poor portability across operating systems, and software engineering complications.

Query compilation was not considered in any major DBMS in the 1980s and 1990s (with a few minor exceptions). Instead, it was supplanted by the Volcano query processing model [60]. More recently, query compilation has been used in modern in-memory DBMSs. One of the first systems to revive the technique was Microsoft’s Hekaton [55], an in-memory OLTP storage manager for the SQL Server DBMS. Hekaton compiles queries by transforming a conventional query plan into a single C-code function that implements a Volcano-style iterator. This function contains the logic of all the operators, and the data-flow path is woven through the operators using goto statements. Since the advent of Hekaton, there have been several systems developed that also use query compilation.

Cloudera’s Impala [83] is a distributed OLAP DBMS with a mixed C++/LLVM vectorized execution engine. Impala uses LLVM to compile query-specific versions of frequently executed functions, including functions to parse tuples, compute tuple hashes, and evaluate predicates. These specialized functions take advantage of type information to avoid conditional branches and omit function calls. During query execution, these specialized functions are JIT compiled and replace interpreted versions. Impala also compiles and inlines UDFs into the query’s execution plan.

HyPer [77] pioneered the data-centric (push-based) query execution model [108]. HyPer translates a given query plan into LLVM IR, but relies on precompiled C++ code for the more complex query-agnostic database logic. The push-based engine fuses together all operators in a pipeline, obviating the need to materialize data between operators, instead allowing them to access tuple attributes directly in CPU registers. This produces compact loops that improve code locality and overall execution time.

Umbra [109] (the successor to HyPer) is an HTAP DBMS that also uses data-centric code generation. Umbra translates query plans into a custom IR optimized for low-latency query execution rather than using LLVM [79]. The authors note that LLVM is a general-purpose IR and emphasizes common interaction patterns such as instruction reordering, replacement, and deletion. A DBMS query processor does not use these IR features but has to pay the overhead nonetheless. Instead, Umbra's IR is faster to generate and execute, despite resembling LLVM. Umbra either interprets their IR or compiles it directly to x86 assembly.

JAMDB [126] from IBM presented a relational, in-memory, Java-based database prototype that compiled query plans into Java classes that are JIT by the JVM. They implemented compilation of all relational operators and expressions required to support the TPC-H benchmark and compared against an interpreted engine. Interestingly, the JAMDB query compiler structures generated code in a manner that strikingly resembles the data-centric model from [108], but do not provide a transparent model or API for how they achieve this.

SingleStore [8] (previously MemSQL) underwent two incarnations of their code generation query engine. Their first version used a template-driven approach to generate C++ code that was compiled to machine code by forking a GCC process. Due to long compilation latencies, they rewrote the engine to translate query plans into a DSL called the MemSQL Programming Language (MPL), which is compiled into a custom bytecode. The DBMS either interprets this bytecode or compiles it into native code using LLVM. Both versions of the engine perform one-shot code generation without any adaptive techniques. Query parameters are stripped out from queries to avoid recompilation when the query runs with new input values.

LegoBase [80] uses generative-programming (i.e., staging) to partially evaluate a Volcano-style interpretation engine and produce highly customized C query code. Optimizations to convert to push-based dataflow, row or columnar formats, or vectorized or tuple-at-a-time processing are applied during this transformation. DBLAB/LB [134] is the spiritual successor to LegoBase and also uses the staging based technique to generate query code. Unlike LegoBase, DBLAB/LB relies on a stack of DSLs to incrementally lower an interpreted query engine into C code. Each DSL functions at a different level of abstraction and is optimized independent of each other.

DBToaster [17, 18] is a stream processing engine designed for efficient view maintenance. In existing DBMSs, incremental updates to materialized views are treated like an update to a regular table. This simplifies the implementation by reusing existing machinery, but it does not consider the nature of the view and its relationship to the base tables. DBToaster instead analyzes these relationships to construct an optimized delta query that often obviates the need for subsequent scans of base tables. It then translates this delta query into C++ code and compiles it into machine code using a standard compiler. In this way, the DBToaster system is able to offer orders of magnitude performance improvements for long-standing queries.

Tupleware [41] is a distributed DBMS that automatically compiles workflows composed of UDFs into LLVM IR. Workflows are introspected to find vectorizable and non-vectorizable portions that drives the code generation process. Tupleware also presents a new hybrid predicate evaluation technique that separates predicate checking with output copying using a heuristic model.

In [137] and [136], the authors compared the performance of a vectorized and compiled query engine across three different simple query types: projections, selections and hash joins. They conclude that neither technique is always optimal, but that a combination of the two techniques is required to achieve the best performance. Specifically, projections are best performed by a compiled query, while selections are best performed by a vectorized query. Hash joins are significantly more complicated and require a custom combination of the two techniques.

The HIQUE [84] system uses query compilation without the Volcano iterator model. Instead, HIQUE translates the algebraic query plan into C++ using code templates for each operator. These templates form the structure of the operator, but low-level record access methods and predicate evaluation logic is customized per query. Unlike our ROF model, each operator in HIQUE always materializes its results, which prevents operator pipelining.

OmniSci [144] (previously MapD) is a GPU-accelerated DBMS designed to handle read-only queries. It implements a mixed C++/LLVM execution engine. All query-specific routines and predicate expressions are compiled into LLVM IR, then JIT compiled into native GPU code through Nvidia's intermediary NVVM IR. Like MemSQL, extracts constants to avoid recompilation when a query is re-executed with different parameters. It does this by using the generated IR as a key into a hash-table that maps IR to JITed query code.

Voodoo [120] presents an intermediate vector-based algebra that abstracts away the specifics of a system's underlying hardware such as cache configurations, NUMA layouts, or availability of SIMD instructions. A DBMS translates a physical plan into Voodoo and relies on a back-end that compiles it into portable OpenCL [10] code, which can be deployed in heterogeneous hardware environments that include both CPUs and GPUs.

The Tungsten [21] engine in Apache Spark introduced data-centric code generation for expressions. The DBMS converts a query's `WHERE` clause into an AST that it then compiles into JVM bytecode. The JVM internally decides whether this code is interpreted or compiled to native code. Using JVM bytecode simplifies interoperating with generated code since Spark is written in Scala (i.e., a JVM language). Like existing systems, Tungsten performs one-shot code generation (referred to as whole-stage generation in their work) and does not attempt to adapt this code at runtime. Code generation is also disabled for large queries due to platform and JVM limitations.

LB2 [145] presents an exciting approach to implementing a code generation query engine. With LB2, the query interpreter is written in the Scala programming language. The interpreter uses the data-centric model by relying on callback functions. Using callback functions enables the DBMS to benefit from data-centric efficiency and the Volcano-style iterator's well-understood structure. The authors use staged compilation [80, 134] and Futamura projections to derive a query compiler from an interpreter. The resulting compiler generates C code which is further compiled into native code using GCC. However, LB2 suffers from very long compilation times, making it infeasible for use in real-time analytic workloads.

6.2 Adaptive Query Processing

Deshpande et al. provides a thorough survey of the AQP methods up to the late 2000s [46]. The high-level idea with AQP is that the DBMS monitors the runtime behavior of a query to determine whether the optimizer’s cardinality estimations exceed some threshold. It can then either (1) return to the optimizer to generate a new plan using updated estimates it collected during execution based on the data that it observed in the first run or (2) switch to an alternative sub-plan at an appropriate materialization point. The former is not desirable in a JIT code-gen DBMS because of the high cost of recompilation.

The two AQP methods from the latter category that are most relevant to our PCQ approach are parametric optimization [40, 61] and proactive reoptimization [24]. The parametric optimization method for the Volcano optimizer generates multiple plans for a pipeline and embeds them in the plan. The optimizer then inserts using *choose-plan* operators that allow the DBMS to change which pipeline plan to use during query execution based on the observed cardinalities. Similarly, proactive reoptimization introduced in the Rio optimizer added *switch* operators in plans that allow the DBMS to choose between different sub-plans within a pipeline [24]. Rio also supports collecting statistics during query execution. Plan Bouquets [51] generates a “parametric optimal set of plans” that it switches between at runtime, but also provides a worst-case performance bounds. All of these methods are similar to our approach except they target interpretation-based DBMS architectures. They also generate non-permutable plans that only support coarse-grained switching between sub-plans before the system executes them. PCQ, on the other hand, enables strategy switching within a pipeline while the DBMS is actively executing it. Perron et al. show that modern cost-based query optimizers continue to underperform for certain classes of queries [118]. Their work advocates for query re-optimization as a cost-effective solution. Although their proposal targets the DBMS optimizer, PCQ solves many of the same issues during execution.

IBM developed an AQP technique for dynamically reordering joins in pipelined plans [92]. It targets OLTP workloads and does not generalize to analytical queries. More recently, SkinnerDB uses reinforcement learning to approximate optimal join ordering during query execution [148]. It requires, however, expensive pre-processing of data where it computes hash tables for all indexes and currently only supports single-threaded execution.

HyPer’s adaptive compilation technique includes many of the building blocks that we use to build a PCQ-enabled DBMS [82]. First, it relies on an interpreter that operates on HyPer-specific bytecode, similar to NoisePage’s interpreter. This bytecode is derived from LLVM IR rather than a DSL like TPL. HyPer only adapts its execution mode (i.e., interpreted vs. compilation), and does not modify the high-level structure of query plans, nor does it perform the low-level intra-pipeline optimizations that we described in Section 4.2.

Another in-memory DBMS that supports adaptivity is Vector [29]. Instead of JIT compiling queries, Vector uses pre-compiled *primitives* that are kernel functions that perform an operation on a specific data type (e.g., an equality predicate on 32-bit integers). The DBMS then stitches the necessary primitives together to execute each query. Vector’s “micro-adaptivity” technique compiles these primitives using different compilers (e.g., gcc, icc), and then uses a multi-armed bandit algorithm to select the best primitive at runtime based on performance measurements [124]. Since

this approach only changes what compiler to use, it cannot accommodate plan-wide optimizations or adapt the query plan based on the observed data.

Zeuch et al. developed a reoptimization approach using a cost-model based on the CPU's built-in hardware counters [158]. Their framework estimates the selectivities of multi-table queries to adapt execution orderings. Our PCQ framework does not rely on low-level counters and supports additional optimizations beyond filtering, including joins and aggregations.

A more recent adaptive approach for JIT compiled systems was proposed for Apache Spark [132]. This method provides dynamic speculative optimizations for compiling data file parsing logic. Grizzly [62] presents an adaptive compilation approach targeting stream processing systems. It initially generates generic C++ code with custom instrumentation to collect profiling information. The runtime uses this profiling information to recompile new optimized variants that it then monitors and verifies using hardware counters. Grizzly supports predicate reordering and domain-value specialization. PCQ supports more optimizations without recompiling plans.

One of the first implementations of reordering predicates was in Postgres from the early 1990s [68]. The authors instrumented the DBMS to collect completion times of predicates during query execution. They then modified Postgres's optimizer to reorder predicates to consider the trade-offs between selectivity and evaluation cost in future queries. This is the same high-level approach that IBM used in its Learning Optimizer (LEO) for DB2 [138]. The DBMS collects runtime information about queries and feeds this data back into the optimizer to improve its planning decisions.

Lastly, Dreseler et al. perform a deep-dive analysis of the TPC-H benchmark queries [50]. Their work groups the canonical choke-point queries into one of three categories: plan-level, logical operator-level, and engine efficiency. Their conclusion is that predicate placement and subquery flattening were the most relevant to query performance. PCQ supports the former in the execution engine, while the latter is handled by the DBMS optimizer.

6.3 Adaptive Compiler Techniques

Optimizing generated code based on runtime conditions is well-studied in the compiler literature, specifically in the context of high-performance dynamic language virtual machines [35, 36, 47, 69, 71, 74, 98]. The use of speculative optimization and deoptimization as a technique to enhance performance was first introduced in the Self programming language [70]. At a high level, the compiler first generates a generic version of a code fragment to execute. Depending on the scope of optimization, a code fragment may be restricted to a single loop (e.g., tracing JIT) or an entire method (e.g., method-based JIT). The compiler profiles the generated code and if it speculates that the collected information is stable (i.e., the information is not going to change in future executions), it generates a new version that optimizes for the observed common case. The optimized version also contains a fallback code path to handle inputs that invalidate speculative assumptions. When this occurs, the code is deoptimized by transferring control back to the runtime and reverting to the generic version. PCG exploits the semantics of query processing to safely remove the need for a fallback and its associated overhead.

The inspector/executor paradigm is used by compilers to generate parallel code for sparse matrix multiplication applications. In this model, the compiler generates *inspection* code to examine data at runtime first, and then *executor* code that exercises specific optimizations incorporating the

runtime information [25, 103, 128, 150]. These inspector/executor optimizations have also been employed outside the domain of matrix multiplication, including optimizing parallelization and communication [127, 131], and data reorganization [49, 66, 99, 104, 154]

Chapter 7

Future Work

In this chapter, we propose several future directions for the work presented in this dissertation. We first discuss immediate extensions that build upon our work to further improve query robustness. We conclude with a broader outlook on how modern DBMS can achieve robustness in an ecosystem that includes heterogeneous hardware platforms.

7.1 Inter-Query Optimization

The techniques presented in this dissertation attempt to ensure the DBMS executes a *single query* in the most efficient manner possible. The DBMS collects comprehensive statistics on the data a query is processing dynamically at runtime to achieve this. The DBMS then exploits this data to fine-tune the query's code and temporary data structures. However, despite spending effort acquiring this information, the DBMS discards it entirely after the query finishes execution. The DBMS cannot use the statistics garnered from an earlier execution of a query to optimize future queries. Although our techniques impose negligible overhead, repeating work is still wasteful. It would be desirable if the DBMS's execution engine could reincorporate runtime information back into the DBMS optimizer to *correct* optimizer errors.

Runtime statistics differ from those maintained by the DBMS optimizer in several fundamental ways. Foremost is that runtime statistics are 100% accurate, whereas optimizer statistics are only rough summarizations. Also, runtime statistics can be fine-grained while that available to the optimizer is coarse-grained. Hence, the first step is to investigate how to reconcile this impedance mismatch. The presence of constants and parameters in a query complicates this further as they influence the data distributions observed during execution. One promising approach to address this issue is to augment the DBMS optimizer to store *virtual* catalog entries that treat ephemeral results (e.g., the result of a hash join between two potentially virtual tables). In addition to cardinality information, the DBMS can track domain information, NULL information based on the techniques in this work. Interestingly, the DBMS can track arbitrary statistics but must balance the runtime overhead with the expected utility of information it gleans.

7.2 Advanced Adaptive Policies

Building on top of its efficient mechanism for permuting compiled queries without the need for recompilation, PCQ enables a wide set of potential policies and strategies for controlling the dynamic re-optimization process. Although a thorough exploration of the design space for these policies is beyond the scope of this dissertation, we highlight some key considerations.

First, as with any dynamic optimization scheme, one must be careful to balance the runtime overhead of measuring runtime behaviors against the likely performance gains from improved optimization. For example, with a sampling-based approach, one important parameter is the sampling frequency. In addition, while one approach would be to choose a sampling frequency and then perform that sampling uniformly throughout query execution, another approach would be to dynamically adjust the sampling frequency based upon how stable or unstable the dynamic conditions appear to be. To the extent that hardware support can help reduce sampling overhead (e.g., by making use of hardware counters to monitor cache misses, branch mispredicts [62, 158]), this can help provide more flexibility.

Second, when re-optimization does appear to be warranted, another key issue is how to effectively explore the space of potential optimizations. If the set of potential permutations is small (e.g., if there are two filters to order), it may be possible to exhaustively explore all possibilities whenever re-optimization appears to be warranted. But if the set of potential optimizations is large, then heuristics for efficiently exploring that space may be helpful.

7.3 Lightweight Recompilation

Recall from Chapter 5 that PCG achieves query robustness by staggering when query fragments are compiled and executed. Although this approach improves robustness, it restricts the DBMS to consider alternate plans and optimizations only at pipeline boundaries. Fully (or mostly fully) pipelined plans or plans that materialize too late in query execution may never reap the benefits of adaptivity. PCQ goes a long way towards enabling intra-pipeline adaptivity, but it cannot perform complex structural changes to a query plan. What is needed is the ability to recompile a pipeline *mid-execution*. A motivating example is when a stateful operator (e.g., a hash join) needs to spill to the disk. If the optimizer planned incorrectly, the generated code would not be able to handle this transition. The simple solution is to abort the transaction, re-generate the query plan using spill-aware operators, and re-execute the query. However, this results in wasted work.

The majority of our work relies on TPL, a lightweight DSL that is both fast to generate and efficient to execute without requiring complete JIT compilation. An exciting direction is to explore how these characteristics can be utilized to *recompile* pipeline logic during execution with minimal overhead. The idea is to allow a pipeline to observe data at runtime using the PCG and PCQ infrastructure discussed in this dissertation, but signal back to the DBMS to consider reoptimizing the pipeline or a subtree of the query plan. We believe it possible to achieve this since generating TPL is fast (tens of microseconds), and PCG localizes the compilation scope. In this model, operators notify the DBMS runtime (with sufficient lead time) that recompilation is needed (e.g., due to an impending spill). The runtime generates new TPL code modified to incorporate this new information and continues execution in a cautionary mode. Over time, the new code is eventually JIT-compiled to improve performance further.

7.4 Specialization Outside Query Processing

Existing work on compilation within the DBMS has focused predominantly on optimizing query processing performance. However, we see several other areas where we believe compilation lends improved performance. Generating specialized code is best suited when it replaces interpreted logic, thereby reducing CPU instruction count. One interesting use case is DBMS logging. When logging during transaction processing, the DBMS serializes attributes from one or more tuples into memory. Then when deserializing log records during recovery, it *interprets* a table's schema to (1) determine how data in a log record is serialized and (2) how to appropriately write these bytes into the appropriate space in the table's heap memory. This interpretation can potentially be specialized away using generated code to improve performance.

Another exciting idea is to specialize access and traversal of B-tree indexes. Probing a conventional B-tree node involves a binary search in a sorted array of index keys. Binary search does not exploit any properties of the keys stored in the array; it is, by design, a general-purpose algorithm. On the other hand, if the DBMS can analyze the keys in the tree and the access pattern, it is feasible to (1) *bias* the search in a given direction and (2) extract “common” keys out of the search to provide a fast-path for common key accesses.

7.5 Heterogeneous Hardware

Although Moore's Law remains true even at the time of writing, there is growing uncertainty whether it is possible to reduce the size of CPU transistors beyond 2nm [7]. Even if semiconductor manufacturers can improve either their fabrication process (e.g., extreme ultraviolet lithography) or CPU transistor technology (e.g., nanosheet gate-all-around), the total cost of design may make them financially unviable [4]. Instead, hardware vendors are offering alternative specialized computation platforms. For example, Intel SIMD registers continue to increase in width, now reaching 512 bits. Graphics processing units (GPU) have tens of gigabytes of memory, thousands of simple cores, and far higher memory bandwidth than general-purpose CPUs. Finally, field-programmable gate arrays (FPGA) offer an exciting platform blurring the line between hardware and software.

Hardware platforms of the future will be heterogeneous. On query execution, the DBMS must decide which portion of the query to execute on which device, taking into account the cost associated with data movement. Moreover, although the DBMS knows the strengths and weaknesses of each device beforehand, it only obtains clarity on the data a query is processing during execution. Thus, it must dynamically map query computation to the appropriate device, accounting for existing workloads and resource availability. These challenges further stress the need for runtime robustness.

Chapter 8

Concluding Remarks

In this dissertation, we presented several techniques to improve the performance and robustness of compilation-based DBMS query processing engines. Existing DBMSs employ a “compile-then-execute” strategy wherein all code for a query plan is generated first and only then compiled and executed without regard for the plan’s quality. Although this works in OLTP workloads characterized by repetitive and short-lived queries, this is not the case in HTAP settings. HTAP workloads are far less predictable (i.e., ad-hoc), more complex because they involve many more tables, and are long-lasting as they typically process entire tables. These properties complicate query planning and optimization. The update rate in HTAP environments exacerbates the problem since the DBMS’s statistics are often outdated, misguiding the query optimization process. Although the AQP literature offers some hope, none of the existing techniques work in compilation-based DBMSs. They either impose non-trivial compilation overhead or require aborting a query during execution, wasting resources and time.

This dissertation bridges the gap between compilation-based query processing and AQP in three parts presented in increasing scope of flexibility. In Chapter 3, we presented ROF, a technique that seamlessly blends query compilation and vectorized processing throughout the query engine. We achieve this by introducing staging points into a query plan where intermediate results are temporarily materialized in cache-resident buffers. Operators individually decide where to inject staging points with the assistance of the DBMS optimizer. Staging buffers enable operators to exploit inter-tuple parallelism using a combination of SIMD vectorization and software prefetching.

With ROF, query operators optimize themselves independently of each other. Although this improves performance, the DBMS can reach a local optimum. To address this, in Chapter 4 we presented PCQ, a technique that expands the granularity of adaptability across *multiple* operators within a pipeline. With PCQ, the DBMS structures generated code to utilize dynamic runtime structures behind a layer of indirection. Indirection plays a critical role in enabling the DBMS to switch between query plans during execution safely. PCQ employs the relaxed fusion technique from Chapter 3 to minimize any potential overheads introduced by adding a level of indirection. Using PCQ as a foundation, we implemented three optimizations that span single and multiple operators, including table scans, aggregations, and multi-way joins.

Both ROF and PCQ enable query plans to optimize themselves dynamically but require the DBMS to generate all code for a given query before execution. This approach, referred to as one-shot

code generation, is widely adopted by most existing compilation-based DBMSs. A crucial drawback of one-shot code generation is that it prevents the DBMS from learning properties about the data the query reads in an earlier phase of processing to tailor the code it generates for a later phase. To address this, we observe that pipelines only share state, not code; pipelines form a DAG and can be compiled and executed independently. Thus, in Chapter 5 we presented PCG, which interleaves code generation and execution of the different pipelines constituting a query. PCG allows the DBMS to adapt pipelines based on data observed in earlier parts of a query. We use this framework to implement several operations targeting both performance and memory compression.

Taken together, the work described in this dissertation enables any DBMS that uses query compilation to achieve dynamic runtime robustness without succumbing to any of its overheads.

Bibliography

- [1] Actian Vector. <http://esd.actian.com/product/Vector>.
- [2] Apache Cassandra. <http://cassandra.apache.org/>.
- [3] Apache Spark. <http://spark.apache.org/>.
- [4] As chip design costs skyrocket, 3nm process node is in jeopardy. <https://www.extremetech.com/computing/272096-3nm-process-node>.
- [5] Google Benchmark. <https://github.com/google/benchmark>.
- [6] HyPer. <https://hyper-db.de>.
- [7] Making chips at 3nm and beyond. <https://semiengineering.com/making-chips-at-3nm-and-beyond/>.
- [8] MemSQL. <http://www.memsql.com>.
- [9] NoisePage. <https://noise.page>.
- [10] OpenCL. <https://www.khronos.org/opencl/>.
- [11] Peloton Database Management System. <http://pelotondb.io>.
- [12] Skewed TPC-H. <https://www.microsoft.com/en-us/download/details.aspx?id=52430>.
- [13] D. Abadi, S. Madden, and M. Ferreira. Integrating compression and execution in column-oriented database systems. In *Proceedings of the 2006 ACM SIGMOD international conference on Management of data*, pages 671–682, 2006.
- [14] D. J. Abadi. *Query Execution in Column-Oriented Database Systems*. PhD thesis, MIT, 2008.
- [15] D. J. Abadi, S. R. Madden, and N. Hachem. Column-stores vs. row-stores: How different are they really? In *SIGMOD*, pages 967–980, 2008.
- [16] J. Adzic, V. Fiore, and L. Sisto. Extraction, transformation, and loading processes. In *Data warehouses and OLAP: Concepts, architectures and solutions*, pages 88–110. IGI Global, 2007.
- [17] Y. Ahmad, O. Kennedy, C. Koch, and M. Nikolic. Dbtoaster: Higher-order delta processing for dynamic, frequently fresh views. *PVLDB*, 5(10):968–979, 2012.
- [18] Y. Ahmad and C. Koch. Dbtoaster: A SQL compiler for high-performance delta processing in main-memory databases. *PVLDB*, 2(2):1566–1569, 2009.

-
- [19] V. N. Anh and A. Moffat. Index compression using 64-bit words. *Software—Practice & Experience*, 40(2):131–147, 2010.
- [20] A. Appleby. MurMur3 Hash. <https://github.com/aappleby/smhasher>.
- [21] M. Armbrust, R. S. Xin, C. Lian, Y. Huai, D. Liu, J. K. Bradley, X. Meng, T. Kaftan, M. J. Franklin, A. Ghodsi, and M. Zaharia. Spark sql: Relational data processing in spark. In *Proceedings of the 2015 ACM SIGMOD International Conference on Management of Data*, SIGMOD '15, page 1383–1394, New York, NY, USA, 2015. Association for Computing Machinery.
- [22] M. M. Astrahan, M. W. Blasgen, D. D. Chamberlin, K. P. Eswaran, J. N. Gray, P. P. Griffiths, W. F. King, R. A. Lorie, P. R. McJones, J. W. Mehl, G. R. Putzolu, I. L. Traiger, B. W. Wade, and V. Watson. System r: Relational approach to database management. *ACM Trans. Database Syst.*, 1(2):97–137, 1976.
- [23] S. Babu and P. Bizarro. Adaptive query processing in the looking glass. In *CIDR*, pages 238–249, January 2005.
- [24] S. Babu and P. Bizarro. Adaptive query processing in the looking glass. In *CIDR*, pages 238–249, January 2005.
- [25] A. Basumallik and R. Eigenmann. Optimizing irregular shared-memory applications for distributed-memory systems. In *Proceedings of the Eleventh ACM SIGPLAN Symposium on Principles and Practice of Parallel Programming*, PPOPP '06, page 119–128, New York, NY, USA, 2006. Association for Computing Machinery.
- [26] P. A. Bernstein and E. Newcomer. *Principles of Transaction Processing*. Morgan Kaufmann Publishers Inc., San Francisco, CA, USA, 2nd edition, 2009.
- [27] A. Böhm, J. Dittrich, N. Mukherjee, I. Pandis, and R. Sen. Operational analytics data management systems. *Proc. VLDB Endow.*, 9(13):1601–1604, 2016.
- [28] P. Boncz, T. Neumann, and O. Erling. *TPC-H Analyzed: Hidden Messages and Lessons Learned from an Influential Benchmark*. 2014.
- [29] P. Boncz, M. Zukowski, and N. Nes. MonetDB/X100: Hyper-pipelining query execution. In *CIDR*, 2005.
- [30] P. A. Boncz, M. L. Kersten, and S. Manegold. Breaking the memory wall in monetdb. *Commun. ACM*, 51(12):77–85, December 2008.
- [31] P. A. Boncz, W. Quak, and M. L. Kersten. Monet and its geographic extensions: A novel approach to high performance gis processing. In *Proceedings of the 5th International Conference on Extending Database Technology: Advances in Database Technology*, EDBT '96, page 147–166, Berlin, Heidelberg, 1996. Springer-Verlag.
- [32] S. Borkar and A. A. Chien. The future of microprocessors. *Commun. ACM*, 54(5):67–77, May 2011.
- [33] D. Broneske, A. Meister, and G. Saake. Hardware-sensitive scan operator variants for compiled selection pipelines. In *Datenbanksysteme für Business, Technologie und Web (BTW)*, pages 403–412, 2017.

- [34] D. D. Chamberlin, M. M. Astrahan, M. W. Blasgen, J. N. Gray, W. F. King, B. G. Lindsay, R. Lorie, J. W. Mehl, T. G. Price, F. Putzolu, P. G. Selinger, M. Schkolnick, D. R. Slutz, I. L. Traiger, B. W. Wade, and R. A. Yost. A history and evaluation of system r. *Commun. ACM*, 24:632–646, October 1981.
- [35] C. Chambers and D. Ungar. Making pure object-oriented languages practical. In *Conference Proceedings on Object-Oriented Programming Systems, Languages, and Applications*, OOPSLA '91, page 1–15, New York, NY, USA, 1991. Association for Computing Machinery.
- [36] C. Chambers, D. Ungar, and E. Lee. An efficient implementation of self a dynamically-typed object-oriented language based on prototypes. In *Conference Proceedings on Object-Oriented Programming Systems, Languages and Applications*, OOPSLA '89, page 49–70, New York, NY, USA, 1989. Association for Computing Machinery.
- [37] B. Chattopadhyay, P. Dutta, W. Liu, O. Tinn, A. McCormick, A. Mokashi, P. Harvey, H. Gonzalez, D. Lomax, S. Mittal, et al. Procella: Unifying serving and analytical data at youtube. *Proceedings of the VLDB Endowment*, 12(12):2022–2034, 2019.
- [38] S. Chen, A. Ailamaki, P. B. Gibbons, and T. C. Mowry. Improving hash join performance through prefetching. In *ICDE*, pages 116–127, 2004.
- [39] Z. Chen, J. Gehrke, and F. Korn. Query optimization in compressed database systems. In *Proceedings of the 2001 ACM SIGMOD international conference on Management of data*, pages 271–282, 2001.
- [40] R. L. Cole and G. Graefe. Optimization of dynamic query evaluation plans. In *Proceedings of the 1994 ACM SIGMOD International Conference on Management of Data*, SIGMOD '94, pages 150–160, 1994.
- [41] A. Crotty, A. Galakatos, K. Dursun, T. Kraska, U. Çetintemel, and S. B. Zdonik. Tupleware: "big" data, big analytics, small clusters. In *CIDR*, 2015.
- [42] B. Dageville, T. Cruanes, M. Zukowski, V. Antonov, A. Avanes, J. Bock, J. Claybaugh, D. Engovatov, M. Hentschel, J. Huang, A. W. Lee, A. Motivala, A. Q. Munir, S. Pelley, P. Povinec, G. Rahn, S. Triantafyllis, and P. Unterbrunner. The snowflake elastic data warehouse. In *Proceedings of the 2016 International Conference on Management of Data*, SIGMOD '16, page 215–226, New York, NY, USA, 2016. Association for Computing Machinery.
- [43] P. Damme, A. Ungethüm, J. Pietrzyk, A. Krause, D. Habich, and W. Lehner. Morphstore: Analytical query engine with a holistic compression-enabled processing model. *Proc. VLDB Endow.*, 13(11):2396–2410, 2020.
- [44] R. Delbru, S. Campinas, and G. Tummarello. Searching web data: An entity retrieval and high-performance indexing model. *Journal of Web Semantics*, 10:33–58, 2012.
- [45] P. J. Denning and T. G. Lewis. Exponential laws of computing growth. *Commun. ACM*, 60(1):54–65, Dec. 2016.
- [46] A. Deshpande, Z. G. Ives, and V. Raman. Adaptive query processing. *Foundations and Trends in Databases*, 1(1):1–140, 2007.

-
- [47] L. P. Deutsch and A. M. Schiffman. Efficient implementation of the smalltalk-80 system. POPL '84, page 297–302, New York, NY, USA, 1984. Association for Computing Machinery.
- [48] C. Diaconu, C. Freedman, E. Ismert, P. Larson, P. Mittal, R. Stonecipher, N. Verma, and M. Zwilling. Hekaton: Sql server's memory-optimized oltp engine. In *ACM International Conference on Management of Data 2013*, June 2013.
- [49] C. Ding and K. Kennedy. Improving cache performance in dynamic applications through data and computation reorganization at run time. PLDI '99, page 229–241, New York, NY, USA, 1999. Association for Computing Machinery.
- [50] M. Dreseler, M. Boissier, T. Rabl, and M. Uflacker. Quantifying tpc-h choke points and their optimizations. *PVLDB*, 13(8):1206–1220, 2020.
- [51] A. Dutt and J. R. Haritsa. Plan bouquets: Query processing without selectivity estimation. In *Proceedings of the 2014 ACM SIGMOD International Conference on Management of Data*, SIGMOD '14, page 1039–1050, 2014.
- [52] F. Färber, S. K. Cha, J. Primsch, C. Bornhövd, S. Sigg, and W. Lehner. Sap hana database: Data management for modern business applications. *SIGMOD Rec.*, 40(4):45–51, Jan. 2012.
- [53] P. Flajolet, É. Fusy, O. Gandouet, and F. Meunier. HyperLogLog: the analysis of a near-optimal cardinality estimation algorithm. In *AofA: Analysis of Algorithms*, DMTCS Proceedings, pages 137–156, June 2007.
- [54] J. Frazelle. Chipping away at moore's law: Modern cpus are just chiplets connected together. *Queue*, 18(1):5–15, Feb. 2020.
- [55] C. Freedman, E. Ismert, and P. Larson. Compilation in the microsoft sql server hekaton engine. *IEEE Data Eng. Bull.*, 37:22–30, 2014.
- [56] A. Gal, B. Eich, M. Shaver, D. Anderson, D. Mandelin, M. R. Haghghat, B. Kaplan, G. Hoare, B. Zbarsky, J. Orendorff, et al. Trace-based just-in-time type specialization for dynamic languages. *ACM Sigplan Notices*, 44(6):465–478, 2009.
- [57] J. Giceva and M. Sadoghi. *Hybrid OLTP and OLAP*, pages 1–8. Springer International Publishing, 2018.
- [58] A. K. Goel, J. Pound, N. Auch, P. Bumbulis, S. MacLean, F. Färber, F. Gropengiesser, C. Mathis, T. Bodner, and W. Lehner. Towards scalable real-time analytics: An architecture for scale-out of olxp workloads. *Proc. VLDB Endow.*, 8(12):1716–1727, Aug. 2015.
- [59] J. Goldstein, R. Ramakrishnan, and U. Shaft. Compressing relations and indexes. In *Proceedings 14th International Conference on Data Engineering*, pages 370–379. IEEE, 1998.
- [60] G. Graefe. Volcano- an extensible and parallel query evaluation system. *IEEE Trans. on Knowl. and Data Eng.*, 6:120–135, 1994.
- [61] G. Graefe and K. Ward. Dynamic query evaluation plans. *SIGMOD Rec.*, 18(2):358–366, June 1989.
- [62] P. M. Grulich, S. Breß, S. Zeuch, J. Traub, J. v. Bleichert, Z. Chen, T. Rabl, and V. Markl. Grizzly: Efficient stream processing through adaptive query compilation. SIGMOD, June

- 2020.
- [63] M. Grund, J. Krüger, H. Plattner, A. Zeier, P. Cudre-Mauroux, and S. Madden. Hyrise: A main memory hybrid storage engine. *Proc. VLDB Endow.*, 4(2):105–116, Nov. 2010.
 - [64] T. Gubner, V. Leis, and P. Boncz. Efficient query processing with optimistically compressed hash tables strings in the ussr. In *2020 IEEE 36th International Conference on Data Engineering (ICDE)*, pages 301–312, 2020.
 - [65] A. Gupta, D. Agarwal, D. Tan, J. Kulesza, R. Pathak, S. Stefani, and V. Srinivasan. Amazon redshift and the case for simpler data warehouses. In *Proceedings of the 2015 ACM SIGMOD International Conference on Management of Data*, SIGMOD '15, page 1917–1923, New York, NY, USA, 2015. Association for Computing Machinery.
 - [66] H. Han and C.-W. Tseng. Exploiting locality for irregular scientific codes. *IEEE Trans. Parallel Distrib. Syst.*, 17(7):606–618, July 2006.
 - [67] S. Harizopoulos, D. J. Abadi, S. Madden, and M. Stonebraker. Oltp through the looking glass, and what we found there. In *Proceedings of the 2008 ACM SIGMOD International Conference on Management of Data*, SIGMOD '08, page 981–992, New York, NY, USA, 2008. Association for Computing Machinery.
 - [68] J. M. Hellerstein and M. Stonebraker. Predicate migration: Optimizing queries with expensive predicates. In *SIGMOD*, pages 267–276, 1993.
 - [69] U. Hölzle, C. Chambers, and D. Ungar. Optimizing dynamically-typed object-oriented languages with polymorphic inline caches. In *Proceedings of the European Conference on Object-Oriented Programming*, ECOOP '91, page 21–38, Berlin, Heidelberg, 1991. Springer-Verlag.
 - [70] U. Hölzle, C. Chambers, and D. Ungar. Debugging optimized code with dynamic deoptimization. *PLDI '92*, page 32–43, New York, NY, USA, 1992. Association for Computing Machinery.
 - [71] IBM. Java 2 platform, standard edition. <https://www.ibm.com/developerworks/java/jdk/>, 2013.
 - [72] Y. E. Ioannidis and S. Christodoulakis. On the propagation of errors in the size of join results. In *Proceedings of the 1991 ACM SIGMOD international conference on Management of data*, pages 268–277, 1991.
 - [73] R. Johnson, I. Pandis, N. Hardavellas, A. Ailamaki, and B. Falsafi. Shore-mt: A scalable storage manager for the multicore era. In *Proceedings of the 12th International Conference on Extending Database Technology: Advances in Database Technology*, EDBT '09, page 24–35, New York, NY, USA, 2009. Association for Computing Machinery.
 - [74] H. JVM. Java version history. <http://en.wikipedia.org/wiki/Javaversionhistory>, 2013.
 - [75] R. Kallman, H. Kimura, J. Natkins, A. Pavlo, A. Rasin, S. Zdonik, E. P. C. Jones, S. Madden, M. Stonebraker, Y. Zhang, J. Hugg, and D. J. Abadi. H-store: A high-performance, distributed main memory transaction processing system. *Proc. VLDB Endow.*,

-
- 1(2):1496–1499, Aug. 2008.
- [76] F. L. O. S. K. O. L. H. Karl Rupp, M. Horowitz and C. Batten. Microprocessor trend data. 2020.
- [77] A. Kemper and T. Neumann. HyPer: A hybrid OLTP&OLAP main memory database system based on virtual memory snapshots. In *ICDE*, pages 195–206, 2011.
- [78] T. Kersten, V. Leis, A. Kemper, T. Neumann, A. Pavlo, and P. Boncz. Everything you always wanted to know about compiled and vectorized queries but were afraid to ask. *Proc. VLDB Endow.*, 11(13):2209–2222, Sept. 2018.
- [79] T. Kersten, V. Leis, and T. Neumann. Tidy tuples and flying start: Fast compilation and fast execution of relational queries in umbra. *VLDB J*, 30, 2021.
- [80] Y. Klonatos, C. Koch, T. Rompf, and H. Chafi. Building efficient query engines in a high-level language. *PVLDB*, 7(10):853–864, 2014.
- [81] O. Kocberber, B. Falsafi, and B. Grot. Asynchronous memory access chaining. *PVLDB*, 9(4):252–263, 2015.
- [82] A. Kohn, V. Leis, and T. Neumann. Adaptive execution of compiled queries. In *ICDE*, pages 197–208, 2018.
- [83] M. Kornacker, A. Behm, V. Bittorf, T. Bobrovitsky, C. Ching, A. Choi, J. Erickson, M. Grund, D. Hecht, M. Jacobs, I. Joshi, L. Kuff, D. Kumar, A. Leblang, N. Li, I. Pandis, H. Robinson, D. Rorke, S. Rus, J. Russell, D. Tsirogiannis, S. Wanderman-Milne, and M. Yoder. Impala: A modern, open-source SQL engine for hadoop. In *CIDR 2015, Seventh Biennial Conference on Innovative Data Systems Research*, 2015.
- [84] K. Krikellas, S. D. Viglas, and M. Cintra. Generating code for holistic query evaluation. In *Data Engineering (ICDE), 2010 IEEE 26th International Conference on*, pages 613–624. IEEE, 2010.
- [85] T. Lahiri, S. Chavan, M. Colgan, D. Das, A. Ganesh, M. Gleeson, S. Hase, A. Holloway, J. Kamp, T. Lee, J. Loaiza, N. Macnaughton, V. Marwah, N. Mukherjee, A. Mullick, S. Muthulingam, V. Raja, M. Roth, E. Soylemez, and M. Zait. Oracle database in-memory: A dual format in-memory database. In *2015 IEEE 31st International Conference on Data Engineering*, pages 1253–1258, 2015.
- [86] T. Lahiri, M. Neimat, and S. Folkman. Oracle timesten: An in-memory database for enterprise applications. *IEEE Data Eng. Bull.*, 36(2):6–13, 2013.
- [87] D. Laney. 3-D data management: Controlling data volume, velocity and variety. Feb. 2001.
- [88] H. Lang, T. Mühlbauer, F. Funke, P. A. Boncz, T. Neumann, and A. Kemper. Data blocks: Hybrid oltp and olap on compressed storage using both vectorization and compilation. *SIGMOD '16*, page 311–326, 2016.
- [89] J. Lee, S. Moon, K. H. Kim, D. H. Kim, S. K. Cha, and W.-S. Han. Parallel replication across formats in sap hana for scaling out mixed oltp/olap workloads. *Proc. VLDB Endow.*, 10(12):1598–1609, Aug. 2017.

- [90] V. Leis, P. Boncz, A. Kemper, and T. Neumann. Morsel-driven parallelism: A numa-aware query evaluation framework for the many-core age. In *SIGMOD*, pages 743–754, 2014.
- [91] V. Leis, A. Gubichev, A. Mirchev, P. A. Boncz, A. Kemper, and T. Neumann. How good are query optimizers, really? *PVLDB*, 9(3):204–215, 2015.
- [92] Q. Li, M. Shao, V. Markl, K. Beyer, L. Colby, and G. Lohman. Adaptively reordering joins during query execution. In *2007 IEEE 23rd International Conference on Data Engineering*, pages 26–35, April 2007.
- [93] T. Li, M. Butrovich, A. Ngom, W. McKinney, and A. Pavlo. Mainlining databases: Supporting fast transactional workloads on universal columnar data file formats. 2019. *Under Submission*.
- [94] R. MacNicol and B. French. Sybase iq multiplex - designed for analytics. In *Proceedings of the Thirtieth International Conference on Very Large Data Bases - Volume 30, VLDB '04*, page 1227–1230. VLDB Endowment, 2004.
- [95] D. Makreshanski, J. Giceva, C. Barthels, and G. Alonso. Batchdb: Efficient isolated execution of hybrid oltp+olap workloads for interactive applications. In *Proceedings of the 2017 ACM International Conference on Management of Data, SIGMOD '17*, page 37–50, New York, NY, USA, 2017. Association for Computing Machinery.
- [96] V. Markl, V. Raman, D. Simmen, G. Lohman, H. Pirahesh, and M. Cilimdžić. Robust query processing through progressive optimization. In *Proceedings of the 2004 ACM SIGMOD International Conference on Management of Data, SIGMOD '04*, pages 659–670, 2004.
- [97] J. C. McCallum. Memory prices 1957+. <https://www.jcmit.net/memoryprice.htm>, 2021.
- [98] E. Meijer and J. Gough. Technical overview of the common language runtime. *language*, 29(7).
- [99] J. Mellor-Crummey, D. Whalley, and K. Kennedy. Improving memory hierarchy performance for irregular applications. In *Proceedings of the 13th International Conference on Supercomputing, ICS '99*, page 425–433, New York, NY, USA, 1999. Association for Computing Machinery.
- [100] J. Melton and A. R. Simon. *Understanding the New SQL: A Complete Guide*. Morgan Kaufmann Publishers Inc., San Francisco, CA, USA, 1993.
- [101] P. Menon, T. C. Mowry, and A. Pavlo. Relaxed operator fusion for in-memory databases: Making compilation, vectorization, and prefetching work together at last. *Proceedings of the VLDB Endowment*, 11:1–13, September 2017.
- [102] P. Menon, A. Ngom, L. Ma, T. C. Mowry, and A. Pavlo. Permutable compiled queries: Dynamically adapting compiled queries without recompiling. *Proc. VLDB Endow.*, 14(2):101–113, October 2020.
- [103] R. Mirchandaney, J. H. Saltz, R. M. Smith, D. M. Nico, and K. Crowley. Principles of runtime support for parallel processors. *ICS '88*, page 140–152, New York, NY, USA, 1988. Association for Computing Machinery.

-
- [104] N. Mitchell, L. Carter, and J. Ferrante. Localizing non-affine array references. PACT '99, page 192, USA, 1999. IEEE Computer Society.
- [105] G. Moerkotte and T. Neumann. Accelerating queries with group-by and join by groupjoin. *PVLDB*, 4(11):843–851, 2011.
- [106] G. E. Moore. Cramming more components onto integrated circuits, reprinted from electronics, volume 38, number 8, april 19, 1965, pp.114 ff. *IEEE Solid-State Circuits Society Newsletter*, 11(3):33–35, 2006.
- [107] T. C. Mowry, M. S. Lam, and A. Gupta. Design and evaluation of a compiler algorithm for prefetching. In *Proceedings of the Fifth International Conference on Architectural Support for Programming Languages and Operating Systems*, ASPLOS V, pages 62–73, 1992.
- [108] T. Neumann. Efficiently compiling efficient query plans for modern hardware. *PVLDB*, 4(9):539–550, 2011.
- [109] T. Neumann and M. J. Freitag. Umbra: A disk-based system with in-memory performance. In *CIDR*, 2020.
- [110] T. Neumann, T. Mühlbauer, and A. Kemper. Fast serializable multi-version concurrency control for main-memory database systems. *SIGMOD*, 2015.
- [111] F. Özcan, Y. Tian, and P. Tözün. Hybrid transactional/analytical processing: A survey. New York, NY, USA, 2017. Association for Computing Machinery.
- [112] P. O’Neil, E. O’Neil, X. Chen, and S. Revilak. The star schema benchmark and augmented fact table indexing. In *Technology Conference on Performance Evaluation and Benchmarking*, pages 237–252. Springer, 2009.
- [113] R. B. G. L. I. Pandis, V. R. R. Sidle, G. A. N. C. S. Lightstone, and D. Sharpe. Memory-efficient hash joins. *Proceedings of the VLDB Endowment*, 8(4), 2014.
- [114] S. Pantela and S. Idreos. One loop does not fit all. In *Proceedings of the 2015 ACM SIGMOD International Conference on Management of Data*, SIGMOD '15, pages 2073–2074, 2015.
- [115] D. Paroski. Code Generation: The Inner Sanctum of Database Performance. <http://highscalability.com/blog/2016/9/7/code-generation-the-inner-sanctum-of-database-performance.html>, September 2016.
- [116] J. M. Patel, H. Deshmukh, J. Zhu, N. Potti, Z. Zhang, M. Spehlmann, H. Memisoglu, and S. Saurabh. Quickstep: A data platform based on the scaling-up approach. *Proc. VLDB Endow.*, 11(6):663–676, Feb. 2018.
- [117] A. Pavlo. *On Scalable Transaction Execution in Partitioned Main Memory Database Management Systems*. PhD thesis, Brown University, 2013.
- [118] M. Perron, Z. Shang, T. Kraska, and M. Stonebraker. How i learned to stop worrying and love re-optimization. In *2019 IEEE 35th International Conference on Data Engineering (ICDE)*, 2019.

- [119] M. Pezzini, D. Feinberg, N. Rayner, and R. Edjlali. Hybrid Transaction/Analytical Processing Will Foster Opportunities for Dramatic Business Innovation. <https://www.gartner.com/doc/2657815/>, 2014.
- [120] H. Pirk, O. R. Moll, M. Zaharia, and S. Madden. Voodoo - A vector algebra for portable database performance on modern hardware. *Proc. VLDB Endow.*, 9(14):1707–1718, 2016.
- [121] O. Polychroniou, A. Raghavan, and K. A. Ross. Rethinking simd vectorization for in-memory databases. *SIGMOD*, pages 1493–1508, 2015.
- [122] O. Polychroniou and K. A. Ross. Vectorized bloom filters for advanced simd processors. *DaMoN '14*, pages 6:1–6:6, 2014.
- [123] M. Raasveldt and H. Mühleisen. Duckdb: An embeddable analytical database. In *Proceedings of the 2019 International Conference on Management of Data*, *SIGMOD '19*, page 1981–1984. Association for Computing Machinery, 2019.
- [124] B. Raducanu, P. A. Boncz, and M. Zukowski. Micro adaptivity in vectorwise. In *SIGMOD*, pages 1231–1242, 2013.
- [125] V. Raman, G. Attaluri, R. Barber, N. Chainani, D. Kalmuk, V. KulandaiSamy, J. Leenstra, S. Lightstone, S. Liu, G. M. Lohman, T. Malkemus, R. Mueller, I. Pandis, B. Schiefer, D. Sharpe, R. Sidle, A. Storm, and L. Zhang. DB2 with BLU acceleration: So much more than just a column store. In *VLDB*, volume 6, pages 1080–1091, 2013.
- [126] J. Rao, H. Pirahesh, C. Mohan, and G. Lohman. Compiled query execution engine using jvm. In *22nd International Conference on Data Engineering (ICDE'06)*, pages 23–23. IEEE, 2006.
- [127] L. Rauchwerger and D. A. Padua. The lrpd test: speculative run-time parallelization of loops with privatization and reduction parallelization. *IEEE Transactions on Parallel and Distributed Systems*, 10(2):160–180, 1999.
- [128] M. Ravishankar, J. Eisenlohr, L.-N. Pouchet, J. Ramanujam, A. Rountev, and P. Sadayappan. Code generation for parallel execution of a class of irregular loops on distributed memory systems. In *SC'12: Proceedings of the International Conference on High Performance Computing, Networking, Storage and Analysis*, pages 1–11. IEEE, 2012.
- [129] S. Richter, V. Alvarez, and J. Dittrich. A seven-dimensional analysis of hashing methods and its implications on query processing. *PVLDB*, 9(3):96–107, 2015.
- [130] M. A. Roth and S. J. Van Horn. Database compression. *ACM Sigmod Record*, 22(3):31–39, 1993.
- [131] J. Saltz, G. Agrawal, C. Chang, R. Das, G. Edjlali, P. Havlak, Y. Hwang, B. Moon, R. Ponnusamy, S. Sharma, A. Sussman, and M. Uysal. Programming irregular applications: Runtime support, compilation and tools. *Adv. Comput.*, 45:105–153, 1997.
- [132] F. Schiavio, D. Bonetta, and W. Binder. Dynamic speculative optimizations for sql compilation in apache spark. *Proc. VLDB Endow.*, 13(5):754–767, Jan. 2020.
- [133] S. Schuh, X. Chen, and J. Dittrich. An experimental comparison of thirteen relational equi-joins in main memory. In *Proceedings of the 2016 International Conference on*

-
- Management of Data, SIGMOD Conference 2016, San Francisco, CA, USA, June 26 - July 01, 2016*, pages 1961–1976, 2016.
- [134] A. Shaikhha, Y. Klonatos, L. Parreaux, L. Brown, M. Dashti, and C. Koch. How to architect a query compiler. In *SIGMOD*, pages 1907–1922, 2016.
- [135] N. Shamgunov. The memsql in-memory database system. In *IMDM@VLDB*, 2014.
- [136] J. Sompolski. Just-in-time Compilation in Vectorized Query Execution. Master’s thesis, University of Warsaw, Aug 2011.
- [137] J. Sompolski, M. Zukowski, and P. Boncz. Vectorization vs. compilation in query execution. In *Proceedings of the Seventh International Workshop on Data Management on New Hardware, DaMoN ’11*, pages 33–40, 2011.
- [138] M. Stillger, G. M. Lohman, V. Markl, and M. Kandil. LEO - db2’s learning optimizer. In *VLDB*, pages 19–28, 2001.
- [139] M. Stonebraker, D. J. Abadi, A. Batkin, X. Chen, M. Cherniack, M. Ferreira, E. Lau, A. Lin, S. Madden, E. O’Neil, P. O’Neil, A. Rasin, N. Tran, and S. Zdonik. C-store: A column-oriented dbms. *VLDB ’05*, page 553–564. VLDB Endowment, 2005.
- [140] M. Stonebraker, C. Bear, U. Çetintemel, M. Cherniack, T. Ge, N. Hachem, S. Harizopoulos, J. Lifter, J. Rogers, and S. Zdonik. One size fits all? – part 2: benchmarking results. In *In CIDR*, 2007.
- [141] M. Stonebraker and U. Cetintemel. ”one size fits all”: An idea whose time has come and gone. In *Proceedings of the 21st International Conference on Data Engineering, ICDE ’05*, page 2–11, USA, 2005. IEEE Computer Society.
- [142] M. Stonebraker, G. Held, E. Wong, and P. Kreps. The design and implementation of ingres. *ACM Trans. Database Syst.*, 1(3):189–222, 1976.
- [143] M. Stonebraker, S. Madden, D. J. Abadi, S. Harizopoulos, N. Hachem, and P. Helland. The end of an architectural era: (it’s time for a complete rewrite). *VLDB ’07*, page 1150–1160. VLDB Endowment, 2007.
- [144] A. Suhan and T. Mostak. MapD: Massive Throughput Database Queries with LLVM on GPUs. <http://devblogs.nvidia.com/parallelforall/mapd>, June 2015.
- [145] R. Y. Tahboub, G. M. Essertel, and T. Rompf. How to architect a query compiler, revisited. In *Proceedings of the 2018 International Conference on Management of Data*, pages 307–322, 2018.
- [146] The Transaction Processing Council. TPC-H Benchmark (Revision 2.16.0). <http://www.tpc.org/tpch/>, June 2013.
- [147] A. Thomson, T. Diamond, S.-C. Weng, K. Ren, P. Shao, and D. J. Abadi. Calvin: Fast distributed transactions for partitioned database systems. In *Proceedings of the 2012 ACM SIGMOD International Conference on Management of Data, SIGMOD ’12*, page 1–12, New York, NY, USA, 2012. Association for Computing Machinery.

- [148] I. Trummer, J. Wang, D. Maram, S. Moseley, S. Jo, and J. Antonakakis. Skinnerdb: Regret-bounded query evaluation via reinforcement learning. In *Proceedings of the 2019 International Conference on Management of Data, SIGMOD '19*, page 1153–1170, New York, NY, USA, 2019. Association for Computing Machinery.
- [149] S. Tu, W. Zheng, E. Kohler, B. Liskov, and S. Madden. Speedy transactions in multicore in-memory databases. In *Proceedings of the Twenty-Fourth ACM Symposium on Operating Systems Principles, SOSP '13*, page 18–32, New York, NY, USA, 2013. Association for Computing Machinery.
- [150] A. Venkat, M. Hall, and M. Strout. Loop and data transformations for sparse matrix code. In *Proceedings of the 36th ACM SIGPLAN Conference on Programming Language Design and Implementation, PLDI '15*, page 521–532, New York, NY, USA, 2015.
- [151] S. D. Viglas. Just-in-time compilation for sql query processing. *PVLDB*, 6(11):1190–1191, 2013.
- [152] S. Wanderman-Milne and N. Li. Runtime code generation in cloudera impala. *IEEE Data Eng. Bull.*, 37(1):31–37, 2014.
- [153] T. Westmann, D. Kossmann, S. Helmer, and G. Moerkotte. The implementation and performance of compressed databases. *ACM Sigmod Record*, 29(3):55–67, 2000.
- [154] B. Wu, Z. Zhao, E. Z. Zhang, Y. Jiang, and X. Shen. Complexity analysis and algorithm design for reorganizing data to minimize non-coalesced memory accesses on gpu. In *Proceedings of the 18th ACM SIGPLAN Symposium on Principles and Practice of Parallel Programming, PPOPP '13*, page 57–68, New York, NY, USA, 2013. Association for Computing Machinery.
- [155] T. Würthinger, C. Wimmer, C. Humer, A. Wöß, L. Stadler, C. Seaton, G. Duboscq, D. Simon, and M. Grimmer. Practical partial evaluation for high-performance dynamic language runtimes. *PLDI 2017*, page 662–676. Association for Computing Machinery, 2017.
- [156] T. Würthinger, C. Wimmer, A. Wöß, L. Stadler, G. Duboscq, C. Humer, G. Richards, D. Simon, and M. Wolczko. One vm to rule them all. *Onward! 2013*, page 187–204, New York, NY, USA, 2013. Association for Computing Machinery.
- [157] A. X3.135-1992. American national standard for information systems — database language — sql. November 1992.
- [158] S. Zeuch, H. Pirk, and J. Freytag. Non-invasive progressive optimization for in-memory databases. *PVLDB*, 9(14):1659–1670, 2016.
- [159] J. Zhou and K. A. Ross. Implementing database operations using simd instructions. In *Proceedings of the 2002 ACM SIGMOD International Conference on Management of Data, SIGMOD '02*, pages 145–156, New York, NY, USA, 2002. ACM.
- [160] J. Zhu, N. Potti, S. Saurabh, and J. M. Patel. Looking ahead makes query plans robust. *PVLDB*, 10(8):889–900, 2017.
- [161] M. Zukowski, S. Heman, N. Nes, and P. Boncz. Super-scalar ram-cpu cache compression. In *22nd International Conference on Data Engineering (ICDE'06)*, pages 59–59. IEEE, 2006.

- [162] M. Zukowski, N. Nes, and P. Boncz. Dsm vs. nsm: Cpu performance tradeoffs in block-oriented query processing. DaMoN '08, pages 47–54, 2008.